2000 IDAHO SUBSTANCE USE, SAFETY, AND SCHOOL CLIMATE SURVEY

March 2001



Safe and Drug-Free Schools Program Idaho State Department of Education P. O. Box 83720 Boise ID 83720-0027 208-332-6960 www.sde.state.id.us/Safe

2000 IDAHO SUBSTANCE USE, SAFETY, AND SCHOOL CLIMATE SURVEY

Theresa Deussen, Ph.D.

Evaluation Program Dr. Kim O. Yap, Director

Northwest Regional Educational Laboratory 101 S.W. Main Street, Suite 500 Portland, Oregon 97204

March 2001

Table of Contents

	Page
TABLE OF CONTENTS	1
EXECUTIVE SUMMARY	3
FINDINGS	8
Alcohol Use	8
Lifetime Prevalence and Current Levels of Use	8
Student Drinking in the Previous 30 Days	
Usual Quantity of Alcohol Consumed	
Frequency of Binge Drinking	
Age at First Full Drink	
Sources of Alcohol	
Perceived Risk of Harm from Alcohol	
Parental Supervision and Student Alcohol Use	23
Tobacco Use	25
Lifetime Prevalence	
Current Levels of Tobacco Use	
Age When Started Smoking	
Source of Cigarettes	33
Perceived Risk of Harm from Smoking	35
Other Drug Use	37
Lifetime Prevalence of Any Drug Use	
Lifetime Prevalence of Use of Specific Drugs	
Levels of Current Drug Use	
Student Drug Use in the Previous 30 Days	
Perceived Availability of Drugs	
Perceived Risk of Harm from Drug Use	
Parental Supervision and Student Drug Use	
Drug Education in Schools	60
Student Attitudes Toward Alcohol and Drug Educ	
Knowledge Gained from Alcohol and Drug Educ	
School Climate and Safety	64
Endorsement of Physical Violence	
Gangs	
Weapon-Carrying	
Carrying Weapons to School	
Student Perceptions of School Climate	
Driving Under the Influence of Intoxicants	72
Riding with an Intoxicated Driver	72
Driving While Intoxicated	73
REFERENCES	74
APPENDICES	75
Appendix: Survey Data Regional/Statewi	de

Sampling and School Participation

Cluster sampling was employed to select a sample of approximately 275 students from each of the six grade levels within each of the six educational regions of the state. Figure 1 below represents all school districts of these six educational regions.




Figure 1

EXECUTIVE SUMMARY

This report details and summarizes the statewide results of the 2000 Idaho Substance Use and School Climate Survey, conducted by the Northwest Regional Educational Laboratory (NWREL) for the Idaho Department of Education. The 2000 survey represented the third administration of a survey first used in 1996 and repeated in 1998. This replication permits the documentation of trends in substance use and school climate in Idaho.

The first administration of the survey included only sixth, eighth, and twelfth grade students. The second administration added a tenth grade sample and the most recent survey also sampled students from the ninth, and eleventh grades.

On the survey, students were asked about their use and avoidance of alcohol, tobacco, and other drugs, and their experience with alcohol and drug education, as well as their perceptions of the school environment, safety at school, and related safety issues such as driving under the influence of intoxicants.

Students were selected using a stratified random sampling strategy with at least 275 students in each of six grade levels in each of the six regions in the state. A total of 9,781 students participated in the survey.

Surveys were administered between October 23, 2000, and November 3, 2000; schools conformed to this schedule. Protection of student confidentiality was emphasized.

Summary of Findings

Major findings are presented below, organized by type of substance use or school climate issue. More complete discussion of each topic can be found in the body of the report.

Alcohol Use

In previous years, Idaho students have been less likely to report that they have ever tried drinking alcohol, compared to their peers nationwide. This pattern continued at every grade level in the year 2000. Table 1:

Percentage of Students Nationwide and in Idaho Who Have Ever Used Alcohol, 1996-2000

	1996		19	98	20	00	Idaho
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		24.4		18.4		13.9	-10.5
Grade 8	55.3	49.7	52.5	42.2	51.4	39.6	-10.1
Grade 9						52.3	
Grade 10	71.8		69.8	62.9	71.4	56.9	-6.0
Grade 11						66.8	
Grade 12	79.2	67.9	81.4	64.6	80.3	64.1	-3.5

Table 1 provides insight into when students begin to experiment with alcohol. For example, the percentage of students reporting they had tried alcohol nearly tripled between sixth and eighth grade (from 13.9 to 39.6 percent), indicating that middle school is a time when many students try alcohol for the first time. The percentage of students who reported drinking continued to increase through the grades and stabilized in eleventh grade at slightly more than two-thirds of all students.

Although the majority of students had tried some alcohol by the time they were seniors in high school, these figures represent a reduction in the proportion of sixth, eighth, and tenth grade students who report drinking, compared to 1996 and 1998 For twelfth grade students, there was also a slight reduction in the percentage of students who reported having used alcohol, but this decline was within the margin of error.

Although lifetime prevalence levels in Idaho were lower than the national average, statistics on recent (last 30 days) consumption of alcohol were very comparable to national data. This means that although a larger proportion of Idaho students maintained complete abstinence, those who did consume alcohol were comparatively likely to drink regularly..

Binge drinking, or the consumption of five or more drinks in one sitting, was much more common among eleventh and twelfth grade students than among younger students; about a third of Idaho juniors and seniors report having engaged in binge drinking within the 30 days prior to the survey. It is more common among boys than girls.

Students were asked about their perceptions of the risk involved from high consumption of alcohol (five or more drinks once or twice each weekend). Compared to students in national surveys, Idaho students were *less* likely to say that this behavior posed a "great risk" of harm.

Tobacco Use

Compared to findings on earlier surveys, between five and ten percent of sixth, eighth and tenth grade students reported never having tried smoking. In addition, the percentage of tenth grade students who reported smoking on a daily basis dropped substantially from 15.7 percent in 1998 to 9.4 percent in 2000. The number of twelfth grade students who smoked was down from 1996, but up from 1998.

Idaho students continued to be much less likely than their peers nationally to smoke tobacco. Whereas 62.5 percent of high school seniors in a comparable national study reported ever having smoked cigarettes, only 43.6 percent of Idaho seniors had done so. Table 2:

Percentage of Students Nationwide and in Idaho Who Have Ever Used Smoking Tobacco, 1996-2000

	1996		19	1998		2000		
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey	
Grade 8	49.2	28.7	45.7	21.2	40.5	17.3	-11.4	
Grade 10	61.2		57.7	40.6	55.1	30.9	-9.7	
Grade 12	63.5	48.1	65.3	42.0	62.5	43.6	-4.5	

Despite this behavioral difference, Idaho students were less likely than students in the national study to indicate that they thought that smoking a pack of cigarettes a day posed a "great risk" of potential harm.

Among high school seniors who smoked, most reported having started at age 13 or 14, although a full 20 percent reported that they had started smoking before they were 12 years old.

Drug Use

Idaho students continued to report much lower levels of drug use, overall, than did students in national surveys. Whereas 54 percent of high school seniors nationwide reported having used drugs at least once in their lifetime, about 35 percent of Idaho seniors reported ever having used drugs.

Furthermore, the reported use of most individual drugs remained the same or declined slightly compared to 1998 reports. Opiate drugs (heroin, codeine and opium) and steroids were the two exceptions. About five or six percent of high school students reported having tried opiate drugs. Steroids, or muscle builders, were the only drugs that Idaho students reported using at a higher rate than students elsewhere in the United States. Use among tenth and twelfth grade students – predominantly boys – increased slightly from 1998 to 2000.

Marijuana continued to be the most commonly used drug for students in eighth grade or older and sixth grade students were more likely to report the use of inhalants. About a third of high school juniors and seniors report having tried marijuana at least once.

The use of marijuana varied from one region of the state to another and also gender difference in use. Through tenth grade, boys were more likely than girls to report marijuana use, but in eleventh and twelfth grades, girls reported use levels very similar to boys.

Although percentages for Idaho students were less than for their peers elsewhere in the country, three quarters of Idaho seniors maintained that it would be "fairly easy" or "very easy" for them to obtain marijuana. A third of Idaho seniors said it would be easy for them to get cocaine, and almost 40 percent felt they could easily obtain methamphetamines.

As in 1998, students who reported low supervision by their parents were much more likely to report low, moderate, and high levels of drug use, compared to students who were highly supervised.

Drug and Alcohol Education

About half of all students reported that their school had been their primary source of information on the dangers of drugs and drinking. Approximately 25 percent (somewhat more among sixth graders) said that their families had provided them with this information.

Students believed it was important to begin education on alcohol and drugs early; 65 percent said it should begin in elementary school.

Younger students were more likely than older ones to say they had learned "a lot" in alcohol and drug educational classes. Nevertheless, over 60 percent of eleventh and twelfth grade students reported that they had learned "some" or "a lot" about four topics:

- Types of drugs and what they do to people
- How to say "no" to drugs and alcohol
- How to make good decisions in life
- Healthy things to do instead of taking drugs or drinking alcohol

Driving Under the Influence of Intoxicants

Between 20 and 30 percent of all students reported that, within the 30 days prior to the survey, they had ridden in a car or truck or on a motorcycle with a driver who had been using alcohol or drugs. This level was about the same as the level reported in the 1996 and 1998 surveys.

About 16 percent of Idaho juniors and seniors reported having driven while under the influence of drugs or alcohol within the 30 days prior to the survey. This marks a decline since 1996 but little, if any, change since 1998.

Violence, Gangs, and Weapon-Carrying

Students were asked whether physical violence was an appropriate response to being disrespected or called names. About one-fourth of Idaho high school students endorsed the use of violence in such cases, with boys far more likely than girls to approve of violence as a response. Students who used drugs at all were more likely than those who did not to endorse violence, and as drug use increased, so did approval of violence.

Only about 2.5 percent of sixth grade students said they belonged to gangs. This number fluctuated between six and eight percent for middle school and high school students. Although girls were less likely to answer that they were members of a gang, the differences between girls' and boys' answers were small.

Younger students and boys were more likely to say that gangs were a problem at their schools.

High school boys were four to five times more likely than girls to report having carried weapons to school, and over one-fifth of high school boys said they had, at some time, carried a weapon to school.

When students reported any weapon-carrying, they were most likely to report that they had carried knives or razors (11-15 percent of students, depending on grade level). Much smaller numbers of students, between 3 and 5 percent of high school students, reported carrying clubs, bats, sticks or pipes as weapons. Gun-carrying (including handguns, rifles, and shotguns) was reported by 2 to 4 percent of high school students.

Student Perception of School Climate and Relationships with Teachers

Students strongly agreed (80-92 percent, depending on grade level) that they felt safe in their schools. Over three-quarters of them also said they felt they belonged at their school.

On the other hand, some students also saw problems at their schools. Between a fourth and a third of students felt that students of all racial groups did not get along with one another. Over a third of all students also felt that school rules were not enforced fairly and consistently at their schools.

Students were more likely to report that they felt their teachers respected them (about 70 percent) than that students in general showed respect to teachers (50 percent). Between 54 and 60 percent of high school students, depending on grade level, said that teachers and administrators listened to and respected student views and opinions.

ALCOHOL USE

A number of items on the *Idaho Substance Use and School Climate Survey* addressed alcohol use. Students were asked about their lifetime and recent frequency and quantity of consumption of beer, wine or wine coolers, and hard liquor; typical amount consumed at one time and frequency of binge drinking (5 or more drinks on one occasion); and age when they first drank alcohol.

For some items, a composite Alcohol Use Scale was used to differentiate levels of student use. The scale divided students into the following categories:

- No Use students who had never tried alcohol
- Low Use occasional light drinkers
- Moderate Use those whose frequency of drinking may be as high as weekly but who usually have less than 5 drinks
- High Use those who have one or more drinks daily or who usually have 5 or more drinks at one time.

Lifetime Prevalence and Current Levels of Use

Lifetime prevalence rates indicate the proportion of students who have tried alcohol at least once in their lives. In past surveys, Idaho students have been less likely to report that they have ever tried drinking alcohol, compared to their peers nationwide. This pattern continued in the year 2000. Table A1 presents the percentage of students at each grade level responding that they had tried alcohol in their lifetime. At every grade level, these percentages are lower than the corresponding national averages.

Table A1
Percentage of Students Nationwide and in Idaho Who Have Ever
Used Alcohol, 1996-2000

	1996		19	98	20	00	Idaho
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		24.4		18.4		13.9	-10.5
Grade 8	55.3	49.7	52.5	42.2	51.4	39.6	-10.1
Grade 9		1				52.3	
Grade 10	71.8		69.8	62.9	71.4	56.9	-6.0
Grade 11						66.8	
Grade 12	79.2	67.9	81.4	64.6	80.3	64.1	-3.5

Table A1 also provides insight into when students begin to experiment with alcohol. For example, the percentage of students reporting they had tried alcohol nearly tripled between sixth and eighth grade (from 13.9 to 39.6 percent), so that middle school is a time when many students began to try alcohol for the first time. The percentage of students who reported drinking continued to increase through the grades and stabilized in eleventh grade at slightly more than two-thirds of all students.

Figures A1, A2, A3 permit direct comparison to trends in lifetime prevalence of alcohol consumption students in Idaho and nationwide, in grades eight, ten, and twelve, respectively. While the percentage of tenth and twelfth grade students trying alcohol in the national study shows little change since 1996, the percentage for Idaho tenth graders declined, and the percentage of Idaho twelfth graders remained stable at the 1998 level, a decline from 1996.





Figure A1








Figure A3

The results for all grades are depicted in bar graph form in Figure A4.




Figure A4

Table A2 provides a more detailed look at student drinking. It not only shows the percentage of students who did and did not ever use alcohol, but it also breaks students into categories based on the Alcohol Use Scale. This information demonstrates, for example, that the large decline among sixth graders in the percentage of students who ever tried alcohol was made up of students who in earlier years had reported low use. Likewise, among eighth graders the decline in prevalence was made up of students who might otherwise have experimented with low levels of use.

Table A2 Current Drinking Patterns: Alcohol Use Scale Categories, by Grade Level, 1996-2000

	Alcohol Use	Idaho	1996	Idaho	1998	Idaho	2000	Change
Grade	Category	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	No Use	75.6	± 3.3	81.5	± 2.6	86.1	± 1.7	+ 10.5
	Low Use	23.3	± 3.2	17.5	± 2.4	12.8	± 1.7	- 10.5
	Moderate Use	0.9	± 0.4	0.8	± 0.3	0.7	±0.6	- 0.2
	High Use	0.2	± 0.1	0.2	± 0.1	0.3	± 0.2	- 0.1
Grade 8	No Use	50.3	± 4.1	57.8	± 4.2	60.4	±9.3	+ 10.1
	Low Use	37.9	±3.6	31.4	± 3.2	28.4	± 6.7	- 9.5
	Moderate Use	8.0	± 0.7	7.2	±1.2	7.1	± 2.1	- 0.9
	High Use	3.8	± 1.1	3.7	± 0.6	3.9	± 0.9	- 0.3
Grade 9	No Use					47.7	±4.9	
	Low Use					28.9	± 3.0	
	Moderate Use					13.2	± 2.3	
	High Use					10.2	± 1.8	
Grade 10	No Use			37.1	± 5.0	43.1	±9.5	+ 6.0
	Low Use			25.7	± 2.4	24.7	± 4.0	-1.0
	Moderate Use			20.9	± 2.9	17.6	± 3.1	- 3.3
	High Use	-		16.3	± 3.2	14.7	± 2.8	- 1.6
Grade 11	No Use					33.2	±9.2	-
	Low Use					21.6	± 2.3	
	Moderate Use					24.5	± 5.2	
	High Use					20.8	± 3.0	
Grade 12	No Use	32.4	± 5.0	35.8	± 4.2	35.9	± 6.0	+ 3.5
	Low Use	25.3	± 1.8	22.7	± 2.4	20.4	± 2.2	- 4.9
	Moderate Use	24.3	± 2.6	23.5	± 2.6	24.0	± 2.8	- 0.3
	High Use	18.0	± 2.3	18.0	± 3.1	19.7	± 3.5	+ 1.7

Among high school students, there was also some reduction in the percentage of students reporting alcohol use, but these reductions were within the margin of error and may not reflect actual behavioral changes. High school seniors report levels of use quite similar to 1996 and 1998, with a possible small increase in the percentage engaging in high use of alcohol.

While not shown in Table A2, when responses were broken down by gender, boys and girls were about equally likely to report abstinence from alcohol. Among students who did report using alcohol, girls were more likely to report low or moderate levels of use, and boys were more likely to report high levels of use.

Student Drinking in the Previous 30 Days

Students were also asked to report on how often they had consumed any alcohol (beer, wine, wine coolers, or hard liquor) in the 30 days prior to completing the survey. Figure A5 compares the percentage of students, at each grade level, who reported consuming any alcohol in the previous month to findings from the national *Monitoring the Future* study. (National data is available for grades 8, 10, and 12 only). This figure shows that recent student drinking is more common among the older students, peaking with 43-45 percent of high school juniors and seniors having used alcohol in the previous month.




Figure A5

It also illustrates that the percentage of Idaho students reporting any recent drinking was very similar to national figures. When the margin of error (listed in Table A3) is taken into account, *Idaho seniors were only slightly less likely to report recent drinking than seniors nationwide, and Idaho eighth and tenth graders report about the same likelihood of recent drinking*. Thus although Idaho students are overall less likely to have ever

experimented with alcohol than were students nationally, patterns of more frequent alcohol use in Idaho appear to mimic patterns elsewhere in the United States.

Table A3 reports in greater detail the number of times during the previous 30 days that students reported consuming any alcohol. Students in every grade except grade 12 reported less 30-day alcohol use than they did in 1998 and 1996. Students in grade 12 report use levels very similar to 1998 and down only slightly from 1996; furthermore, these changes are well within the margin of error and may not reflect any genuine change in student behavior.

Table A3
Frequency of Drinking in the Previous 30 Days, by Grade Level, 1996-2000

		Idaho	1996	Idaho	1998	Idaho	2000	Change
Grade	Alcohol Use Category	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	None	88.5	± 1.7	89.3	± 1.9	93.9	± 0.9	+ 5.4
	1-2 Times	9.1	±1.2	8.6	±1.8	4.4	± 0.8	- 4.7
	3-5 Times	1.5	± 0.5	1.0	± 0.3	1.1	± 0.4	- 0.4
	6-9 Times	0.4	± 0.1	0.3	± 0.2	0.1	± 0.1	- 0.3
	10+ Times	0.5	± 0.2	0.8	± 0.3	0.1	± 0.1	- 0.4
Grade 8	None	72.5	± 2.9	74.3	± 2.7	79.1	± 4.7	+6.6
	1-2 Times	17.2	± 2.2	17.0	± 1.9	13.3	± 3.2	-3.9
	3-5 Times	5.4	± 0.8	4.6	± 0.8	4.6	± 1.5	- 0.8
	6-9 Times	2.4	± 0.5	1.8	± 0.3	0.9	± 0.6	- 1.5
	10+ Times	2.5	± 0.7	2.3	± 0.4	2.0	± 0.7	- 0.5
Grade 9	None					68.9	± 4.1	
	1-2 Times					15.1	±1.6	
	3-5 Times					7.8	±1.8	
	6-9 Times					3.7	±1.0	
	10+ Times					4.5	± 0.9	
Grade 10	None			57.3	± 5.2	64.5	± 6.1	+ 7.2
	1-2 Times			22.3	± 2.4	15.5	± 2.4	- 6.8
	3-5 Times			10.8	± 1.9	9.1	± 1.8	- 1.7
	6-9 Times			5.0	± 1.1	5.7	±1.3	+ 0.7
	10+ Times			4.6	± 0.8	5.2	± 1.1	+ 0.6
Grade 11	None					54.4	±7.8	
	1-2 Times					22.3	± 4.2	
	3-5 Times					12.6	± 1.9	
	6-9 Times					5.3	± 1.8	
	10+ Times					5.5	±1.4	
Grade 12	None	54.8	± 4.5	57.2	± 3.6	56.7	± 5.8	+ 1.9
	1-2 Times	22.4	± 2.4	21.3	± 1.6	19.8	± 3.1	- 2.6
	3-5 Times	11.3	± 1.6	11.0	± 1.6	11.6	± 2.6	+ 0.3
	6-9 Times	5.2	± 0.9	4.8	± 0.7	6.0	±1.3	+ 0.8
	10+ Times	6.4	± 1.0	5.7	±1.4	5.9	± 1.9	- 0.5

Although not displayed in the table, findings were compared by gender. Among sixth and eighth grade students, very small numbers of students had used any alcohol in the previous 30 days, and there was no difference between boys and girls in their use. Among high school students, boys and girls generally showed very similar patterns of alcohol use, except that boys were more likely than girls to report drinking alcohol 10 or more times in the previous 30 days. This pattern was strongest for tenth and eleventh grade students.

Usual Quantity of Alcohol Consumed by Students

Figure A6 reports student responses to the question, "If you drink, how much do you usually drink at one time?" Many students at all grade levels, and the vast majority of sixth and eighth grade students, responded that they did not drink at all. Among those who said they did drink alcohol, the chart in Figure A6 summarizes their answers.




Figure A6

The figure makes clear a very great change in student drinking patterns during high school. Ninth grade students were about equally likely (11 percent) to drink less than one full drink as they were to drink 5 or more drinks at one time. Tenth grade students were more likely to report drinking more (2-4 drinks, or 5 or more drinks). By the last two years in high school, the vast majority of students who reported that they used alcohol said they drank 2-4 drinks (18 percent of all students), or most commonly of all, 5 or more drinks at a time (24 percent of all students). This pattern of increasing consumption at a single sitting shows up again in the section on binge drinking, below.

Frequency of Binge Drinking

Binge drinking refers to incidents of consuming 5 or more drinks at a single sitting. Binge drinking is a hazardous form of substance use, particularly when combined with driving.

Binge drinking remained relatively rare before high school and was most common among high school juniors and seniors, about a third of whom reported having engaged in binge drinking within the past 30 days.

As figure A7 illustrates, Idaho students reported notable regional differences in binge drinking. High school juniors and seniors in Region I were much more likely to report having engaged in binge drinking in the previous month (about 50 percent) than students in other regions.*




Figure A7

_

^{*} Region I encompasses the following twelve school districts: St. Maries, Plummer/Worley, Bonner County, Boundary County, Coeur d'Alene, Lakeland, Post Falls, Kootenai, Kellogg, Mullan, Wallace, and Avery.

Compared to previous years, the prevalence of binge drinking among Idaho students appears to have changed little. Table A4 presents the findings on the frequency of binge drinking. Among sixth and eighth grade students, reports of binge drinking dropped slightly since 1996, but the decreases were generally within the margin of error. Among tenth and twelfth grade students, reports of binge drinking increased slightly in 2000, but again the changes were within the margin of error.

Table A4
Frequency of Binge Drinking in the Previous 30 Days, by Grade Level, 1996-2000

	D.	Idaho 1996		711	1000	711	2000	CI.
<i>a</i> 1	Binge	Idaho		Idaho 1998		Idaho		Change
Grade	Drinking Episodes	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	None	95.5	± 0.9	95.9	± 0.8	95.9	± 1.4	+ 0.4
	Once	2.6	± 0.6	2.7	± 0.6	2.1	± 0.9	- 0.5
	Twice	1.0	± 0.4	0.8	± 0.6	1.1	± 0.5	+ 0.1
	3-5 Times	0.6	± 0.2	0.4	± 0.2	0.5	± 0.2	- 0.1
	6+ Times	0.3	± 0.2	0.2	± 0.1	0.4	± 0.2	+ 0.1
Grade 8	None	85.4	±1.4	86.2	±1.5	87.1	± 2.7	+ 1.7
	Once	6.6	± 0.7	6.1	± 1.4	5.5	± 1.1	- 1.1
	Twice	3.4	± 0.5	3.7	± 0.5	3.2	± 0.8	- 0.2
	3-5 Times	3.0	± 0.8	2.6	± 0.3	2.4	± 0.6	- 0.6
	6+ Times	1.7	± 0.4	1.4	± 0.3	1.7	± 0.7	0
Grade 9	None					78.8	± 3.3	
	Once					6.3	± 1.0	
	Twice					5.5	± 1.8	
	3-5 Times					5.2	±1.2	
	6+ Times					4.1	± 0.8	
Grade 10	None			69.5	±4.3	74.0	± 5.0	+ 4.5
	Once			10.2	± 1.6	6.8	±1.4	- 3.4
	Twice			6.9	± 1.2	6.2	± 1.5	- 0.7
	3-5 Times			8.4	± 1.9	7.6	± 1.4	- 0.8
	6+ Times			5.0	± 1.6	5.5	± 1.3	+ 0.5
Grade 11	None					68.0	± 5.6	
	Once					8.8	± 2.0	
	Twice					9.4	± 1.7	
	3-5 Times					8.4	± 1.8	
	6+ Times					5.4	± 1.3	
Grade 12	None	68.4	± 3.6	69.9	±4.3	66.8	± 5.1	- 1.6
	Once	9.0	± 1.0	8.9	± 1.1	9.1	± 1.2	+ 0.1
	Twice	7.6	± 1.1	6.4	± 1.7	9.0	± 1.8	+ 1.4
	3-5 Times	9.3	± 1.6	8.3	± 1.2	8.2	± 1.4	- 1.1
	6+ Times	5.7	± 0.9	6.4	± 1.7	6.9	± 3.2	+1.2

Age at First Full Drink

Students were asked how old they were when they had their first full drink of an alcoholic beverage (beer, a glass of wine, or a mixed drink).

Figure A8 compares the responses of high school seniors in 2000 to seniors in 1996 and 1998. Although there were some small fluctuations, these were within the margin of error, meaning that high school seniors who used alcohol in the year 2000 probably began drinking at about the same ages as seniors in 1996 and 1998.




Figure A8

Note that 32.3 percent of Idaho seniors responded that they "never drank," but in Table A2, 35.9 percent reported no use of alcohol. This difference might be attributed to survey error or by differences in wording.

This data also permits a comparison of the percentage of students who start to drink at the age of 12 or younger. Table A5 compares the percentages of students in grades eight through twelve in 2000 who reported having consumed their first full drink at age 12 or younger. It appears that among the lower grades, a larger percentage of students are consuming their first drinks at earlier ages. Eighth grade students are more likely to report consuming a full drink before age twelve than are current twelfth grade students.

Table A5
Percentage of Students Reporting First Drink at Age 12 or Younger, 2000

Age at First Drink	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
10 or younger	9.9 (± 2.2)	11.6 (± 1.6)	11.7 (± 2.2)	9.2 (± 1.9)	9.0 (± 2.0)
11 or 12	16.2 (± 0.7)	14.2 (± 1.7)	11.3 (± 0.7)	13.2 (± 2.6)	10.2 (± 2.6)
Total 12 or younger	26.1		23.0	22.4	19.2

Numbers in parentheses represent the margin of error.

While this finding might suggest that students are starting to consume alcohol at increasingly young ages, a review of past findings suggests otherwise. In both 1996 and 1998, eighth grade students were more likely than older students to report having consumed their first drink before age 12 (and at higher rates than in 2000). The cohort of students in eighth grade in 1996 reported that fully 35.2 percent of them had had their first drink before age 12. In 1998, that same cohort, then in tenth grade, reported that 29.3 of them had had their first drink by age 12. In 2000, this cohort was in twelfth grade and reported that 22 percent of them had had their first drink by age 12. This pattern of change in reporting might be attributed to the shortcomings of memory but could also reflect over-reporting of alcohol consumption by eighth grade students who find it either funny or socially desirable to report early drinking.

Sources of Alcohol

Students who reported drinking some alcohol were asked where they obtained the alcoholic beverages they drank. Table A6 details student responses across the three surveys. Students in the sixth grade had very low alcohol use. If they did use alcohol, they most commonly (3.8 percent) reported that their parents allowed them some alcohol at home. Among older students, between about 8 and 10 percent of students reported that their parents permitted some alcohol at home.

The most frequent response for high school students was that they obtained alcohol "from friends" (between 21 and 33 percent). Compared to previous surveys, students in the tenth and twelfth grades were slightly less likely to report that they had obtained alcohol from other adults or had purchased it themselves.

Consistent with findings on other, similar survey questions, students in all grades were slightly more likely this year to respond "I don't drink" than they were in previous years. The change for twelfth grade students was very small and less than the margin of error, indicating that there was probably no decline in drinking among twelfth grade students.

Again, differences between the percentages of students reporting "I don't drink" to this question (45.9 percent of seniors) and their response of "no use" on current drinking

(35.9 percent of seniors, Table A2) may be due to survey error or to a genuine difference in student answers. For example, students may have reported drinking once in the past 30 days, but then answered "I don't drink" because they don't intend to repeat the experience.

Table A6 Sources of Alcoholic Beverages, by Grade Level, 1996-2000

	Binge	Idaho			1998	Idaho		Change
Grade	Drinking		Margin		Margin		Margin	since first
	Episodes	Percent	of Error	Percent	of Error	Percent	of Error	survey
Grade 6	I don't drink	89.1	±1.5	91.3	±1.4	93.4	± 1.7	+ 4.3
	Home, parents know	6.9	± 1.1	4.8	± 1.1	3.8	± 0.9	- 3.1
	Home, parents don't know	1.1	± 0.4	1.5	± 0.5	1.4	± 0.8	+ 0.3
	From friends	2.7	± 0.5	2.0	± 0.5	1.2	± 0.5	- 1.5
	Other adults or buy myself	0.2	± 0.1	0.4	± 0.2	0.2	± 0.2	0
Grade 8	I don't drink	67.8	± 3.1	71.4	± 3.4	73.9	± 6.0	+ 6.1
	Home, parents know	8.8	± 1.4	9.3	± 1.7	7.7	± 2.1	- 1.1
	Home, parents don't know	5.3	± 1.5	4.1	± 0.8	3.5	± 0.8	- 1.8
	From friends	15.1	± 1.5	12.6	±1.3	13.8	± 3.6	- 1.3
	Other adults or buy myself	2.9	± 0.6	2.5	± 0.5	1.1	± 0.4	- 1.8
Grade 9	I don't drink					62.5	± 5.0	
	Home, parents know					8.7	± 1.6	
	Home, parents don't know					2.5	± 0.7	
	From friends					21.7	±4.3	
	Other adults or buy myself					4.6	± 1.1	
Grade 10	I don't drink			49.4	± 5.3	56.3	± 7.4	+ 6.9
	Home, parents know			8.5	± 2.1	7.3	± 3.1	- 1.2
	Home, parents don't know			2.1	± 0.5	2.3	± 0.4	+ 0.2
	From friends			31.4	± 3.2	27.9	± 4.5	- 3.5
	Other adults or buy myself			8.6	± 1.9	6.1	± 1.1	- 2.5
Grade 11	I don't drink					44.5	± 9.1	
	Home, parents know	-1		-1		10.1	± 2.2	
	Home, parents don't know					1.7	± 0.9	
	From friends					32.1	± 4.2	
	Other adults or buy myself	-1		-1		11.6	± 2.5	
Grade 12	I don't drink	44.6	± 4.9	46.2	± 3.9	45.9	± 6.5	+ 1.3
	Home, parents know	5.4	± 1.0	6.8	± 1.3	8.0	± 1.9	+ 2.6
	Home, parents don't know	0.6	± 0.2	1.4	± 0.6	0.8	± 0.3	+ 0.2
	From friends	34.6	± 3.3	33.0	± 3.9	33.5	± 3.8	- 1.1
	Other adults or buy myself	14.8	± 1.6	12.6	± 2.9	11.7	± 2.6	- 3.1

Perceived Risk of Harm from Alcohol

Students were asked about their perceptions of potential harm from high consumption of alcohol ("How much do you think people risk harming themselves if they have five or more drinks once or twice each weekend").

Student responses are presented in Figure A9. Across all grade levels, students were most likely to respond that this behavior posed a "great risk". Eighth grade students were most likely to see this level of drinking as highly risky. At all grade levels, fewer than ten percent of students indicated that they thought this level of drinking posed no risk.




Figure A9

Girls in every grade surveyed were more likely than boys to indicate that people risked harming themselves if they had five or more drinks once or twice each weekend.

In Figure A10, the responses of Idaho students in eighth, tenth, and twelfth grades are compared to those of students from around the country. *Idaho students in all three grades were less likely than were students nationwide to respond that people put themselves at "great risk" of harm by having five or more drinks once or twice each weekend.*




Figure A10

Parental Supervision and Student Alcohol Use

In the 1998 report, a relationship was found between the level of parental supervision and student consumption of alcohol. This same relationship was observed again in 2000. Students who were experienced lower levels of supervision by their parents were more likely to report moderate or high levels of alcohol use.

The survey question about supervision was worded as follows: "When you are away from home, do your parents know where you are and who you are with?" For this analysis, the response categories "every time" and "most times" were collapsed into "high supervision", while the responses of "sometimes", "rarely" or "never" were combined as "low supervision".

Figure A11 illustrates this trend using the specific example of twelfth grade students. Among students who reported low supervision, 17.7 percent said they did not drink alcohol, 15.7 percent reported low use of alcohol, 28.8 percent reported moderate use, and 38.4 percent reported high use. In contrast, 42.2 percent of highly supervised students reported no alcohol use. Among the highly supervised students, 22.5 percent reported low alcohol use, 22.1 percent moderate use, and 13.2 percent high use.




Figure A11

This same overall relationship between supervision and levels of alcohol use held across the different grades. Although far fewer of the youngest students reported alcohol use, it was nevertheless the less supervised younger students who were most likely to report alcohol use, especially moderate and high levels of use.

OTHER DRUG USE

Students were asked about the use of ten types of drugs ranging from marijuana and cocaine to steroids. They were asked both if they had ever used the various drugs, and if they had, their frequency of use. The survey also included questions about how available students thought drugs were, and about how risky they perceived drug use to be.

Lifetime Prevalence of Any Drug Use

Lifetime prevalence rates indicate the proportion of students who have tried drugs at least once in their lives. *Idaho students continued to report substantially lower lifetime prevalence rates than the national average*. For example, whereas 54 percent of high school seniors nationwide reported having used drugs at least once in their lifetime, only 35 percent of seniors in Idaho reported having used drugs (Table D1).

Table D1.
Percentage of Students Nationwide and in Idaho Who Have Ever
Used Any Drug, 1996-2000

	1996		19	98	20	00	Idaho
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		7.6		5.6		5.7	-1.9
Grade 8	31.2	25.5	29.0	18.0	26.8	17.3	-8.2
Grade 9						25.0	
Grade 10	45.4		44.9	36.7	45.6	28.1	-8.6
Grade 11						35.6	
Grade 12	50.8	37.6	54.1	36.2	54.0	35.3	-2.3

Figure D1 illustrates this information for eighth, tenth and twelfth grade students, the only grades for whom there are multiple years of Idaho data as well as national comparison data available.




Figure D1

Table D2 examines only the Idaho data, considering the margin of error. Compared to 1996 and 1998 survey results, prevalence rates in Idaho appear to have undergone a genuine decrease, particularly among students in the eighth and tenth grades. This was the first year that information on ninth and eleventh grade students was collected. Ninth grade students reported lifetime prevalence of drug use between that of eighth and tenth grade students, but closer to the prevalence of tenth graders. Thus ninth grade appears to be a period of onset of drug use for many students. Eleventh grade students report lifetime prevalence very similar to that of twelfth grade students, suggesting there is very little, if any, first time use among high school seniors.

Table D2 Lifetime Prevalence of Any Drug Use, Grades 6, 8-12, 1996-2000

	Idaho 1996		Idaho	1998	Idaho	2000	Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	7.6	± 0.9	5.6	± 0.8	5.7	± 1.3	- 1.9
Grade 8	25.5	± 1.9	18.0	± 2.4	17.3	± 5.1	- 8.2
Grade 9					25.0	± 2.5	
Grade 10			36.7	± 5.3	28.1	± 3.3	- 8.6
Grade 11					35.6	±9.5	
Grade 12	37.6	±3.3	36.2	± 4.5	35.3	± 7.1	- 2.3

Lifetime Prevalance of Use of Specific Drugs

Lifetime Prevalence of Marijuana

As in previous years, *marijuana was the most commonly used drug* for students in eighth grade and above and accounted for most of the drug use reported on the survey.

Sixth and eighth grade students reported less marijuana use in 2000 than in 1996, but there was little change from 1998. Tenth grade students reported a real decline in marijuana use compared to 1998. Twelfth grade students reported a small *increase* in use compared to 1998, but still less use than 1996 (the 6.8 percent margin of error means that this fluctuation may be due to random sampling error).

Table D3
Lifetime Prevalence of Any Marijuana Use, 1996-2000

	Idaho 1996		Idaho	1998	Idaho	2000	Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	2.1	± 0.4	1.4	± 0.4	1.6	± 0.7	- 0.5
Grade 8	14.7	± 1.5	10.3	± 1.4	10.2	± 3.5	- 4.5
Grade 9					19.1	± 3.0	
Grade 10			30.5	± 4.8	23.6	± 3.1	- 6.9
Grade 11					31.8	± 9.0	
Grade 12	33.4	± 3.6	30.4	± 4.2	32.0	± 6.8	-1.4

Ninth and eleventh grade students were surveyed for the first time in 2000. The reported use of marijuana by ninth graders reveals a sharp increase (nearly double) over reported use by eighth graders. Marijuana use continued to increase during high school years, until, by eleventh or twelfth grade, about one third of Idaho students had tried marijuana.

As Figure D2 illustrates, student use of marijuana differed significantly from one region of the state to another. Students in regions V and VI were less likely than other students to have tried marijuana in their lifetime.




Figure D2

Figure D3 compares the marijuana use of boys and girls in different grades. Starting in the eighth grade, boys reported more use of marijuana than did girls in their same grade. This difference persisted until the eleventh and twelfth grades, when boys and girls reported about the same level of marijuana use.




Figure D3

Students in Idaho remain far less likely than their peers in other states to have tried marijuana (Table D4).

Table D4
Percentage of Students Nationwide and in Idaho Who Have Ever
Used Marijuana, 1996-2000

	1996		1998		20	Idaho	
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		2.1		1.6		1.6	-0.5
Grade 8	23.1	14.7	22.2	10.9	20.3	10.2	-4.5
Grade 9						19.1	
Grade 10	39.8		39.6	31.2	40.3	23.6	-6.9
Grade 11						31.8	
Grade 12	44.9	33.4	49.1	31.2	48.8	32.0	-1.4

Lifetime Prevalence of Cocaine

Between 3.5 and 7.3 percent of Idaho high school students reported that they had ever tried cocaine. Eighth grade students reported that they were even less likely than in previous years to have tried cocaine, while prevalence among tenth and twelfth grade students remained about the same as in previous years (Table D5).

Table D5
Lifetime Prevalence of Any Cocaine Use, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	0.5	± 0.2	0.3	± 0.2	0.6	± 0.3	+ 0.1
Grade 8	3.5	± 0.4	2.5	± 0.7	1.6	± 0.3	- 1.9
Grade 9					3.5	± 1.0	
Grade 10			5.1	± 1.4	5.7	± 1.0	+ 0.6
Grade 11					4.4	± 1.2	
Grade 12	7.2	±1.3	6.2	± 1.9	7.3	± 2.8	+ 0.1

Prevalence of cocaine use among Idaho eighth graders was well below cocaine use of their peers in other parts of the United States, where on average 4.9 percent of students reported some lifetime use. Use among tenth and twelfth graders in Idaho was more similar to that of students across the United States. Nationally, tenth and twelfth graders reported that 6.5 percent, and 8.6 percent of them, respectively, have tried cocaine (Johnston et al, 2000).

Lifetime Prevalence of Opiates

The category "opiates" includes the drugs heroin, codeine, and opium. These drugs were also uncommon among students in Idaho, as Table D6 illustrates.

Reported use of opiates was up slightly among tenth and twelfth grade students, compared to 1996 and 1998. Furthermore, reported use among ninth grade students was higher than among tenth graders in 1998, and among eleventh grade students was higher than among twelfth graders in 1998. These comparisons suggest that although opiate use was uncommon, it may have increased slightly between 1998 and 2000.

Table D6
Lifetime Prevalence of Any Opiate Use, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	0.4	± 0.2	0.1	± 0.1	0.6	± 0.5	+ 0.2
Grade 8	2.8	± 0.6	2.0	± 0.5	1.6	± 0.7	- 1.2
Grade 9					5.1	±1.3	
Grade 10			3.6	± 1.1	5.2	± 1.4	+ 1.6
Grade 11					5.7	± 2.1	
Grade 12	5.9	± 0.9	5.2	± 1.1	6.5	± 2.6	+ 0.6

The national youth survey *Monitoring the Future*, reports heroin and other opiate use separately and therefore does not provide comparable statistics.

Lifetime Prevalence of Depressants

The Idaho survey in 2000 included under the category "depressants" the drugs known as quaaludes, ludes, downers, and reds. These drugs were also uncommon, reportedly used by about five percent or fewer of Idaho students. Compared to earlier years, reported use changed very little (small increases were within the margin of error).

Table D7
Lifetime Prevalence of Any Depressant Use, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	0.4	± 0.2	0.5	± 0.2	0.6	± 0.3	+ 0.2
Grade 8	4.3	± 0.7	2.5	± 0.8	2.5	± 1.5	-1.8
Grade 9					4.8	± 1.3	
Grade 10			5.5	± 1.9	5.7	± 0.9	+ 0.2
Grade 11					5.0	± 1.8	
Grade 12	5.0	± 0.7	4.0	± 0.7	5.2	± 2.2	+ 0.2

Because the Idaho survey combines hypnotic drugs, such as quaaludes, with barbiturate-type drugs, such as "downers", these responses are not comparable to national data from the *Monitoring the Future* study, which separates the two.

Lifetime Prevalence of Hallucinogens

The survey included the drugs angel dust, LSD, PCP, 'shrooms, acid, and DMT in the category of hallucinogens. The use of these drugs dropped among sixth, eighth, and tenth graders, compared to earlier surveys. (The reported use among twelfth grade students also dropped, but the small drop was within the margin of error and may not reflect a real change in behavior). Table D8 presents these findings.

Table D8
Lifetime Prevalence of Any Hallucinogens Use, 1996-2000

	Idaho 1996		Idaho	Idaho 1998		Idaho 2000	
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	1.1	± 0.2	0.8	± 0.4	0.1	± 0.4	- 1.0
Grade 8	7.7	± 0.9	4.9	± 0.8	4.3	± 2.6	- 3.4
Grade 9					7.6	± 1.3	
Grade 10			13.7	± 4.0	10.2	± 1.9	- 3.5
Grade 11					13.4	± 6.5	
Grade 12	15.5	± 2.1	13.9	± 2.8	14.3	± 5.4	- 1.2

The 2000 survey marked the first time that ninth and eleventh grade students were included. Ninth grade students reported hallucinogen use midway between the reported levels of eighth and tenth graders. Eleventh grade students reported a use very close to that of high school seniors.

The levels of hallucinogenic drug use reported by girls and by boys were very similar across all grades (not shown in the table).

Because the Idaho survey combines a number of hallucinogenic drugs that the *Monitoring the Future* study separates into two separate groups (LSD and hallucinogens), a comparison to the national data is not possible.

Lifetime Prevalence of Inhalants

Students were asked if they had "used inhaled substances to get high (glue, gasoline, paint thinner, spray cans)". Although inhalant consumption affected only between four and twelve percent of students, it was the *most commonly reported drug use among sixth grade students* and roughly tied with marijuana among eighth grade students. As Table D9 makes clear, the use of inhaled substances reversed the usual trend of increased use with age – instead, inhalants were preferred by younger students.

Compared to 1996, however, the use of inhalants by sixth and especially by eighth grade students has declined. It has also declined among high school seniors, who were less likely than eighth graders to report inhalant use.

Table D9
Lifetime Prevalence of Any Inhalant Use, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	5.7	± 1.2	4.1	± 0.7	4.4	± 1.0	- 1.3
Grade 8	16.0	± 1.1	10.2	± 2.1	9.7	± 2.8	- 6.3
Grade 9					9.6	± 1.8	
Grade 10			10.7	± 2.2	11.6	± 2.6	+ 0.9
Grade 11					7.4	± 1.2	
Grade 12	10.0	± 1.1	7.1	± 1.3	7.5	± 2.1	- 2.5

There was no significant difference between boys and girls in their reported use of inhalants.

Nationwide, the use of inhalants has also declined in recent years, but lifetime prevalence rates continued to be considerably higher than in Idaho. In national surveys of eighth, tenth, and twelfth graders, students report that 17.9 percent, 16.6 percent, and 14.2 percent of them, respectively, have used inhaled substances (Table D10).

Table D10
Percentage of Students Nationwide and in Idaho Who Have Ever
Used Inhaled Substances, 1996-2000

	1996		1998		2000		Idaho
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		5.7		4.1		4.4	-1.3
Grade 8	21.2	16.0	20.5	10.2	17.9	9.7	-6.3
Grade 9		-				9.6	
Grade 10	19.3		18.3	10.7	16.6	11.6	+0.9
Grade 11						7.4	
Grade 12	16.6	10.0	15.2	7.1	14.2	7.5	-2.5

Lifetime Prevalence of Tranquilizers

The use of tranquilizing drugs, such as Valium, Librium, and Xanex, remained low and possibly even declined among the younger students surveyed (Table D11). Students in grades ten and twelve may have slightly increased their use of tranquilizers, although the reported change was very close to the margin of error. Eleventh grade students reported a level of use higher than that of tenth or twelfth graders in 1998, which is more evidence that tranquilizer use among older students may have increased slightly. National data also suggests a slight increase in the use of tranquilizers among high school students (Johnston et al 2000).

Table D11 Lifetime Prevalence of Any Tranquilizer Use, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	0.7	± 0.1	0.4	± 0.3	0.3	± 0.2	- 0.4
Grade 8	2.8	± 0.6	1.6	± 0.7	1.5	± 0.9	- 1.3
Grade 9					3.5	± 0.9	
Grade 10			3.6	± 1.3	4.8	± 1.0	+ 1.2
Grade 11					5.2	± 1.7	
Grade 12	4.7	± 0.6	4.1	±1.2	6.6	± 2.1	+ 1.9

Boys and girls reported very similar levels of tranquilizer use across all grades surveyed.

Once again, prevalence rates in Idaho remained below national levels. In the *Monitoring the Future* study, 4.4 percent of eighth grade students, 8.0 percent of tenth grade students, and 8.9 percent of twelfth grade students reported some lifetime use of tranquilizers.

Lifetime Prevalence of Methamphetamines

The student survey included crystal, meth, crank, and ice as examples within the category of methamphetamines. Students reported levels of use of these drugs very similar to what was reported in 1996 and 1998 (all changes were within or very close to the margin of error).

Table D12 Lifetime Prevalence of Methamphetamines, 1996-2000

	Idaho 1996		Idaho 1998		Idaho	Change	
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	0.7	± 0.2	0.5	± 0.4	0.9	± 0.4	+ 0.2
Grade 8	4.4	± 0.5	2.7	± 0.8	2.9	± 1.4	- 1.5
Grade 9					4.3	± 0.9	
Grade 10			7.8	± 2.2	6.9	± 1.1	- 0.9
Grade 11					6.0	± 1.4	
Grade 12	10.4	±1.7	8.2	± 1.9	8.6	± 3.2	- 1.8

There was little difference between boys and girls in Idaho in their reported use of methamphetamines. There was, however, some regional variation. Among the older students surveyed, students in regions I and VI* were more likely to report having tried methamphetamines than were students in the other regions.

⁻

^{*} Region I included the school districts of St. Maries, Plummer/Worley, Bonner County, Boundary County, Coeur d'Alene, Lakeland, Post Falls, Kootenai, Kellogg, Mullan, Wallace, and Avery. Region VI included the school districts of Blackfoot, Firth, Shelley, Idaho Falls, Swan Valley, Bonneville, Butte County, Clark

Lifetime Prevalence of Steroids

Table D13 reports on the use of steroids among students in Idaho, which remained similar in 2000 to use in 1998. Use among tenth and twelfth grade students may have increased slightly.

Table D13 Lifetime Prevalence of Any Steroid Use, 1998-2000

	Idaho	1998	Idaho	2000	Change since
Grade	Percent	Margin of Error	Percent	Margin of Error	first survey
Grade 6	0.8	± 0.3	1.0	± 0.3	+ 0.2
Grade 8	1.7	± 0.4	1.3	± 0.3	- 0.4
Grade 9			3.7	± 0.9	
Grade 10	3.0	± 0.5	4.1	± 1.4	+ 1.1
Grade 11			2.6	± 0.7	
Grade 12	2.8	± 0.6	3.4	± 0.5	+ 0.6

Table D13 does not reveal the important differences between boys and girls in the use of steroids. Boys in tenth grade or older were four to six times more likely to report that they had used steroids than were girls. Students who played school sports were also somewhat more likely than those who did not participate in school sports to report the use of steroids.

Reported use of steroids by high school students in Idaho was slightly higher than in national student surveys. Nationwide, 3.0 percent of eighth graders, 3.5 percent of tenth graders, and 2.5 percent of twelfth graders reported steroid use in 2000.

County, Challis, Mackay, Fremont County, Jefferson County, Ririe, West Jefferson, Salmon, South Lemhi, Madison, Sugar-Salem, and Teton County. Not all districts participated in the survey.

Levels of Current Drug Use

Student overall drug use was calculated using four categories:

No Use. Student reported never having tried marijuana, depressants, tranquilizers, inhalants, methamphetamines, other illegal stimulants, cocaine, opiates, or hallucinogens.

Low Use. Student reported having tried at least one of the following drugs and possibly use one of them as frequently as monthly: marijuana, depressants, tranquilizers, inhalants, methamphetamines, other illegal stimulants. Student reported never having tried cocaine, opiates, or hallucinogens.

Moderate Use. Student reported weekly use of marijuana, depressants, tranquilizers, inhalants, methamphetamines, or illegal stimulants, and/or reported having tried cocaine, opiates, or hallucinogens.

High Use. Student reported daily use of marijuana, depressants, tranquilizers, inhalants, methamphetamines, or illegal stimulants, or reported weekly use of more than one of these substances, or reported monthly or more frequent use of cocaine, opiates, or hallucinogens.

Table D14 presents findings on overall levels of student drug use as reported on the surveys of 1996, 1998 and 2000. For the most part, the increase in the percentage of students who report they have never used drugs comes from a decline in the percentage of students who previously reported low use of drugs. There also appears to be a decline in the percentage of eighth and tenth grade students who reported moderate use of drugs. This suggests that some students who might previously have experimented with drug use ("low use") are instead choosing to abstain from use entirely.

Ninth and eleventh grade students were surveyed for the first time in 2000, so it is not yet possible to track trends in their reported drug use. It is clear, however, that ninth grade levels of drug use are much more similar to those of tenth grade and older students than to eighth grade students. In fact, the beginning of high school corresponds to a high increase both in the percentage of students who have tried drugs and who report high use of drugs.

Table D14 Levels of Drug Use, Idaho, 1996-2000

	Drug Use	Idaho	o 1996	Idah	o 1998	Idah	o 2000	Change
Grade	Category	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	No Use	92.4	± 0.9	94.4	± 0.8	94.3	±1.3	+ 1.9
	Low Use	5.7	± 0.9	4.4	± 0.8	4.3	± 1.4	- 1.4
	Moderate Use	1.5	± 0.3	0.8	± 0.3	0.7	± 0.6	- 0.8
	High Use	0.4	± 0.2	0.4	± 0.3	0.7	± 0.6	+ 0.3
Grade 8	No Use	74.5	± 1.9	82.0	± 2.4	82.7	± 5.1	+ 8.2
	Low Use	15.4	± 1.4	10.7	± 1.6	10.9	± 2.5	- 4.5
	Moderate Use	5.8	± 1.1	4.0	± 1.0	3.5	± 1.8	- 2.3
	High Use	4.3	± 1.0	3.2	± 0.8	2.8	±1.3	- 1.5
Grade 9	No Use					75.0	± 2.5	
	Low Use					13.2	± 1.2	
	Moderate Use					5.7	±1.3	
	High Use					6.1	± 1.4	
Grade 10	No Use			63.3	±5.33	71.9	± 3.3	+ 8.6
	Low Use			18.0	± 2.6	13.2	± 1.4	- 4.8
	Moderate Use			10.9	± 1.8	7.4	± 1.5	- 3.5
	High Use			7.9	± 2.9	7.4	± 2.0	- 0.5
Grade 11	No Use					64.4	±9.5	
	Low Use					17.5	± 3.5	
	Moderate Use					11.1	± 3.7	
	High Use					7.0	± 2.7	
Grade 12	No Use	62.4	± 3.3	63.8	± 4.5	64.7	±7.1	+ 2.3
	Low Use	17.7	± 1.9	16.7	± 3.0	16.8	± 2.4	- 0.9
	Moderate Use	10.9	± 1.3	11.6	± 1.8	10.9	± 3.0	0.0
	High Use	9.0	± 1.3	7.9	± 1.8	7.6	± 2.9	-1.4

What the table does not reveal are the significant differences in drug use by region. Twelfth grade students in Region I, for example, were much more likely to have tried drugs and had many more students reporting high use of drugs. This is primarily due to much higher levels of use of marijuana in Region I than in other parts of the state.

Earlier it was noted that students in Region I were more likely than other student to report having tried marijuana (Figure D2). As Figure D4 illustrates, students in Region I were also more likely than other students to report daily use of the drug.




Figure D4

Student Drug Use in the Previous 30 Days

The 2000 survey also asked students about their recent (previous 30 days) use of certain substances. Figure D5 presents the results for marijuana, the most commonly used drug among students. Between 14 and 19 percent of high school students (depending on grade level) reported using marijuana at least once in the previous 30 days. Smaller numbers of younger students – 7.2 percent of eighth graders and 1.5 percent of sixth graders – also reported recent use of marijuana.




Figure D5

This same figure includes national data on eighth, tenth, and twelfth grade students from the *Monitoring the Future* study. This data demonstrates that *recent marijuana use by Idaho students remained below the national averages for the three grade levels*.

Other recent drug use is summarized in Figure D6. Recent cocaine use was reported by about three percent of high school students. The use of methamphetamines was reported by between 2.9 and 4.5 percent of high school students. A final category, referred to in the survey only as "other illegal drugs" was reported by between 5.2 and 6.8 percent of Idaho high school students.




Figure D6

Perceived Availability of Drugs

Students were asked how difficult they believed it would be for them to obtain marijuana, cocaine, and methamphetamines. Overall, most students felt it would be easy for them to obtain marijuana, and about a third of them felt they could easily obtain cocaine or methamphetamines.

Figure D7 compares the student perceptions of the availability of marijuana on the Idaho 2000 survey to the findings from the national *Monitoring the Future* survey. The percentages in the chart represent the proportion of students responding that it would be "fairly easy" or "very easy" for them to obtain marijuana. While the percentages for Idaho students were smaller than for their peers elsewhere in the country, three quarters of Idaho seniors maintained that it would be fairly or very easy for them to get marijuana. This is a large increase over the 51 percent of ninth graders who believed it would be easy to obtain marijuana.




Figure D7

Similar information for cocaine availability can be found in Figure D8. Over a third of Idaho seniors stated that it would be easy for them to get cocaine. Once again, students in Idaho were less likely than students in the national study to believe that it would be fairly easy or very easy to obtain cocaine.





Figure D8

Figure D9 summarizes the responses about the availability of methamphetamines. The same overall pattern of lower perceived drug availability in Idaho than nationwide held, but the gap between Idaho students and their peers elsewhere in the country was larger. While 57.1 percent of high school seniors nationally believed they could easily obtain amphetamines, only 39.1 percent of Idaho seniors held this belief.



Perceived Risk of Harm from Drug Use

Students also responded to que stions about their perceptions of the potential harm from drug use, specifically from smoking marijuana, or from trying heroin or cocaine once or twice.

Figure D10 illustrates student responses on the 2000 survey to the question, "How much do you think people risk harming themselves if they smoke marijuana?" Students in the eighth grade were most likely to judge that there was "moderate risk" or "great risk" from marijuana, and the perception of risk declined among the older students. Nevertheless, at all grades at least two-thirds of students felt there was moderate or great risk of harm involved in marijuana use.




Figure D10

Student responses to this question could not be easily compared to national data from the *Monitoring the Future* study because of wording differences. On the national survey, high school seniors answered separate questions about the harm inherent in smoking marijuana occasionally (23.4 percent saw "great risk") compared to smoking marijuana daily (58.3 percent saw "great risk"). Among Idaho seniors, 46.1 percent answered the question, with no mention of frequency, saying there was "great risk" involved in marijuana use.

In general, students perceived the use of heroin as riskier than smoking marijuana, and the perception of risk tended to increase as students became older (Figure D11). Data from the national study was less straightforward, with twelfth grade students nationally much less likely to perceive heroin experimentation as a "great risk" (54 percent) compared to Idaho seniors. Younger students nationally, however, were more likely than eighth and twelfth grade students in Idaho to perceive a "great risk" in using heroin once or twice.




Figure D11

Compared to heroin, students were a little less likely to see cocaine as a "great risk" but in general reported that cocaine experimentation was risky (Figure D12). Once again, the perception of risk appeared to increase as students became older. In the case of cocaine, Idaho students were *more likely* than students in the national survey to perceive using cocaine once or twice as a "great risk."




Figure D12

Parental Supervision and Student Drug Use

As in 1998, there was again a strong relationship between the level of parental supervision and the level of student drug use. On the survey, students were asked, "When you are away from home, do your parents know where you are and who you are with?" The response categories "every time" and "most times" were combined as "high supervision," while the responses of "sometimes," "rarely," or "never" were combined as "low supervision." Students who reported low supervision by their parents were much more likely to report low, moderate, and high levels of drug use, compared to students who were highly supervised.

Figure D13 illustrates this trend using the specific example of twelfth grade students. Among students who reported low supervision, 43.8 percent reported no drug use, 21.7 percent reported low use, 19.1 percent reported moderate use, and 15.4 percent reported high use of drugs. These figures looked very different for highly supervised students, 71.8 percent of whom reported no drug use. Among the highly supervised students, 15.2 percent reported low drug use, 8.1 percent moderate drug use, and 4.9 percent high drug use.




Figure D13

Although fewer of the younger students use drugs, the same overall pattern of more drug use by students with less parental supervision holds across the different grades.

DRUG EDUCATION IN SCHOOLS

Many drug prevention efforts aim to reduce the number of young children who experiment with alcohol or drugs. This focus came about because of a report issued by the U.S. Department of Education (*What Works: Schools Without Drugs*) in 1989. This report argued that delaying the onset of alcohol and substance use offered the greatest chance of reducing or eliminating use and abuse in the long term. Other research (Werner 1991; Hawkins 1989) similarly showed that individuals initiating drug use before the age of 15 were more than twice as likely to have drug problems as individuals who did not initiate use until after the age of 19.

Several questions on the 2000 survey addressed student attitudes toward the drug education they have received, what they felt they had learned about the dangers of drugs and drinking, and whether their schools provided counseling and support groups for students with alcohol or drug problems.

Student Attitudes toward Alcohol and Drug Education

The survey asked students where they had learned the most about the dangers of alcohol and drugs. Overall, about half of all students reported that school had been their primary source of information about the dangers of drugs and drinking. About a quarter of all students (slightly more for sixth graders) said their families had taught them the most. About ten percent of students said the media (TV, movies, and newspapers) had provided most of the information they had, and the same percentage said they received most of their information from other children. Only between one and five percent (depending on grade level) of students said that church or temple provided most of their information about the dangers of drugs and drinking.

Students indicated that they believed that alcohol and drug education should begin in elementary school. Thirty-five percent of twelfth grade students felt that it should begin by third grade, or earlier, while another 30 percent felt that fourth or fifth grade was an appropriate time. Girls were more likely than boys to say that alcohol and drug education should begin early in elementary school.

Knowledge Gained from Alcohol and Drug Education

The survey also asked students to report on what they had learned in classes at school about a variety of topics. The following four figures display the percentages of students in different grades who said they "learned some" or "learned a lot" on several topics: types of drugs and what drugs do to people (Figure DE1);




Figure DE1

how to say "no" to alcohol and drugs (Figure DE2);




Figure DE2

how to make good decisions in life (Figure DE3);




Figure DE3

and healthy things to do rather than take drugs or drink alcohol (Figure DE4).




Figure DE4

Students tended to answer the four questions similarly. Overall, between two-thirds and three-quarters of all students reported that they had learned "some" or "a lot" about types of drugs, how to say "no," how to make good decisions, and healthy alternatives to drug and alcohol use. Younger students reported that they had learned more, with a gradual decline in the percentage of students reported that they had learned "some" or "a lot" in the higher grades.

Boys were slightly, but consistently more likely than girls to say they did not remember what they had learned, while girls were more likely to say that they learned "a lot." Even among the youngest students, who were most likely to say that they had learned "a lot," this difference between boys and girls persisted.

2000 Substance Use and School Climate Survey Regional/State Summary

This survey was administered in the fall of 2000 to students throughout Idaho. The students completed the survey anonymously and participation was voluntary.

In each column of this report, the percentage of students who selected each response to each question is summed for the Region indicated at the specified grade.

The last column indicates the percent of students who selected each response summed for the entire state at the specified grade. Percentages are rounded and in some cases may not sum to 100%.

2000 Drug Use: Levels are based on the frequency of drug use, the type of drug consumed, and the number of drugs consumed. High use includes daily use of marijuana or weekly use of cocaine.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	93%	95%	95%	94%	96%	92%	94%
Low use	6%	4%	3%	4%	4%	7%	4%
Moderate use	0%	1%	0%	1%	0%	2%	1%
High use	0%	0%	1%	1%	0%	0%	1%
	N=282	N=239	N=241	N=296	N=260	N=195	N=1513
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	82%	88%	76%	78%	90%	94%	83%
Low use	12%	7%	14%	14%	9%	4%	11%
Moderate use	4%	3%	5%	5%	0%	1%	4%
High use	3%	2%	4%	3%	1%	1%	3%
	N=357	N=395	N=408	N=361	N=269	N=248	N=2038
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	70%	71%	69%	83%	77%	82%	75%
Low use	17%	14%	14%	12%	14%	10%	13%
Moderate use	5%	10%	9%	3%	4%	3%	6%
High use	8%	6%	8%	2%	6%	5%	6%
	N=299	N=232	N=313	N=260	N=254	N=226	N=1584
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	64%	80%	70%	67%	78%	84%	73%
Low use	18%	12%	13%	18%	11%	8%	13%
Moderate use	9%	3%	9%	9%	6%	5%	7%
High use	10%	5%	9%	5%	5%	3%	7%
	N=292	N=235	N=241	N=204	N=211	N=243	N=1426
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	60%	70%	50%	75%	80%	70%	64%
Low use	16%	17%	24%	13%	13%	16%	18%
Moderate use	10%	8%	17%	8%	5%	10%	11%
High use	15%	6%	9%	4%	1%	5%	7%
	N=167	N=224	N=432	N=241	N=220	N=335	N=1619
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	44%	54%	70%	60%	76%	70%	65%
Low use	20%	19%	18%	18%	12%	13%	17%
Moderate use	16%	13%	7%	15%	6%	12%	11%
	10%	1370	1 /0	1070	0 70	12/0	,0
High use	20%	14%	5%	7%	5%	5%	8%

1998 Drug Use: Levels are based on the frequency of drug use, the type of drug consumed, and the number of drugs consumed. High use includes daily use of marijuana or weekly use of cocaine.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	92%	94%	95%	92%	92%	98%	94%
Low use	7%	5%	4%	6%	7%	1%	4%
Moderate use	1%	0%	1%	1%	1%	0%	1%
High use	0%	0%	1%	1%	0%	0%	0%
	N=757	N=537	N=562	N=485	N=482	N=374	N=3197
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	79%	79%	79%	83%	87%	87%	82%
Low use	12%	12%	11%	11%	9%	10%	11%
Moderate use	5%	6%	6%	3%	1%	2%	4%
High use	3%	3%	4%	2%	3%	2%	3%
	N=639	N=616	N=398	N=540	N=365	N=520	N=3078
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	58%	61%	55%	68%	73%	75%	63%
Low use	23%	20%	20%	16%	14%	16%	18%
Moderate use	11%	11%	15%	10%	8%	6%	11%
High use	8%	8%	11%	6%	5%	4%	8%
	N=613	N=475	N=299	N=530	N=454	N=215	N=2586
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	47%	55%	62%	73%	69%	69%	64%
Low use	26%	22%	17%	12%	14%	15%	17%
Moderate use	15%	11%	13%	10%	10%	10%	12%
High use	12%	12%	9%	5%	7%	6%	8%
	N=314	N=447	N=308	N=325	N=408	N=264	N=2066

2000 Alcohol Use: Levels are based on the frequency of drinking and the amount typically consumed. High use implies daily drinking or regular binge drinking (5 or more drinks at one time).

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	83%	82%	87%	84%	90%	87%	86%
Low use	16%	18%	12%	14%	9%	13%	13%
Moderate use	1%	0%	1%	0%	0%	0%	1%
High use	0%	0%	0%	1%	0%	1%	0%
	N=282	N=239	N=241	N=296	N=260	N=195	N=1513
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	45%	67%	49%	56%	77%	89%	61%
Low use	36%	25%	38%	30%	19%	9%	28%
Moderate use	14%	7%	8%	10%	3%	2%	7%
High use	6%	2%	5%	5%	1%	0%	4%
	N=357	N=395	N=408	N=361	N=269	N=248	N=2038
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	41%	37%	37%	54%	66%	58%	48%
Low use	31%	33%	35%	27%	17%	26%	29%
Moderate use	17%	16%	15%	16%	6%	8%	13%
High use	10%	14%	13%	3%	12%	8%	10%
	N=299	N=232	N=313	N=260	N=254	N=226	N=1584
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	34%	31%	29%	38%	63%	76%	44%
Low use	24%	32%	32%	29%	16%	11%	25%
Moderate use	25%	25%	20%	17%	9%	9%	17%
High use	17%	13%	19%	16%	13%	5%	14%
	N=292	N=235	N=241	N=204	N=211	N=243	N=1426
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	16%	29%	20%	45%	55%	46%	33%
Low use	19%	27%	25%	23%	18%	16%	21%
Moderate use	33%	23%	34%	17%	15%	17%	25%
High use	32%	21%	21%	16%	13%	20%	21%
	N=167	N=224	N=432	N=241	N=220	N=335	N=1619
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	18%	24%	37%	33%	54%	41%	36%
Low use	22%	25%	23%	21%	16%	17%	21%
Moderate use	29%	27%	25%	25%	16%	22%	24%
High use	31%	24%	15%	20%	14%	20%	19%
	N=228	N=218	N=388	N=233	N=203	N=202	N=1472

1998 Alcohol Use: Levels are based on the frequency of drinking and the amount typically consumed. High use implies daily drinking or regular binge drinking (5 or more drinks at one time).

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	72%	74%	77%	80%	90%	96%	82%
Low use	27%	24%	22%	19%	9%	4%	18%
Moderate use	1%	2%	1%	1%	0%	0%	1%
High use	0%	0%	0%	0%	0%	0%	0%
	N=760	N=538	N=565	N=489	N=482	N=374	N=3208
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	55%	46%	48%	61%	78%	68%	58%
Low use	31%	39%	39%	27%	14%	25%	31%
Moderate use	9%	10%	8%	7%	5%	5%	7%
High use	5%	4%	5%	4%	3%	2%	4%
	N=662	N=634	N=416	N=553	N=375	N=530	N=3170
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	29%	28%	31%	40%	57%	42%	37%
Low use	25%	31%	26%	25%	22%	25%	26%
Moderate use	29%	24%	21%	20%	13%	20%	21%
High use	17%	17%	21%	16%	8%	12%	16%
	N=667	N=516	N=337	N=566	N=479	N=224	N=2789
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No use	19%	24%	26%	51%	51%	46%	36%
Low use	20%	23%	28%	18%	18%	20%	23%
Moderate use	29%	27%	28%	17%	17%	20%	24%
High use	33%	26%	17%	14%	13%	14%	18%
	N=356	N=506	N=337	N=341	N=438	N=281	N=2259

2000 Risk: Levels are based on the degree to which a student reports experiences or characteristics that predict adolescent drug or alcohol abuse.

Grade 6 Low risk	Region 1 57%	Region 2 47%	Region 3 54%	Region 4 53%	Region 5 66%	Region 6 59%	State 56%
Moderate risk	38%	47%	39%	39%	31%	32%	37%
High risk	5%	5%	7%	9%	3%	8%	7%
riigiriisik	N=282	N=239	N=240	N=296	N=260	N=195	N=1512
	14=202	14=239	14=240	14=290	14=200	14=195	11=1312
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Low risk	30%	40%	29%	38%	52%	69%	41%
Moderate risk	51%	49%	49%	46%	38%	27%	43%
High risk	19%	11%	22%	16%	9%	4%	15%
	N=357	N=395	N=408	N=361	N=269	N=248	N=2038
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Low risk	21%	19%	22%	40%	38%	35%	29%
Moderate risk	49%	57%	49%	46%	45%	47%	48%
High risk	30%	24%	29%	14%	17%	18%	23%
	N=299	N=232	N=313	N=260	N=254	N=226	N=1584
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Low risk	12%	12%	15%	20%	35%	48%	24%
Moderate risk	54%	57%	52%	48%	49%	41%	49%
High risk	34%	32%	33%	32%	16%	11%	27%
	N=292	N=235	N=240	N=204	N=211	N=243	N=1425
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Low risk	4%	16%	9%	28%	27%	23%	17%
Moderate risk	49%	48%	44%	49%	51%	47%	47%
High risk	48%	36%	47%	23%	21%	29%	36%
	N=167	N=224	N=432	N=241	N=220	N=335	N=1619
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Low risk	13%	8%	14%	16%	24%	20%	16%
Moderate risk	34%	46%	53%	47%	54%	49%	49%
High risk	53%	46%	33%	36%	22%	31%	34%
-	N=228	N=218	N=388	N=233	N=203	N=202	N=1472

1998 Risk: Levels are based on the degree to which a student reports experiences or characteristics that predict adolescent drug or alcohol abuse.

Grade 6 Low risk Moderate risk High risk	Region 1 48% 46% 6% N=759	Region 2 48% 46% 6% _{N=538}	Region 3 51% 42% 7% N=565	Region 4 54% 39% 7% N=489	Region 5 57% 38% 5% N=482	Region 6 69% 28% 3% N=374	State 55% 40% 6% N=3207
Grade 8 Low risk Moderate risk High risk	Region 1 36% 48% 16% N=661	Region 2 26% 53% 21% N=633	Region 3 27% 56% 17% N=416	Region 4 37% 49% 14% N=553	Region 5 57% 35% 8% N=375	Region 6 44% 46% 10% N=529	State 36% 50% 14% N=3167
Grade 10 Low risk Moderate risk High risk	Region 1 11% 45% 44% <i>N=665</i>	Region 2 13% 48% 39% N=509	Region 3 13% 48% 39% N=335	Region 4 22% 50% 28% N=561	Region 5 28% 49% 23% N=477	Region 6 26% 45% 29% N=223	State 19% 47% 34% N=2770
Grade 12 Low risk Moderate risk High risk	Region 1 7% 38% 55% _{N=352}	Region 2 8% 43% 49% N=504	Region 3 12% 50% 38% N=335	Region 4 27% 48% 26% _{N=339}	Region 5 27% 49% 25% N=438	Region 6 17% 54% 29% _{N=281}	State 16% 49% 35% N=2249

The responses for each question from the 2000 surveys follow.

1. Which of the following best describes your background?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Asian	0%	1%	1%	0%	2%	1%	1%
Hispanic	5%	4%	16%	20%	13%	13%	14%
Native American	9%	18%	5%	6%	3%	3%	6%
Black, not Hispanic	0%	0%	1%	2%	0%	3%	1%
White, not Hispanic	86%	76%	77%	72%	82%	81%	79%
Trinto, not inopario	N=263	N=234	N=237	N=281	N=251	N=191	N=1457
	11-200	74-204	14=257	14=201	14-201	14=151	14=1407
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Asian	1%	3%	4%	2%	0%	1%	2%
Hispanic	3%	3%	10%	15%	11%	9%	9%
Native American	4%	11%	3%	5%	1%	4%	4%
Black, not Hispanic	0%	1%	1%	0%	0%	0%	0%
White, not Hispanic	92%	82%	83%	77%	88%	86%	84%
, , , , , , , , , , , , , , , , , , ,	N=347	N=387	N=395	N=357	N=265	N=245	N=1996
0.10	5	5	5	5	5	Б	0
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Asian	1%	2%	2%	0%	1%	0%	1%
Hispanic	4%	1%	11%	9%	17%	8%	9%
Native American	3%	5%	3%	1%	3%	2%	3%
Black, not Hispanic	0%	0%	0%	1%	0%	1%	1%
White, not Hispanic	92%	91%	84%	89%	80%	88%	87%
	N=275	N=230	N=307	N=256	N=252	N=224	N=1544
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Asian	1%	2%	2%	1%	1%	1%	1%
Hispanic	5%	2%	10%	18%	3%	9%	9%
Native American	3%	2%	3%	5%	3%	2%	3%
Black, not Hispanic	0%	0%	1%	1%	0%	0%	1%
White, not Hispanic	92%	94%	84%	77%	93%	88%	86%
Wille, not riispanie	N=284	N=233	N=238	N=200	N=208	N=243	N=1406
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Asian	0%	2%	2%	2%	2%	2%	2%
Hispanic	4%	3%	5%	10%	13%	12%	8%
Native American	5%	10%	2%	1%	0%	4%	3%
Black, not Hispanic	2%	0%	1%	0%	2%	1%	1%
White, not Hispanic	89%	85%	90%	87%	83%	82%	86%
	N=164	N=224	N=416	N=239	N=215	N=332	N=1590
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Asian	2%	2%	3%	0%	0%	1%	1%
Hispanic	5%	2%	14%	8%	10%	8%	9%
· · · · · · · · · · · · · · · · · · ·	3%		2%	0%	1%	1%	1%
Native American		2%					
Black, not Hispanic	1%	1%	1%	1%	1%	0%	1%
White, not Hispanic	89%	93%	81%	90%	88%	91%	87%
	N=217	N=210	N=382	N=229	N=202	N=200	N=1440

3. What is your sex?

Grade 6 Male Female	Region 1 50% 50% <i>N=279</i>	Region 2 53% 47% _{N=233}	Region 3 50% 50% N=233	Region 4 54% 46% _{N=289}	Region 5 54% 46% N=257	Region 6 49% 51% _{N=191}	State 51% 49% N=1482
Grade 8 Male Female	Region 1 57% 43% N=351	Region 2 47% 53% _{N=388}	Region 3 49% 51% N=406	Region 4 49% 51% _{N=356}	Region 5 51% 49% N=267	Region 6 55% 45% _{N=246}	State 51% 49% N=2014
Grade 9 Male Female	Region 1 48% 52% _{N=289}	Region 2 51% 49% N=226	Region 3 51% 49% _{N=303}	Region 4 48% 52% N=257	Region 5 49% 51% _{N=249}	Region 6 57% 43% _{N=223}	State 51% 49% N=1547
Grade 10 Male Female	Region 1 51% 49% <i>N=291</i>	Region 2 50% 50% N=235	Region 3 55% 45% N=241	Region 4 41% 59% N=202	Region 5 49% 51% N=210	Region 6 56% 44% _{N=243}	State 52% 48% N=1422
Grade 11 Male Female	Region 1 45% 55% N=166	Region 2 48% 52% N=221	Region 3 50% 50% N=430	Region 4 56% 44% N=239	Region 5 49% 51% N=218	Region 6 49% 51% _{N=331}	State 49% 51% N=1605
Grade 12 Male Female	Region 1 46% 54% №225	Region 2 49% 51% N=214	Region 3 52% 48% N=387	Region 4 48% 52% N=233	Region 5 48% 52% N=202	Region 6 57% 43% _{N=201}	State 51% 49% N=1462

4. How much school do you miss?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I never miss school.	12%	9%	16%	14%	7%	13%	13%
I hardly ever miss school.	58%	58%	53%	47%	64%	51%	54%
I miss 2 or 3 days a semester.	23%	26%	26%	32%	20%	29%	26%
I miss some school every month.	6%	6%	5%	4%	8%	6%	6%
I miss some school every week.	0%	1%	0%	2%	1%	2%	1%
	N=281	N=234	N=239	N=293	N=257	N=195	N=1499
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I never miss school.	10%	5%	11%	9%	4%	7%	9%
I hardly ever miss school.	46%	49%	44%	42%	43%	49%	45%
I miss 2 or 3 days a semester.	36%	34%	34%	36%	38%	36%	35%
I miss some school every month.	7%	9%	10%	13%	13%	7%	10%
I miss some school every week.	1%	3%	1%	0%	2%	1%	1%
	N=357	N=393	N=405	N=361	N=268	N=247	N=2031
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I never miss school.	8%	5%	6%	9%	6%	8%	7%
I hardly ever miss school.	42%	45%	40%	47%	39%	46%	43%
I miss 2 or 3 days a semester.	37%	30%	37%	34%	42%	32%	36%
I miss some school every month.	12%	19%	15%	8%	12%	13%	13%
I miss some school every week.	2%	1%	3%	2%	2%	1%	2%
Tilliss some school every week.							
	N=291	N=232	N=313	N=259	N=254	N=226	N=1575
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I never miss school.	5%	4%	8%	8%	6%	5%	7%
I hardly ever miss school.	43%	41%	37%	47%	42%	40%	41%
I miss 2 or 3 days a semester.	32%	35%	32%	31%	41%	39%	34%
I miss some school every month.	13%	18%	17%	13%	9%	16%	15%
I miss some school every week.	5%	1%	5%	1%	1%	1%	3%
	N=292	N=234	N=238	N=204	N=210	N=243	N=1421
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I never miss school.	5%	12%	5%	8%	5%	5%	6%
I hardly ever miss school.	34%	32%	27%	44%	29%	32%	32%
I miss 2 or 3 days a semester.	41%	36%	40%	38%	37%	32%	37%
I miss some school every month.	16%	17%	22%	10%	24%	24%	20%
I miss some school every week.	4%	2%	6%	0%	5%	7%	5%
	N=167	N=224	N=432	N=240	N=219	N=334	N=1616
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I never miss school.	6%	5%	5%	6%	3%	6%	5%
I hardly ever miss school.	32%	31%	28%	26%	23%	34%	29%
I miss 2 or 3 days a semester.	35%	39%	38%	45%	36%	32%	37%
I miss some school every month.	25%	21%	24%	19%	27%	23%	23%
•	23 %	3%	4%	4%	10%	5%	23 <i>%</i> 5%
I miss some school every week.							
	N=227	N=218	N=386	N=233	N=201	N=201	N=1466

5. How likely is it that you will graduate from college after high school?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Definitely won't	1%	1%	0%	2%	1%	1%	1%
Probably won't	5%	5%	3%	5%	3%	7%	4%
Probably will	52%	52%	68%	48%	51%	59%	59%
Definitely will	42%	43%	28%	44%	45%	33%	36%
·	N=280	N=232	N=238	N=291	N=254	N=193	N=1488
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Definitely won't	2%	2%	3%	0%	2%	0%	2%
Probably won't	8%	5%	4%	6%	6%	4%	5%
Probably will	48%	42%	46%	47%	53%	55%	49%
Definitely will	42%	51%	46%	47%	39%	40%	44%
•	N=354	N=393	N=407	N=361	N=266	N=247	N=2028
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Definitely won't	1%	3%	4%	1%	1%	2%	2%
Probably won't	5%	8%	8%	5%	8%	7%	7%
Probably will	42%	48%	43%	44%	54%	50%	46%
Definitely will	52%	40%	45%	50%	36%	41%	45%
•	N=293	N=230	N=313	N=260	N=254	N=226	N=1576
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Definitely won't	1%	2%	4%	2%	4%	2%	3%
Probably won't	8%	8%	8%	5%	6%	8%	7%
Probably will	35%	46%	37%	45%	48%	43%	41%
Definitely will	56%	44%	51%	47%	42%	48%	49%
	N=292	N=233	N=241	N=203	N=210	N=242	N=1421
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Definitely won't	2%	2%	2%	1%	1%	2%	2%
Probably won't	14%	11%	7%	5%	5%	8%	8%
Probably will	38%	40%	36%	45%	49%	52%	43%
Definitely will	45%	48%	56%	49%	45%	37%	48%
·	N=164	N=224	N=430	N=239	N=220	N=334	N=1611
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Definitely won't	2%	1%	3%	1%	1%	2%	2%
Probably won't	5%	5%	8%	6%	3%	9%	7%
Probably will	44%	30%	39%	43%	46%	43%	41%
Probably will Definitely will	44% 49%	30% 63%	39% 50%	43% 50%	46% 50%	43% 47%	41% 50%

6. How many extra school activities (sports, music, student government, clubs) do you participate in regularly?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	22%	15%	19%	14%	32%	28%	21%
1	29%	26%	32%	35%	27%	38%	32%
2	29%	30%	24%	25%	18%	17%	23%
3	10%	16%	15%	12%	10%	9%	12%
4 or more	10%	13%	11%	13%	13%	8%	11%
	N=280	N=232	N=238	N=290	N=251	N=193	N=1484
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	19%	16%	20%	28%	16%	19%	20%
1	29%	20%	25%	29%	30%	26%	27%
2	26%	29%	25%	23%	26%	31%	27%
3	14%	17%	14%	10%	18%	14%	14%
4 or more	12%	19%	15%	10%	11%	9%	13%
. 5	N=355	N=390	N=408	N=355	N=266	N=242	N=2016
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	18%	16%	22%	14%	20%	18%	19%
1	29%	23%	24%	24%	33%	25%	26%
2	29%	26%	26%	22%	23%	26%	25%
3	13%	19%	14%	18%	14%	17%	16%
4 or more	10%	16%	14%	21%	10%	13%	14%
4 of filore							
	N=289	N=230	N=309	N=258	N=252	N=224	N=1562
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	17%	15%	23%	26%	14%	24%	21%
1	24%	21%	24%	24%	22%	26%	24%
2	24%	25%	23%	24%	31%	23%	24%
3	16%	19%	18%	14%	18%	16%	17%
4 or more	19%	19%	13%	11%	15%	11%	14%
	N=290	N=233	N=239	N=203	N=207	N=243	N=1415
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	30%	20%	23%	22%	28%	30%	26%
1	22%	21%	23%	23%	21%	21%	22%
2	20%	27%	27%	23%	22%	26%	25%
3	12%	13%	15%	18%	14%	13%	14%
4 or more	16%	20%	13%	15%	15%	10%	14%
4 of more	N=166	N=222	N=432	N=241	N=218	N=335	N=1614
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	37%	21%	21%	18%	16%	29%	24%
1	27%	21%	21%	19%	24%	20%	22%
	22%						
2	42%	22%	25%	22%	26%	21%	23%
2		150/	150/	200/	160/	160/	150/
3	8%	15%	15%	20%	16%	16%	15%
3 4 or more		15% 18% <i>№</i>	15% 18% <i>№</i>	20% 20% <i>№</i> 233	16% 17% <i>№</i>	16% 15% <i>№</i>	15% 16% №1466

7. How many non-school activities (Little League, Scouts, Church youth) do you participate in regularly?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	23%	24%	31%	26%	20%	21%	26%
1	32%	32%	30%	29%	28%	31%	30%
2	20%	20%	21%	18%	25%	23%	21%
3	12%	15%	12%	9%	10%	14%	12%
4 or more	13%	9%	7%	18%	18%	11%	11%
	N=282	N=235	N=239	N=288	N=253	N=192	N=1489
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	25%	26%	33%	24%	23%	15%	26%
1	36%	32%	28%	32%	28%	26%	29%
2	19%	23%	17%	23%	26%	30%	22%
3	11%	9%	11%	11%	13%	13%	11%
4 or more	8%	10%	11%	10%	10%	16%	11%
	N=355	N=391	N=406	N=360	N=267	N=247	N=2026
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	31%	39%	37%	25%	24%	20%	29%
1	33%	30%	31%	36%	26%	34%	32%
2	21%	19%	22%	23%	31%	29%	24%
3	6%	7%	5%	7%	12%	8%	7%
4 or more	9%	4%	4%	9%	6%	8%	7%
	N=290	N=231	N=312	N=257	N=254	N=225	N=1569
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	30%	38%	38%	32%	14%	23%	31%
1	32%	34%	35%	34%	36%	32%	34%
2	22%	16%	18%	23%	34%	29%	23%
3	9%	6%	4%	5%	9%	9%	7%
4 or more	7%	6%	4%	7%	7%	6%	6%
	N=290	N=234	N=240	N=200	N=211	N=243	N=1418
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	43%	36%	33%	31%	24%	34%	33%
1	29%	36%	30%	32%	30%	28%	30%
2	19%	16%	20%	24%	28%	25%	22%
3	4%	4%	10%	8%	9%	7%	8%
4 or more	5%	7%	7%	5%	8%	6%	7%
	N=166	N=223	N=429	N=241	N=218	N=334	N=1611
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	44%	37%	35%	24%	22%	33%	33%
1	29%	27%	32%	31%	34%	28%	30%
2	16%	23%	19%	28%	29%	24%	22%
3	4%	6%	8%	9%	10%	9%	8%
4 or more	7%	8%	7%	7%	4%	8%	7%
	N=227	N=217	N=387	N=233	N=202	N=200	N=1466

8. How many school sports teams have you participated on in the last two school years?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	41%	27%	37%	44%	54%	44%	41%
1	18%	29%	16%	22%	15%	23%	19%
2	15%	17%	25%	13%	11%	20%	20%
3	8%	12%	11%	9%	7%	6%	9%
4 or more	18%	14%	10%	13%	14%	7%	12%
	N=270	N=235	N=240	N=293	N=254	N=188	N=1480
Grade 8	Pagion 1	Region 2	Pagion 2	Pagion 4	Region 5	Region 6	State
	Region 1	-	Region 3	Region 4	-	_	30%
None	28%	15%	27%	37%	21%	41%	
1	21%	19%	19%	23%	18%	22%	20%
2	19%	21%	23%	20%	24%	17%	21%
3	10%	17%	11%	11%	12%	7%	11%
4 or more	21%	28%	20%	9%	25%	12%	18%
	N=354	N=393	N=407	N=359	N=267	N=244	N=2024
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	24%	16%	24%	18%	31%	27%	24%
1	20%	10%	18%	16%	19%	20%	18%
2	20%	23%	17%	16%	22%	20%	19%
3	12%	18%	13%	15%	11%	8%	12%
4 or more	24%	32%	29%	35%	17%	24%	27%
1 of more	N=289	N=230	N=312	N=257	N=254	N=226	N=1568
	71-255	71-250				77-220	71-7000
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	26%	18%	27%	37%	26%	40%	30%
1	18%	20%	20%	16%	21%	20%	19%
2	29%	22%	22%	18%	21%	18%	21%
3	12%	17%	11%	8%	12%	5%	10%
4 or more	16%	24%	20%	21%	19%	16%	19%
	N=292	N=234	N=241	N=203	N=206	N=241	N=1417
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	40%	24%	31%	29%	42%	40%	35%
1	22%	21%	22%	20%	21%	20%	21%
2	17%	21%	22%		13%	20%	19%
				18%			
3	11%	12%	9%	10%	9%	8%	9%
4 or more	10%	21%	16%	23%	16%	12%	16%
	N=167	N=224	N=430	N=240	N=219	N=333	N=1613
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	54%	38%	34%	30%	41%	38%	37%
1	23%	17%	20%	23%	18%	18%	20%
2	14%	18%	22%	13%	19%	20%	19%
3	5%	12%	11%	12%	6%	7%	9%
	3 /0						
4 or more							
4 or more	5% N=226	15% N=217	14% N=388	21% N=233	15% N=201	17% N=201	15% N=1466

9. When you are away from home, do your parents know where you are and who you are with?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Every time	62%	56%	59%	66%	58%	61%	60%
Most times	28%	32%	34%	23%	31%	30%	31%
Sometimes	8%	8%	6%	7%	9%	7%	7%
Rarely	2%	2%	2%	3%	1%	2%	2%
Never	0%	2%	0%	1%	1%	1%	0%
	N=280	N=238	N=239	N=292	N=259	N=193	N=1501
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Every time	48%	37%	41%	45%	45%	50%	44%
Most times	37%	45%	40%	38%	40%	39%	40%
Sometimes	11%	14%	14%	11%	10%	7%	12%
Rarely	3%	3%	3%	4%	2%	3%	3%
Never	1%	1%	1%	2%	3%	0%	1%
Nevel	N=357	N=394	N=405	N=361	N=269	N=246	N=2032
Crada O	Danien 4	Danian 0	Decise 2	Decise 4	Desien 5	Darian C	Ctata
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Every time	35%	35%	38%	39%	39%	38%	38%
Most times	46%	44%	44%	43%	44%	46%	44%
Sometimes	13%	16%	12%	15%	10%	12%	13%
Rarely	5%	2%	5%	2%	6%	3%	4%
Never	1%	2%	2%	1%	1%	1%	1%
	N=289	N=232	N=312	N=260	N=254	N=226	N=1573
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Every time	29%	31%	27%	39%	36%	34%	32%
Most times	46%	54%	45%	39%	48%	46%	45%
Sometimes	20%	14%	20%	19%	11%	15%	17%
Rarely	4%	1%	4%	2%	3%	4%	3%
Never	1%	0%	5%	1%	2%	1%	2%
	N=292	N=235	N=240	N=203	N=211	N=242	N=1423
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Every time	23%	26%	23%	34%	29%	33%	27%
Most times	50%	56%	50%	49%	52%	50%	50%
Sometimes	19%	14%	20%	13%	15%	12%	16%
Rarely	7%	3%	7%	4%	3%	4%	5%
Never	2% N=167	0% <i>№</i> 224	1% N=431	0% <i>№</i> 241	1% <i>№</i>	1% <i>№</i> =335	1% N=1618
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Every time	17%	17%	26%	24%	25%	33%	25%
Most times	45%	54%	49%	51%	51%	48%	49%
Sometimes	22%	22%	17%	16%	15%	13%	17%
Rarely	11%	5%	5%	5%	6%	6%	6%
Never	6%	2%	3%	4%	2%	0%	3%
	N=228	N=218	N=387	N=232	N=203	N=201	N=1469

10. Do you think there is a drug or alcohol problem among kids attending your school?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, a lot of kids are using drugs or alcohol.	5%	4%	2%	5%	3%	6%	4%
Yes, some kids are using drugs or alcohol.	24%	26%	15%	29%	11%	22%	20%
No, only a few kids are using drugs or alcohol.	46%	38%	30%	34%	22%	32%	33%
No, no one uses drugs or alcohol.	24%	31%	53%	31%	64%	39%	44%
	N=278	N=224	N=232	N=283	N=256	N=193	N=1466
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, a lot of kids are using drugs or alcohol.	14%	11%	23%	15%	5%	2%	14%
Yes, some kids are using drugs or alcohol.	45%	38%	42%	38%	33%	20%	37%
No, only a few kids are using drugs or alcohol.	35%	44%	28%	36%	47%	48%	37%
No, no one uses drugs or alcohol.	6%	7%	7%	11%	15%	30%	12%
.,	N=353	N=388	N=405	N=358	N=264	N=244	N=2012
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, a lot of kids are using drugs or alcohol.	39%	30%	44%	16%	29%	20%	31%
Yes, some kids are using drugs or alcohol.	46%	51%	42%	42%	46%	57%	47%
No, only a few kids are using drugs or alcohol.	12%	18%	12%	36%	21%	18%	19%
No, no one uses drugs or alcohol.	2%	1%	2%	6%	4%	4%	3%
	N=292	N=230	N=310	N=257	N=251	N=224	N=1564
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, a lot of kids are using drugs or alcohol.	43%	33%	30%	47%	24%	11%	30%
Yes, some kids are using drugs or alcohol.	45%	42%	50%	42%	53%	52%	48%
No, only a few kids are using drugs or alcohol.	11%	23%	17%	6%	20%	33%	19%
No, no one uses drugs or alcohol.	1%	2%	3%	5%	3%	4%	3%
,	N=291	N=231	N=236	N=204	N=211	N=242	N=1415
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, a lot of kids are using drugs or alcohol.	49%	33%	40%	18%	34%	35%	36%
Yes, some kids are using drugs or alcohol.	37%	50%	41%	47%	49%	49%	45%
No, only a few kids are using drugs or alcohol.	12%	14%	16%	30%	14%	14%	16%
No, no one uses drugs or alcohol.	2%	2%	3%	5%	3%	2%	3%
.,	N=166	N=223	N=425	N=238	N=217	N=335	N=1604
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, a lot of kids are using drugs or alcohol.	35%	45%	31%	25%	41%	30%	33%
Yes, some kids are using drugs or alcohol.	46%	40%	50%	45%	43%	48%	47%
No, only a few kids are using drugs or alcohol.	15%	13%	17%	27%	13%	18%	18%
No, no one uses drugs or alcohol.	4%	2%	2%	3%	3%	3%	3%
-,	N=224	N=214	N=385	N=233	N=203	N=201	N=1460

11. Do you think there is drug or alcohol use during the school day at your school?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	2%	2%	1%	2%	2%	1%	1%
Yes, drugs	5%	7%	5%	12%	3%	10%	7%
Yes, both	13%	6%	3%	10%	7%	7%	7%
No	81%	85%	91%	77%	88%	82%	85%
	N=278	N=229	N=229	N=290	N=258	N=193	N=1477
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	1%	2%	0%	1%	5%	1%	1%
Yes, drugs	9%	13%	16%	11%	8%	6%	12%
Yes, both	14%	19%	20%	20%	13%	6%	16%
No	75%	65%	64%	67%	73%	88%	71%
	N=349	N=385	N=401	N=355	N=263	N=236	N=1989
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	2%	3%	1%	7%	4%	5%	3%
Yes, drugs	20%	19%	18%	13%	12%	15%	16%
Yes, both	57%	40%	60%	31%	57%	38%	49%
No	21%	37%	22%	49%	27%	42%	32%
	N=290	N=229	N=302	N=254	N=246	N=224	N=1545
			Б	Danier 4	Danier 5	Dania a O	State
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Grade 10 Yes. alcohol	Region 1	Region 2 5%	Region 3 5%	Region 4 3%	Region 5 5%	Region 6 5%	
Yes, alcohol	0%	5%	5%	3%	5%	5%	4%
Yes, alcohol Yes, drugs	0% 25%	5% 20%	5% 13%	3% 13%	5% 19%	5% 12%	4% 15%
Yes, alcohol Yes, drugs Yes, both	0% 25% 50%	5% 20% 28%	5% 13% 49%	3% 13% 58%	5% 19% 51%	5% 12% 33%	4% 15% 46%
Yes, alcohol Yes, drugs	0% 25%	5% 20%	5% 13%	3% 13%	5% 19%	5% 12%	4% 15%
Yes, alcohol Yes, drugs Yes, both No	0% 25% 50% 24% N=288	5% 20% 28% 48% N=229	5% 13% 49% 33% N=237	3% 13% 58% 27% _{N=200}	5% 19% 51% 26% N=210	5% 12% 33% 50% N=241	4% 15% 46% 35% N=1405
Yes, alcohol Yes, drugs Yes, both No	0% 25% 50% 24% №=288 Region 1	5% 20% 28% 48% N=229 Region 2	5% 13% 49% 33% N=237 Region 3	3% 13% 58% 27% N=200	5% 19% 51% 26% <i>N=210</i> Region 5	5% 12% 33% 50% N=241 Region 6	4% 15% 46% 35% N=1405
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol	0% 25% 50% 24% №288 Region 1 1%	5% 20% 28% 48% №=229 Region 2 4%	5% 13% 49% 33% №=237 Region 3 2%	3% 13% 58% 27% №=200 Region 4 5%	5% 19% 51% 26% №=210 Region 5 6%	5% 12% 33% 50% N=241 Region 6 5%	4% 15% 46% 35% №1405 State 3%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs	0% 25% 50% 24% №288 Region 1 1% 32%	5% 20% 28% 48% №229 Region 2 4% 17%	5% 13% 49% 33% N=237 Region 3 2% 20%	3% 13% 58% 27% №200 Region 4 5% 15%	5% 19% 51% 26% №210 Region 5 6% 10%	5% 12% 33% 50% N=241 Region 6 5% 15%	4% 15% 46% 35% <i>N=1405</i> State 3% 19%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both	0% 25% 50% 24% №=288 Region 1 1% 32% 38%	5% 20% 28% 48% №=229 Region 2 4% 17% 42%	5% 13% 49% 33% N=237 Region 3 2% 20% 58%	3% 13% 58% 27% №200 Region 4 5% 15% 33%	5% 19% 51% 26% N=210 Region 5 6% 10% 63%	5% 12% 33% 50% N=241 Region 6 5% 15% 53%	4% 15% 46% 35% N=1405 State 3% 19% 50%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs	0% 25% 50% 24% №288 Region 1 1% 32%	5% 20% 28% 48% №229 Region 2 4% 17%	5% 13% 49% 33% N=237 Region 3 2% 20%	3% 13% 58% 27% №200 Region 4 5% 15%	5% 19% 51% 26% №210 Region 5 6% 10%	5% 12% 33% 50% N=241 Region 6 5% 15%	4% 15% 46% 35% <i>N=1405</i> State 3% 19%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both No	0% 25% 50% 24% №=288 Region 1 1% 32% 38% 30% №=165	5% 20% 28% 48% №229 Region 2 4% 17% 42% 37% №221	5% 13% 49% 33% N=237 Region 3 2% 20% 58% 20% N=425	3% 13% 58% 27% №200 Region 4 5% 15% 33% 47% №240	5% 19% 51% 26% N=210 Region 5 6% 10% 63% 22% N=214	5% 12% 33% 50% N=241 Region 6 5% 15% 53% 28% N=333	4% 15% 46% 35% <i>N=1405</i> State 3% 19% 50% 28% <i>N=1598</i>
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both No Grade 12	0% 25% 50% 24% №288 Region 1 1% 32% 38% 30% №165	5% 20% 28% 48% N=229 Region 2 4% 17% 42% 37% N=221 Region 2	5% 13% 49% 33% N=237 Region 3 2% 20% 58% 20% N=425 Region 3	3% 13% 58% 27% №200 Region 4 5% 15% 33% 47% №240 Region 4	5% 19% 51% 26% №210 Region 5 6% 10% 63% 22% №214 Region 5	5% 12% 33% 50% N=241 Region 6 5% 15% 53% 28% N=333	4% 15% 46% 35% №1405 State 3% 19% 50% 28% №1598
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both No Grade 12 Yes, alcohol	0% 25% 50% 24% №288 Region 1 1% 32% 38% 30% №=165 Region 1	5% 20% 28% 48% N=229 Region 2 4% 17% 42% 37% N=221 Region 2 0%	5% 13% 49% 33% N=237 Region 3 2% 20% 58% 20% N=425 Region 3 2%	3% 13% 58% 27% №200 Region 4 5% 15% 33% 47% №240 Region 4 7%	5% 19% 51% 26% N=210 Region 5 6% 10% 63% 22% N=214 Region 5 12%	5% 12% 33% 50% N=241 Region 6 5% 15% 53% 28% N=333 Region 6 3%	4% 15% 46% 35% №1405 State 3% 19% 50% 28% №1598 State 4%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both No Grade 12 Yes, alcohol Yes, drugs	0% 25% 50% 24% N=288 Region 1 1% 32% 38% 30% N=165 Region 1 1% 26%	5% 20% 28% 48% 48% N=229 Region 2 4% 17% 42% 37% N=221 Region 2 0% 28%	5% 13% 49% 33% 498 33% N=237 Region 3 2% 20% 58% 20% N=425 Region 3 2% 21%	3% 13% 58% 27% №200 Region 4 5% 15% 33% 47% №240 Region 4 7%	5% 19% 51% 26% N=210 Region 5 6% 10% 63% 22% N=214 Region 5 12% 11%	5% 12% 33% 50% N=241 Region 6 5% 15% 53% 28% N=333 Region 6 3% 25%	4% 15% 46% 35% N=1405 State 3% 19% 50% N=1598 State 4% 20%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both No Grade 12 Yes, alcohol Yes, drugs Yes, drugs Yes, both No Yes, drugs Yes, both	0% 25% 50% 24% N=288 Region 1 1% 32% 38% 30% N=165 Region 1 1% 26% 36%	5% 20% 28% 48% 48% N=229 Region 2 4% 17% 42% 37% N=221 Region 2 0% 28% 52%	5% 13% 49% 33% N=237 Region 3 2% 20% 58% 20% N=425 Region 3 2% 21% 48%	3% 13% 58% 27% №200 Region 4 5% 15% 33% 47% №240 Region 4 7% 10% 50%	5% 19% 51% 26% №210 Region 5 6% 10% 63% 22% №214 Region 5 12% 11% 57%	5% 12% 33% 50% N=241 Region 6 5% 15% 53% 28% N=333 Region 6 3% 25% 41%	4% 15% 46% 35% N=1405 State 3% 19% 50% 28% N=1598 State 4% 20% 47%
Yes, alcohol Yes, drugs Yes, both No Grade 11 Yes, alcohol Yes, drugs Yes, both No Grade 12 Yes, alcohol Yes, drugs	0% 25% 50% 24% N=288 Region 1 1% 32% 38% 30% N=165 Region 1 1% 26%	5% 20% 28% 48% 48% N=229 Region 2 4% 17% 42% 37% N=221 Region 2 0% 28%	5% 13% 49% 33% 498 33% N=237 Region 3 2% 20% 58% 20% N=425 Region 3 2% 21%	3% 13% 58% 27% №200 Region 4 5% 15% 33% 47% №240 Region 4 7%	5% 19% 51% 26% N=210 Region 5 6% 10% 63% 22% N=214 Region 5 12% 11%	5% 12% 33% 50% N=241 Region 6 5% 15% 53% 28% N=333 Region 6 3% 25%	4% 15% 46% 35% N=1405 State 3% 19% 50% N=1598 State 4% 20%

12. Is there drinking or drug use at most parties you attend?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	6%	7%	9%	10%	6%	5%	7%
Yes, drugs	0%	0%	0%	0%	0%	2%	1%
Yes, both alcohol and drugs	5%	5%	0%	3%	2%	3%	2%
No	71%	67%	71%	72%	77%	75%	72%
I don't attend parties	18%	21%	20%	16%	14%	16%	18%
	N=278	N=235	N=230	N=287	N=255	N=194	N=1479
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	16%	8%	12%	8%	5%	4%	9%
Yes, drugs	1%	0%	0%	0%	1%	1%	1%
Yes, both alcohol and drugs	12%	11%	21%	15%	6%	3%	14%
No	48%	55%	43%	56%	73%	73%	55%
I don't attend parties	23%	25%	24%	21%	15%	19%	22%
	N=351	N=390	N=406	N=358	N=268	N=246	N=2019
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	14%	16%	12%	15%	11%	14%	13%
Yes, drugs	0%	1%	1%	0%	0%	0%	0%
Yes, both alcohol and drugs	32%	25%	32%	14%	17%	15%	23%
No	27%	24%	25%	47%	52%	45%	36%
I don't attend parties	27%	34%	30%	24%	19%	26%	27%
	N=288	N=229	N=310	N=258	N=253	N=225	N=1563
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	21%	23%	19%	18%	13%	6%	16%
Yes, drugs	0%	0%	0%	0%	0%	0%	0%
Yes, both alcohol and drugs	35%	29%	32%	37%	17%	11%	27%
No	26%	16%	24%	15%	56%	62%	33%
I don't attend parties	19%	32%	25%	30%	13%	21%	23%
	N=290	N=233	N=238	N=203	N=211	N=243	N=1418
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	27%	20%	19%	18%	23%	20%	21%
Yes, drugs	1%	0%	0%	0%	0%	1%	0%
Yes, both alcohol and drugs	43%	32%	44%	20%	21%	34%	35%
No	10%	13%	13%	38%	32%	27%	21%
I don't attend parties	20%	35%	23%	24%	24%	18%	23%
	N=166	N=223	N=423	N=240	N=215	N=331	N=1598
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes, alcohol	10%	19%	28%	16%	15%	18%	20%
Yes, drugs	0%	0%	1%	0%	0%	0%	0%
Yes, both alcohol and drugs	61%	44%	32%	34%	22%	33%	36%
No	11%	13%	20%	30%	50%	33%	26%
I don't attend parties	18%	24%	20%	19%	12%	15%	18%
	N=225	N=216	N=388	N=232	N=203	N=201	N=1465

13. Have you ever gotten into trouble at home or at school because of your drinking or drug use?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	77%	60%	72%	69%	68%	68%	70%
No, never	22%	37%	28%	26%	30%	30%	28%
Once or twice	1%	3%	1%	5%	2%	2%	2%
Many times	0%	0%	0%	0%	0%	1%	0%
	N=279	N=235	N=236	N=287	N=257	N=192	N=1486
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	53%	64%	48%	57%	69%	76%	58%
No, never	35%	25%	39%	33%	27%	22%	32%
Once or twice	11%	9%	12%	8%	3%	1%	8%
Many times	2%	2%	2%	2%	1%	0%	1%
,	N=352	N=390	N=404	N=357	N=268	N=245	N=2016
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	45%	48%	46%	54%	47%	59%	50%
No, never	39%	38%	34%	36%	36%	31%	35%
Once or twice	14%	12%	16%	7%	13%	8%	12%
Many times	2%	2%	4%	2%	4%	1%	3%
wany unics	N=287	N=229	N=311	N=258	N=253	N=223	N=1561
Grado 10	Pagion 1	Pagion 2	Pogion 2	Pogion 4	Pogion 5	Pagion 6	Stata
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	38%	38%	32%	41%	49%	57%	41%
I don't drink or use drugs. No, never	38% 45%	38% 40%	32% 51%	41% 39%	49% 37%	57% 33%	41% 43%
I don't drink or use drugs. No, never Once or twice	38% 45% 14%	38% 40% 20%	32% 51% 14%	41% 39% 18%	49% 37% 11%	57% 33% 8%	41% 43% 14%
I don't drink or use drugs. No, never	38% 45% 14% 3%	38% 40% 20% 3%	32% 51% 14% 3%	41% 39% 18% 2%	49% 37% 11% 3%	57% 33% 8% 2%	41% 43% 14% 3%
I don't drink or use drugs. No, never Once or twice	38% 45% 14%	38% 40% 20%	32% 51% 14%	41% 39% 18%	49% 37% 11%	57% 33% 8%	41% 43% 14%
I don't drink or use drugs. No, never Once or twice Many times Grade 11	38% 45% 14% 3% <i>N=289</i> Region 1	38% 40% 20% 3% N=233 Region 2	32% 51% 14% 3% <i>N=236</i> Region 3	41% 39% 18% 2% N=201	49% 37% 11% 3% N=211	57% 33% 8% 2% N=240	41% 43% 14% 3% N=1410
I don't drink or use drugs. No, never Once or twice Many times	38% 45% 14% 3% №289 Region 1 24%	38% 40% 20% 3% N=233 Region 2 38%	32% 51% 14% 3% №=236 Region 3 25%	41% 39% 18% 2% N=201	49% 37% 11% 3% N=211 Region 5 46%	57% 33% 8% 2% N=240 Region 6 40%	41% 43% 14% 3% N=1410 State 34%
I don't drink or use drugs. No, never Once or twice Many times Grade 11	38% 45% 14% 3% №289 Region 1 24% 44%	38% 40% 20% 3% N=233 Region 2 38% 42%	32% 51% 14% 3% N=236 Region 3 25% 48%	41% 39% 18% 2% N=201	49% 37% 11% 3% N=211 Region 5 46% 41%	57% 33% 8% 2% N=240 Region 6 40% 41%	41% 43% 14% 3% N=1410 State 34% 44%
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice	38% 45% 14% 3% №=289 Region 1 24% 44% 26%	38% 40% 20% 3% №=233 Region 2 38% 42% 18%	32% 51% 14% 3% №236 Region 3 25% 48% 21%	41% 39% 18% 2% N=201 Region 4 43% 41% 14%	49% 37% 11% 3% N=211 Region 5 46% 41% 12%	57% 33% 8% 2% N=240 Region 6 40% 41% 16%	41% 43% 14% 3% N=1410 State 34% 44% 18%
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never	38% 45% 14% 3% №289 Region 1 24% 44%	38% 40% 20% 3% N=233 Region 2 38% 42%	32% 51% 14% 3% N=236 Region 3 25% 48%	41% 39% 18% 2% N=201 Region 4 43% 41%	49% 37% 11% 3% N=211 Region 5 46% 41%	57% 33% 8% 2% N=240 Region 6 40% 41%	41% 43% 14% 3% N=1410 State 34% 44%
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice	38% 45% 14% 3% №=289 Region 1 24% 44% 26%	38% 40% 20% 3% №=233 Region 2 38% 42% 18%	32% 51% 14% 3% №236 Region 3 25% 48% 21%	41% 39% 18% 2% N=201 Region 4 43% 41% 14%	49% 37% 11% 3% N=211 Region 5 46% 41% 12%	57% 33% 8% 2% N=240 Region 6 40% 41% 16%	41% 43% 14% 3% N=1410 State 34% 44% 18%
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice	38% 45% 14% 3% N=289 Region 1 24% 44% 26% 6%	38% 40% 20% 3% №=233 Region 2 38% 42% 18% 2%	32% 51% 14% 3% №236 Region 3 25% 48% 21% 6%	41% 39% 18% 2% №201 Region 4 43% 41% 14% 2%	49% 37% 11% 3% N=211 Region 5 46% 41% 12% 1%	57% 33% 8% 2% N=240 Region 6 40% 41% 16% 3%	41% 43% 14% 3% N=1410 State 34% 44% 18% 4%
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice Many times	38% 45% 14% 3% №289 Region 1 24% 44% 26% 6%	38% 40% 20% 3% №233 Region 2 38% 42% 18% 2% №224	32% 51% 14% 3% N=236 Region 3 25% 48% 21% 6% N=431	41% 39% 18% 2% N=201 Region 4 43% 41% 14% 2% N=239	49% 37% 11% 3% N=211 Region 5 46% 41% 12% 1% N=213	57% 33% 8% 2% N=240 Region 6 40% 41% 16% 3% N=334	41% 43% 14% 3% №1410 State 34% 44% 18% 4% №1608
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice Many times Grade 12	38% 45% 14% 3% №289 Region 1 24% 44% 26% 6% №167	38% 40% 20% 3% N=233 Region 2 38% 42% 18% 2% N=224 Region 2	32% 51% 14% 3% N=236 Region 3 25% 48% 21% 6% N=431	41% 39% 18% 2% N=201 Region 4 43% 41% 14% 2% N=239	49% 37% 11% 3% №211 Region 5 46% 41% 12% 1% №213 Region 5	57% 33% 8% 2% N=240 Region 6 40% 41% 16% 3% N=334 Region 6	41% 43% 14% 3% №1410 State 34% 44% 18% 4% №1608 State
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice Many times Grade 12 I don't drink or use drugs.	38% 45% 14% 3% N=289 Region 1 24% 44% 26% 6% N=167 Region 1 22%	38% 40% 20% 3% N=233 Region 2 38% 42% 18% 2% N=224 Region 2 29%	32% 51% 14% 3% N=236 Region 3 25% 48% 21% 6% N=431 Region 3 31%	41% 39% 18% 2% N=201 Region 4 43% 41% 14% 2% N=239 Region 4 34%	49% 37% 11% 3% N=211 Region 5 46% 41% 12% 1% N=213 Region 5 40%	57% 33% 8% 2% N=240 Region 6 40% 41% 16% 3% N=334 Region 6 43%	41% 43% 14% 3% N=1410 State 34% 44% 18% A=1608 State 34%
I don't drink or use drugs. No, never Once or twice Many times Grade 11 I don't drink or use drugs. No, never Once or twice Many times Grade 12 I don't drink or use drugs. No, never	38% 45% 14% 3% N=289 Region 1 24% 44% 26% 6% N=167 Region 1 22% 50%	38% 40% 20% 3% N=233 Region 2 38% 42% 18% 2% N=224 Region 2 29% 47%	32% 51% 14% 3% №236 Region 3 25% 48% 21% 6% №431 Region 3 31% 51%	41% 39% 18% 2% N=201 Region 4 43% 41% 14% 2% N=239 Region 4 34% 45%	49% 37% 11% 3% N=211 Region 5 46% 41% 12% 1% N=213 Region 5 40% 43%	57% 33% 8% 2% N=240 Region 6 40% 41% 16% 3% N=334 Region 6 43% 37%	41% 43% 14% 3% N=1410 State 34% 44% 18% 4% N=1608 State 34% 46%

14. Have you ever been arrested because of drinking or using drugs?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	77%	59%	71%	63%	64%	64%	68%
No, never	23%	41%	29%	36%	35%	35%	32%
Once or twice	0%	0%	1%	1%	0%	0%	1%
Many times	0%	0%	0%	0%	0%	1%	0%
•	N=277	N=233	N=234	N=288	N=257	N=188	N=1477
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	52%	64%	48%	55%	66%	75%	57%
No, never	47%	32%	50%	42%	32%	24%	41%
Once or twice	2%	3%	2%	2%	1%	0%	2%
Many times	0%	1%	0%	1%	1%	1%	1%
. ,	N=352	N=388	N=402	N=354	N=264	N=242	N=2002
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	45%	47%	46%	55%	46%	60%	50%
No, never	51%	50%	47%	44%	49%	37%	46%
Once or twice	3%	3%	5%	1%	3%	4%	3%
Many times	2%	0%	2%	1%	2%	0%	1%
,	N=283	N=229	N=308	N=258	N=248	N=224	N=1550
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink or use drugs.	39%	39%	33%	39%	53%	56%	42%
No, never	55%	57%	62%	53%	42%	40%	53%
Once or twice	6%	3%	3%	7%	3%	3%	4%
Many times	0%	1%	2%	1%	1%	1%	1%
•	N=290	N=233	N=240	N=202	N=210	N=241	N=1416
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Grade 11 I don't drink or use drugs.	Region 1 25%	Region 2 38%	Region 3 24%	Region 4 42%	Region 5 44%	Region 6 39%	State 33%
I don't drink or use drugs.	25%	38%	24%	42%	44%	39%	33%
I don't drink or use drugs. No, never Once or twice	25% 62%	38% 58%	24% 66%	42% 56%	44% 52%	39% 52%	33% 59%
I don't drink or use drugs. No, never	25% 62% 10%	38% 58% 5%	24% 66% 9%	42% 56% 1%	44% 52% 4%	39% 52% 8%	33% 59% 7%
I don't drink or use drugs. No, never Once or twice	25% 62% 10% 3%	38% 58% 5% 0%	24% 66% 9% 1%	42% 56% 1% 1%	44% 52% 4% 0%	39% 52% 8% 1%	33% 59% 7% 1%
I don't drink or use drugs. No, never Once or twice Many times	25% 62% 10% 3% N=167	38% 58% 5% 0% N=224	24% 66% 9% 1% N=429	42% 56% 1% 1% N=236	44% 52% 4% 0% N=213	39% 52% 8% 1% N=332	33% 59% 7% 1% N=1601
I don't drink or use drugs. No, never Once or twice Many times Grade 12	25% 62% 10% 3% N=167 Region 1	38% 58% 5% 0% N=224 Region 2	24% 66% 9% 1% N=429 Region 3	42% 56% 1% 1% N=236 Region 4	44% 52% 4% 0% N=213 Region 5	39% 52% 8% 1% N=332 Region 6	33% 59% 7% 1% <i>N</i> =1601
I don't drink or use drugs. No, never Once or twice Many times Grade 12 I don't drink or use drugs.	25% 62% 10% 3% N=167 Region 1 21%	38% 58% 5% 0% N=224 Region 2 27%	24% 66% 9% 1% N=429 Region 3 30%	42% 56% 1% 1% N=236 Region 4 33%	44% 52% 4% 0% N=213 Region 5 40%	39% 52% 8% 1% N=332 Region 6 41%	33% 59% 7% 1% <i>N=1601</i> State 33%
I don't drink or use drugs. No, never Once or twice Many times Grade 12 I don't drink or use drugs. No, never	25% 62% 10% 3% N=167 Region 1 21% 68%	38% 58% 5% 0% N=224 Region 2 27% 65%	24% 66% 9% 1% N=429 Region 3 30% 65%	42% 56% 1% 1% N=236 Region 4 33% 62%	44% 52% 4% 0% N=213 Region 5 40% 51%	39% 52% 8% 1% N=332 Region 6 41% 52%	33% 59% 7% 1% <i>N=1601</i> State 33% 60%

How difficult do you think it would be for you to get each of the following types of drugs?

15. Marijuana or hashish (grass, hash, pot)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	43%	46%	60%	59%	59%	53%	55%
Very difficult	26%	24%	16%	11%	19%	22%	18%
Fairly difficult	12%	10%	10%	11%	11%	6%	10%
Fairly easy	11%	14%	8%	13%	7%	11%	10%
Very easy	8%	7%	6%	6%	4%	7%	6%
, ,	N=280	N=232	N=227	N=283	N=255	N=192	N=1469
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	13%	14%	11%	19%	32%	30%	17%
Very difficult	13%	11%	8%	11%	11%	20%	12%
Fairly difficult	12%	19%	14%	15%	18%	11%	14%
Fairly easy	34%	37%	31%	30%	24%	27%	31%
Very easy	28%	19%	36%	26%	15%	12%	26%
.,,	N=352	N=394	N=403	N=359	N=269	N=246	N=2023
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	2%	4%	4%	16%	13%	13%	8%
Very difficult	3%	8%	1%	10%	10%	7%	5%
Fairly difficult	9%	7%	7%	14%	11%	9%	9%
Fairly easy	43%	40%	34%	35%	37%	45%	38%
Very easy	43%	42%	55%	25%	29%	27%	40%
10.7 00.5	N=289	N=231	N=310	N=259	N=253	N=226	N=1568
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	3%	7%	3%	6%	5%	14%	6%
Very difficult	3%	4%	3%	4%	10%	8%	5%
Fairly difficult	7%	13%	7%	6%	12%	11%	8%
Fairly easy	35%	40%	39%	38%	44%	38%	39%
Very easy	53%	36%	48%	46%	29%	28%	42%
, ,	N=291	N=234	N=240	N=203	N=211	N=242	N=1421
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	3%	2%	4%	6%	6%	5%	4%
Very difficult	1%	3%	3%	6%	1%	2%	3%
Fairly difficult	3%	5%	4%	7%	6%	8%	5%
Fairly easy	36%	44%	35%	46%	46%	48%	41%
Very easy	58%	46%	54%	35%	40%	37%	47%
	N=167	N=223	N=428	N=240	N=219	N=335	N=1612
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	1%	1%	4%	3%	4%	3%	3%
Very difficult	1%	1%	2%	2%	2%	4%	2%
Fairly difficult	1%	3%	5%	7%	5%	9%	5%
Fairly easy	24%	27%	41%	42%	43%	50%	40%
Very easy	72%	68%	49%	47%	46%	34%	49%
-	N=228	N=217	N=387	N=233	N=203	N=202	N=1470

How difficult do you think it would be for you to get each of the following types of drugs?

16. Cocaine (coke, crack)

							a
Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	54%	51%	57%	59%	65%	53%	56%
Very difficult	22%	25%	17%	17%	16%	25%	19%
Fairly difficult	15%	14%	17%	8%	12%	10%	14%
Fairly easy	8%	8%	6%	7%	5%	10%	7%
Very easy	1%	3%	4%	9%	2%	2%	4%
	N=280	N=232	N=228	N=283	N=254	N=193	N=1470
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	30%	24%	20%	29%	38%	32%	27%
Very difficult	19%	25%	20%	17%	18%	23%	20%
Fairly difficult	21%	26%	19%	22%	20%	17%	20%
Fairly easy	24%	18%	29%	24%	19%	21%	25%
Very easy	7%	6%	11%	8%	4%	7%	8%
•	N=351	N=392	N=401	N=360	N=269	N=245	N=2018
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	12%	19%	10%	26%	18%	20%	16%
Very difficult	20%	14%	12%	20%	14%	16%	16%
Fairly difficult	35%	37%	24%	20%	22%	29%	27%
Fairly easy	25%	25%	36%	28%	33%	25%	30%
Very easy	8%	6%	18%	6%	12%	9%	12%
very easy	N=286	N=230	N=310	N=259	N=253	N=226	N=1564
	N=286	N=23U	N=310	N=259	N=253	N=226	N=1504
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	12%	16%	10%	16%	15%	21%	14%
Very difficult	16%	26%	9%	9%	17%	11%	12%
Fairly difficult	29%	28%	30%	23%	25%	27%	28%
Fairly easy	30%	24%	33%	43%	31%	30%	33%
Very easy	13%	6%	18%	9%	11%	11%	13%
	N=289	N=233	N=240	N=203	N=210	N=242	N=1417
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	11%	15%	14%	10%	10%	14%	13%
Very difficult	14%	19%	11%	13%	10%	10%	12%
Fairly difficult	33%	27%	31%	31%	28%	26%	29%
Fairly easy	29%	30%	35%	37%	37%	42%	36%
Very easy	12%	9%	10%	8%	15%	9%	10%
. 6.7, 6.26,	N=167	N=224	N=426	N=240	N=219	N=335	N=1611
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	8%	7%	10%	6%	6%	6%	8%
Very difficult	11%	12%	11%	10%	10%	17%	12%
Fairly difficult	23%	36%	20%	22%	26%	33%	25%
· · · · · · · · · · · · · · · · · · ·	39%	35%	42%	46%	44%	36%	41%
Fairly easy							
Very easy	19%	10%	17%	15%	14%	9%	14%
	N=227	N=216	N=388	N=233	N=203	N=202	N=1469

How difficult do you think it would be for you to get each of the following types of drugs?

17. Methamphetamines (crystal, meth, crank)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	60%	56%	65%	69%	70%	58%	64%
Very difficult	18%	23%	18%	15%	16%	21%	18%
Fairly difficult	14%	8%	11%	9%	9%	7%	10%
Fairly easy	6%	8%	3%	4%	4%	7%	5%
Very easy	2%	4%	3%	4%	1%	7%	3%
,,	N=280	N=230	N=229	N=284	N=254	N=194	N=1471
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	32%	31%	26%	33%	46%	30%	31%
Very difficult	16%	25%	17%	21%	16%	27%	20%
Fairly difficult	17%	21%	21%	17%	21%	16%	19%
Fairly easy	21%	15%	23%	19%	14%	16%	19%
Very easy	14%	8%	13%	10%	3%	10%	11%
13., 543,	N=352	N=392	N=402	N=360	N=269	N=246	N=2021
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	14%	27%	13%	27%	23%	26%	20%
Very difficult	21%	19%	13%	19%	18%	13%	16%
Fairly difficult	28%	30%	22%	27%	19%	21%	24%
Fairly easy	24%	19%	35%	19%	31%	28%	28%
Very easy	12%	5%	16%	9%	9%	12%	12%
very easy	N=289	N=231	N=310	N=259	N=253	N=226	N=1568
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	13%	22%	11%	20%	15%	24%	16%
Very difficult	13%	21%	13%	9%	20%	16%	14%
Fairly difficult	25%	24%	21%	21%	25%	22%	22%
Fairly easy	29%	25%	37%	36%	25%	28%	32%
Very easy	20%	8%	19%	15%	14%	11%	16%
very easy	N=290	N=233	N=240	N=203	N=211	N=241	N=1418
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	9%	15%	11%	13%	10%	12%	11%
Very difficult	16%	21%	13%	16%	17%	9%	14%
Fairly difficult	17%	17%	28%	32%	22%	21%	24%
Fairly easy	36%	35%	33%	27%	32%	43%	35%
Very easy	22%	12%	15%	12%	19%	15%	16%
very easy	N=167	N=224	N=427	N=240	N=219	N=335	N=1612
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Probably impossible	7%	7%	9%	6%	8%	7%	8%
Very difficult	6%	15%	13%	10%	7%	17%	12%
Fairly difficult	19%	24%	19%	23%	34%	23%	22%
,	33%	39%	39%	38%	36%	25% 37%	37%
Fairly easy							
Very easy	34%	16%	20%	22%	15%	17%	20%
	N=228	N=217	N=388	N=233	N=203	N=202	N=1471

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

a. Smoking tobacco

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	96%	97%	98%	95%	98%	96%	97%
Some	3%	2%	1%	3%	2%	3%	2%
Monthly	0%	0%	0%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	1%	0%
•	N=266	N=211	N=224	N=277	N=241	N=187	N=1406
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	78%	84%	77%	81%	90%	95%	83%
Some	14%	10%	17%	14%	9%	5%	13%
Monthly	1%	3%	2%	2%	0%	0%	1%
Weekly	2%	1%	2%	2%	0%	0%	1%
	4%	3%	3%	1%		0%	2%
Daily					1%		
	N=335	N=364	N=377	N=336	N=244	N=229	N=1885
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	77%	68%	63%	82%	78%	77%	73%
Some	15%	17%	16%	12%	13%	12%	14%
Monthly	1%	4%	2%	0%	1%	0%	1%
Weekly	2%	2%	4%	1%	2%	5%	3%
Daily	5%	10%	15%	4%	6%	5%	8%
Daily	N=260	N=210	N=276	N=216	N=227	N=212	N=1401
	74-200	14=210	14=270	14=2.10	14-227	14-212	14-14-01
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	65%	66%	67%	68%	75%	79%	70%
Some	20%	17%	19%	15%	13%	8%	16%
Monthly	4%	2%	2%	2%	2%	3%	3%
Weekly	3%	4%	3%	4%	4%	2%	3%
Daily	8%	12%	8%	11%	7%	8%	9%
•	N=270	N=216	N=232	N=188	N=199	N=223	N=1328
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	39%	59%	49%	72%	74%	63%	57%
Some	29%	24%	24%	13%	14%	16%	20%
Monthly	6%	2%	6%	2%	2%	3%	4%
	6%	3%	4%	2%	2%	3%	3%
Weekly							
Daily	21%	12%	17%	11%	8%	15%	15%
	N=161	N=204	N=397	N=216	N=188	N=298	N=1464
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	45%	52%	59%	55%	64%	59%	57%
Some	15%	22%	23%	18%	20%	19%	20%
Monthly	2%	3%	4%	4%	3%	2%	3%
Weekly	4%	3%	3%	2%	2%	3%	3%
Daily	33%	20%	10%	21%	12%	17%	17%
	N=222	N=204	N=364	N=217	N=182	N=189	N=1378

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

b. Spit tobacco (chew, plug, snuff)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	98%	99%	97%	100%	97%	98%
Some	2%	2%	1%	3%	0%	3%	2%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=261	N=210	N=223	N=276	N=240	N=184	N=1394
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	92%	94%	94%	96%	97%	99%	95%
Some	5%	4%	4%	4%	3%	1%	4%
Monthly	2%	1%	0%	0%	0%	0%	0%
Weekly	1%	1%	1%	0%	0%	0%	0%
Daily	1%	1%	1%	0%	0%	0%	0%
•	N=328	N=360	N=376	N=327	N=242	N=228	N=1861
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	90%	89%	92%	98%	91%	87%	91%
Some	7%	7%	6%	2%	5%	8%	6%
Monthly	1%	1%	0%	0%	2%	1%	1%
Weekly	2%	2%	1%	0%	1%	1%	1%
Daily	0%	1%	1%	0%	0%	1%	1%
24,	N=259	N=206	N=270	N=213	N=223	N=212	N=1383
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	87%	86%	87%	91%	86%	95%	89%
Some	8%	11%	9%	5%	9%	4%	7%
Monthly	1%	1%	2%	1%	0%	0%	1%
Weekly	2%	0%	1%	1%	2%	1%	1%
Daily	1%	1%	1%	2%	4%	0%	1%
Daily	N=269	N=210	N=228	2 /0 N=185	4 /0 N=199	N=223	N=1314
Grade 11	Pagion 1	Region 2	Dogion 2	Dogion 4	Dogion F	Pagion 6	State
Never	Region 1 72%	81%	Region 3 83%	Region 4 87%	Region 5 91%	Region 6 85%	83%
Some	17%	11%	11%	8%	6%	11%	11%
Monthly	1%	2%	2%	0%	1%	3%	2%
Weekly	1%	3%	1%	0%	1%	1%	1%
Daily	10%	5%	2%	4%	1%	1%	3%
	N=156	N=200	N=392	N=215	N=185	N=298	N=1446
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	85%	84%	85%	82%	86%	82%	84%
Some	10%	9%	11%	14%	8%	13%	11%
Monthly	1%	0%	1%	0%	1%	2%	1%
Weekly	2%	1%	0%	1%	1%	1%	1%
Daily	1%	4%	3%	2%	4%	3%	3%
	N=217	N=202	N=359	N=210	N=182	N=187	N=1357

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

c. Beer

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	89%	88%	92%	91%	94%	92%	92%
Some	11%	12%	7%	8%	5%	7%	8%
Monthly	0%	0%	0%	1%	1%	1%	0%
Weekly	0%	0%	0%	0%	0%	1%	0%
Daily	0%	0%	0%	1%	0%	0%	0%
	N=266	N=214	N=224	N=274	N=242	N=187	N=1407
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	59%	74%	62%	69%	82%	91%	71%
Some	29%	20%	28%	21%	15%	8%	22%
Monthly	8%	4%	8%	6%	2%	1%	5%
Weekly	4%	2%	2%	4%	0%	0%	2%
Daily	0%	0%	0%	1%	0%	0%	0%
,	N=335	N=364	N=379	N=334	N=243	N=229	N=1884
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	49%	46%	48%	68%	70%	66%	57%
Some	32%	33%	29%	24%	13%	25%	26%
Monthly	12%	12%	12%	6%	8%	5%	9%
Weekly	6%	7%	8%	2%	7%	3%	6%
Daily	1%	2%	2%	1%	2%	2%	2%
Sany	N=263	N=210	N=275	N=216	N=225	N=212	N=1401
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	45%	38%	41%	45%	66%	79%	52%
Some	31%	37%	30%	32%	19%	13%	26%
Monthly	13%	11%	13%	11%	5%	4%	10%
Weekly	11%	11%	13%	12%	6%	4%	10%
Daily	1%	2%	3%	1%	3%	1%	2%
Daily	N=275	N=220	N=230	N=188	N=201	N=225	N=1339
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	21%	37%	29%	51%	62%	52%	40%
Some	38%	33%	29%	29%	15%	23%	28%
Monthly	25%	15%	20%	7%	13%	14%	17%
Weekly	14%	13%	21%	11%	8%	10%	14%
Daily	3%	1%	1%	2%	2%	1%	2%
Daily	N=160	N=206	N=402	N=217	N=187	N=301	N=1473
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	23%	32%	44%	37%	57%	48%	42%
Some	32%	30%	30%	31%	19%	24%	28%
Monthly	19%	19%	14%	13%	14%	12%	14%
Weekly	24%	16%	14%	14%	7%	14%	14%
•	24%	3%	2%	14% 4%	7% 3%		2%
Daily						2%	
	N=221	N=205	N=369	N=217	N=184	N=188	N=1384

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

d. Wine or wine coolers

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	88%	86%	91%	89%	93%	91%	90%
Some	12%	14%	8%	10%	7%	9%	9%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	1%	0%	1%	0%
Daily	0%	0%	0%	1%	0%	0%	0%
	N=265	N=211	N=224	N=276	N=242	N=187	N=1405
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	57%	74%	57%	63%	83%	90%	68%
Some	32%	22%	33%	28%	14%	9%	25%
Monthly	7%	3%	8%	5%	1%	1%	5%
Weekly	2%	2%	2%	3%	1%	0%	2%
Daily	1%	0%	0%	1%	0%	0%	0%
•	N=334	N=365	N=376	N=333	N=246	N=229	N=1883
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	54%	46%	46%	66%	73%	64%	57%
Some	32%	40%	36%	26%	15%	27%	30%
Monthly	10%	8%	13%	5%	6%	7%	9%
Weekly	4%	4%	5%	2%	5%	1%	3%
Daily	0%	1%	1%	1%	1%	1%	1%
 ,	N=261	N=210	N=275	N=214	N=224	N=213	N=1397
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	46%	42%	40%	50%	69%	81%	53%
Some	39%	42%	39%	33%	18%	13%	31%
Monthly	8%	10%	13%	10%	8%	4%	9%
Weekly	7%	5%	7%	6%	4%	2%	5%
Daily	0%	1%	2%	1%	2%	1%	1%
 ,	N=273	N=215	N=230	N=186	N=199	N=223	N=1326
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	29%	45%	33%	56%	58%	55%	44%
Some	48%	37%	41%	29%	24%	27%	35%
Monthly	16%	12%	19%	9%	15%	12%	15%
Weekly	4%	6%	8%	6%	2%	5%	5%
Daily	3%	0%	1%	0%	1%	1%	1%
Sany	N=158	N=204	N=399	N=215	N=188	N=302	N=1466
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	32%	33%	46%	39%	63%	52%	45%
Some	42%	39%	38%	40%	21%	31%	36%
Monthly	19%	19%	11%	12%	11%	11%	12%
Weekly	7%	8%	4%	9%	3%	5%	6%
Daily	0%	0% 1%	1%	1%	2%	1%	1%
Daily	0% <i>N</i> =219	1 % N=206	1% N=365	1 % N=217	∠% N=183	1 % N=186	1 % N=1376
	N=219	N=206	IV=305	N=217	N=183	N=180	N=13/6

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

e. Hard liquor

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	98%	99%	97%	98%	98%	98%
Some	2%	2%	1%	2%	2%	2%	2%
Monthly	0%	0%	0%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
•	N=264	N=212	N=224	N=272	N=241	N=185	N=1398
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	72%	84%	80%	82%	92%	98%	84%
Some	19%	12%	15%	12%	7%	1%	11%
Monthly	6%	2%	4%	4%	0%	1%	3%
Weekly	3%	1%	2%	2%	1%	0%	1%
	0%	0%	0%		0%	0%	0%
Daily				1%			
	N=334	N=364	N=373	N=332	N=244	N=229	N=1876
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	64%	59%	62%	78%	78%	73%	69%
Some	23%	25%	21%	15%	12%	17%	19%
Monthly	9%	10%	11%	6%	7%	4%	8%
Weekly	3%	5%	6%	1%	2%	3%	4%
Daily	2%	1%	1%	0%	1%	2%	1%
Dany	N=261	N=211	N=273	N=214	N=223	N=212	N=1394
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	53%	52%	54%	55%	77%	86%	62%
Some	28%	30%	26%	27%	12%	9%	22%
Monthly	12%	11%	9%	11%	7%	4%	8%
Weekly	7%	6%	9%	5%	5%	1%	6%
Daily	0%	1%	2%	2%	0%	1%	1%
·	N=268	N=217	N=228	N=186	N=195	N=221	N=1315
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	29%	41%	35%	60%	68%	57%	46%
Some	44%	35%	30%	21%	17%	26%	29%
Monthly	18%	14%	24%	11%	12%	11%	17%
Weekly	6%	8%	10%	7%	2%	5%	7%
Daily	3%	1%	1%	1%	1%	1%	1%
Daily	N=160	N=203	N=398	N=213	N=186	N=299	N=1459
	N=700	N=203	N=396	N=213	IV=100	N=299	N=1409
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	27%	33%	49%	42%	62%	53%	47%
Some	35%	33%	33%	32%	22%	21%	30%
Monthly	24%	23%	11%	15%	10%	17%	15%
Weekly	13%	9%	6%	9%	3%	8%	8%
Daily	1%	1%	1%	1%	2%	1%	1%
	N=221	N=207	N=365	N=210	N=183	N=190	N=1376

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

f. Marijuana or hashish

Grade 6	Region 1 98%	Region 2	Region 3	Region 4	Region 5	Region 6 97%	State
Never		99%	99%	98%	100%		98%
Some	2%	1%	1%	1%	0%	2%	1%
Monthly	0%	0%	0%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	1%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=265	N=211	N=224	N=277	N=241	N=187	N=1405
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	88%	91%	85%	89%	96%	98%	90%
Some	9%	5%	8%	5%	3%	1%	6%
Monthly	1%	1%	2%	3%	0%	0%	2%
Weekly	1%	1%	3%	1%	0%	0%	1%
Daily	1%	1%	2%	1%	1%	0%	1%
	N=329	N=361	N=378	N=331	N=245	N=230	N=1874
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	74%	77%	71%	93%	85%	92%	81%
Some	15%	8%	11%	3%	9%	5%	8%
Monthly	3%	5%	7%	2%	4%	2%	4%
Weekly	3%	4%	6%	2%	1%	1%	3%
Daily	4%	5%	7%	0%	1%	0%	3%
	N=261	N=207	N=276	N=214	N=224	N=212	N=1394
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	70%	82%	73%	74%	86%	86%	77%
Some	16%	12%	13%	15%	7%	9%	12%
Monthly	4%	1%	3%	3%	2%	2%	3%
Weekly	4%	1%	5%	3%	4%	2%	4%
Daily	6%	3%	5%	4%	1%	2%	4%
	N=271	N=210	N=230	N=183	N=199	N=224	N=1317
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	64%	72%	55%	80%	85%	73%	68%
Some	16%	18%	21%	13%	11%	16%	17%
Monthly	2%	4%	11%	3%	2%	6%	6%
Weekly	7%	2%	7%	2%	1%	4%	5%
Daily	11%	4%	6%	1%	1%	2%	4%
	N=158	N=204	N=397	N=215	N=185	N=300	N=1459
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	48%	54%	73%	65%	81%	74%	69%
Some	22%	20%	19%	23%	10%	13%	18%
Monthly	5%	7%	4%	5%	4%	3%	5%
Weekly	7%	9%	1%	4%	2%	6%	4%
Daily	17%	10%	2%	3%	3%	4%	5%
***	N=221	N=204	N=361	N=213	N=179	N=189	N=1367

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

g. Cocaine

Grade 6 Never	Region 1 100%	Region 2 100%	Region 3 100%	Region 4 99%	Region 5 100%	Region 6 99%	State 99%
Some	0%	0%	0%	0%	0%	1%	0%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
Daily	N=265	N=213	N=223	N=277	N=241	N=186	N=1405
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	99%	98%	98%	100%	100%	98%
Some	2%	1%	1%	2%	0%	0%	1%
Monthly	0%	0%	1%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
•	N=329	N=362	N=377	N=328	N=243	N=228	N=1867
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	97%	95%	96%	99%	96%	97%	97%
Some	2%	3%	3%	0%	2%	1%	2%
Monthly	0%	1%	1%	0%	0%	1%	1%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	1%	0%	1%	0%	1%	0%	0%
	N=259	N=207	N=273	N=215	N=224	N=209	N=1387
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	96%	98%	93%	95%	96%	95%	95%
Some	4%	2%	5%	3%	2%	4%	4%
Monthly	0%	0%	1%	1%	2%	0%	1%
Weekly	0%	0%	1%	1%	0%	1%	1%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=267	N=209	N=229	N=183	N=198	N=219	N=1305
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	95%	96%	97%	98%	95%	96%
Some	2%	3%	4%	2%	2%	4%	3%
Monthly	1%	0%	1%	1%	1%	1%	1%
Weekly	2%	1%	0%	0%	0%	0%	1%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=157	N=203	N=397	N=214	N=184	N=298	N=1453
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	87%	91%	96%	90%	93%	94%	93%
Some	8%	5%	3%	9%	4%	6%	5%
	4.5						
Monthly	3%	1%	1%	1%	2%	0%	1%
Weekly	1%	2%	0%	0%	1%	0%	1%
· · · · · · · · · · · · · · · · · · ·							

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

h. Derbisol (empathan, antagonil)

Grade 6	Region 1 100%	Region 2 100%	Region 3 100%	Region 4 100%	Region 5	Region 6 100%	State
Never					100%		100%
Some	0%	0%	0%	0%	0%	0%	0%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=264	N=212	N=224	N=274	N=241	N=185	N=1400
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	100%	99%	100%	100%	100%	100%	100%
Some	0%	1%	0%	0%	0%	0%	0%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=328	N=360	N=377	N=329	N=245	N=228	N=1867
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	97%	97%	97%	100%	98%	99%	98%
Some	2%	1%	1%	0%	2%	1%	1%
Monthly	0%	0%	1%	0%	0%	0%	1%
Weekly	1%	1%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
,	N=257	N=208	N=278	N=215	N=224	N=210	N=1392
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	97%	99%	97%	98%	99%	99%	98%
Some	2%	1%	2%	1%	1%	0%	1%
Monthly	1%	0%	0%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	1%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
,	N=269	N=210	N=227	N=185	N=199	N=222	N=1312
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	99%	100%	99%	100%	99%	99%	99%
Some	1%	0%	1%	0%	1%	1%	1%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	1%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
,	N=156	N=202	N=395	N=215	N=185	N=297	N=1450
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	96%	98%	100%	99%	99%	99%	99%
Some	2%	1%	0%	0%	1%	1%	1%
Monthly	1%	0%	0%	0%	0%	0%	0%
Weekly	1%	1%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
***	N=220	N=202	N=359	N=211	N=182	N=185	N=1359

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

i. Opiates (heroin, codeine, opium)

Grade 6 Never	Region 1 100%	Region 2 100%	Region 3 99%	Region 4 98%	Region 5 100%	Region 6 100%	State 99%
Some	0% 0%	0% 0%	0% 0%	1%	0% 0%	0%	0% 0%
Monthly				0%		0%	
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=266	N=212	N=224	N=276	N=241	N=186	N=1405
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	98%	98%	97%	100%	100%	98%
Some	2%	1%	2%	2%	0%	0%	1%
Monthly	0%	0%	0%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=330	N=362	N=378	N=332	N=243	N=227	N=1872
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	95%	92%	98%	96%	97%	95%
Some	3%	3%	6%	0%	2%	3%	3%
Monthly	1%	1%	1%	1%	1%	0%	1%
Weekly	1%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
,	N=258	N=208	N=277	N=215	N=225	N=212	N=1395
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	94%	96%	93%	97%	96%	97%	95%
Some	4%	2%	6%	2%	3%	2%	4%
Monthly	1%	1%	1%	1%	1%	0%	1%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	1%	0%	0%	0%	0%	0%	0%
,	N=270	N=211	N=230	N=185	N=199	N=223	N=1318
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	92%	96%	92%	96%	97%	95%	94%
Some	4%	3%	6%	3%	2%	5%	5%
Monthly	1%	0%	1%	1%	0%	0%	1%
Weekly	1%	0%	0%	0%	1%	0%	0%
Daily	1%	0%	1%	0%	1%	0%	0%
Daily	N=158	N=202	N=399	N=214	N=185	N=300	N=1458
Grade 12	Pagion 1	Pagion 2	Pogion 2	Pagion 4	Pogion F	Pagion 6	State
	Region 1	Region 2	Region 3	Region 4	Region 5 97%	Region 6	93%
Never	84%	84%	96%	94%		96%	
Some	11%	10%	4%	5%	3%	4%	5%
Monthly	1%	3%	1%	0%	0%	0%	1%
Weekly	3%	2%	0%	0%	0%	0%	1%
Daily	1%	0%	0%	0%	0%	0%	0%
	N=219	N=204	N=362	N=210	N=181	N=189	N=1365

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

j. Depressants (quaaludes, ludes, downers, reds)

Grade 6	Region 1 100%	Region 2 100%	Region 3 100%	Region 4 99%	Region 5 100%	Region 6 99%	State 99%
Never							
Some	0%	0%	0%	1%	0%	1%	0%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=266	N=212	N=224	N=276	N=241	N=186	N=1405
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	98%	96%	95%	100%	100%	98%
Some	1%	2%	3%	4%	0%	0%	2%
Monthly	1%	0%	0%	1%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=331	N=362	N=378	N=331	N=244	N=227	N=1873
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	94%	94%	97%	97%	96%	95%
Some	3%	4%	3%	2%	3%	3%	3%
Monthly	0%	1%	1%	0%	0%	1%	1%
Weekly	2%	0%	1%	0%	0%	0%	1%
Daily	0%	0%	1%	0%	0%	0%	0%
	N=259	N=208	N=277	N=214	N=224	N=212	N=1394
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	93%	98%	94%	92%	95%	96%	94%
Some	4%	1%	3%	5%	5%	2%	3%
Monthly	1%	0%	1%	2%	0%	0%	1%
Weekly	1%	0%	1%	1%	1%	0%	1%
Daily	0%	0%	0%	0%	0%	1%	1%
	N=269	N=210	N=229	N=185	N=199	N=223	N=1315
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	90%	97%	93%	97%	97%	98%	95%
Some	7%	3%	5%	3%	3%	2%	4%
Monthly	2%	0%	1%	0%	0%	0%	1%
Weekly	1%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=157	N=202	N=399	N=214	N=184	N=300	N=1456
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	90%	94%	98%	95%	96%	94%	95%
Some	8%	5%	2%	4%	4%	5%	4%
Monthly	1%	0%	0%	0%	1%	1%	0%
Weekly	0%	0%	0%	0%	0%	1%	0%
Daily	0%	1%	0%	0%	0%	0%	0%
•	N=220	N=204	N=361	N=212	N=182	N=188	N=1367

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

k. Tranquilizers (Valium, Librium, Xanex)

Never	Grade 6	Region 1 100%	Region 2 100%	Region 3	Region 4 99%	Region 5	Region 6 99%	State
Monthly 0% 1% 28% 0% 0% 1% 1% 28% 0% 0% 1% 1% 28% 10% 0% 1% 0% 1% 0%								
Meekly								
Daily	*							
Marcel	•							
Grade 8 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never Some 99% 99% 98% 98% 100% 100% 99% Some 11% 11% 2% 2% 0% 0% 1% Monthly 96% 0%	Daily							
Never		N=264	N=212	N=224	N=276	N=240	N=185	N=1401
Some Monthly 11% 11% 22% 2% 0% 0% 11% Weekly 0% 0% 0% 1% 0% 9% 9% 9% 9% 9% 9% 9% 9% 9% 9% 9% 9% 9% 9% 9% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								
Monthly 10%	Never							
Meekly								
Daily Dai	Monthly	0%						
Region 1 Region 2 Region 3 Region 4 Region 6 State	Weekly				0%		0%	
Grade 9 Region 1 Region 2 Region 3 Region 4 Region 6 State Never 94% 96% 96% 98% 97% 98% 97% Some 4% 33% 2% 1% 2% 1% 2% Monthly 2% 0% 1% 0% 1% 0% 1% 0% 1% 0% 1% 0% 1% 1% 0%	Daily	0%	0%	0%	0%	0%	0%	0%
Never		N=329	N=362	N=376	N=332	N=244	N=227	N=1870
Some Monthly 4% 2% 0% 0% 11% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 1% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%	Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Monthly Weekly 2% O%	Never	94%	96%	96%	98%	97%	98%	97%
Weekly 0% 0% 0% 0% 1% 0% 0% Daily 0% 98%	Some	4%	3%	2%	1%	2%	1%	2%
Daily 0% 1% 13% 13% 1% 13% 9% 95%	Monthly	2%	0%	1%	0%	0%	0%	1%
Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 94% 98% 95% 92% 95% 98% 95% Some 4% 1% 3% 6% 3% 1% 3% Monthly 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1%<	Weekly	0%	0%	0%	0%	1%	0%	0%
Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 94% 98% 95% 92% 95% 98% 95% Some 4% 1% 3% 6% 3% 1% 3% Monthly 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1% 1% 0% 1%<	Daily	0%	0%	0%	0%	0%	0%	0%
Never 94% 98% 95% 92% 95% 98% 95% Some 4% 1% 3% 6% 3% 1% 3% Monthly 1% 1% 0% 1% 1% 1% 0% 1% Weekly 1% 0% 0% 1% 1% 1% 1% Daily 0% 0% 1% 0% 1% 0% 0% Weekly 0% 0% 1% 0% 1% 0% 0% Baily 0% 0% 1% 0% 1% 0% 0% Never 89% 98% 94% 97% 98% 96% 95% Some 8% 1% 5% 3% 1% 3% 4% Monthly 2% 0% 1% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%<	•	N=259			N=214	N=225	N=212	N=1394
Never 94% 98% 95% 92% 95% 98% 95% Some 4% 1% 3% 6% 3% 1% 3% Monthly 1% 1% 0% 1% 1% 1% 0% 1% Weekly 1% 0% 0% 1% 1% 1% 1% Daily 0% 0% 1% 0% 1% 0% 0% Weekly 0% 0% 1% 0% 1% 0% 0% Baily 0% 0% 1% 0% 1% 0% 0% Never 89% 98% 94% 97% 98% 96% 95% Some 8% 1% 5% 3% 1% 3% 4% Monthly 2% 0% 1% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%<	Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Monthly Weekly 1% 1% 0% 1% 1% 0% 1% Daily 1% 0% 0% 1% 1% 1% 1% Daily 0% 0% 0% 1% 0% 1% 0% 1% Daily 0% 0% 0% 0% 0% 0% 0% Neucle 89% 98% 98% 97% 98% 96% 95% Some 89% 98% 94% 97% 98% 96% 95% Some 89% 98% 94% 97% 98% 96% 95% Some 8% 1% 5% 3% 1% 3% 4% Weekly 1% 0%	Never	94%	98%	95%	92%	95%	98%	
Weekly Daily 1% O%	Some	4%	1%	3%	6%	3%	1%	3%
Daily 0% 0% 1% 0% 1% 0%	Monthly	1%	1%	0%	1%	1%	0%	1%
Daily 0% 0% 1% 0% 1% 0%	Weekly	1%	0%	0%	1%	1%	1%	1%
Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 89% 98% 94% 97% 98% 96% 95% Some 8% 1% 5% 3% 1% 3% 4% Monthly 2% 0% 1% 0% 0% 0% 0% 1% Weekly 1% 0% 0% 0% 1% 0%	Daily	0%					0%	
Never 89% 98% 94% 97% 98% 96% 95% Some 8% 1% 5% 3% 1% 3% 4% Monthly 2% 0% 1% 0% 0% 0% 0% 1% Weekly 1% 0% 0% 0% 0% 1% 0% 0% Daily 0% 0% 0% 0% 1% 0% 0% Weekly N=158 N=201 N=396 N=215 N=185 N=300 N=1455 Grade 12 Region 1 Region 2 Region 3 Region 5 Region 6 State Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 0% 0% 0% 0% Weekly 2% 0% 0% 0%<	•				N=185			
Never 89% 98% 94% 97% 98% 96% 95% Some 8% 1% 5% 3% 1% 3% 4% Monthly 2% 0% 1% 0% 0% 0% 0% 1% Weekly 1% 0% 0% 0% 0% 1% 0% 0% Daily 0% 0% 0% 0% 1% 0% 0% Weekly N=158 N=201 N=396 N=215 N=185 N=300 N=1455 Grade 12 Region 1 Region 2 Region 3 Region 5 Region 6 State Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 0% 0% 0% 0% Weekly 2% 0% 0% 0%<	Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Some 8% 1% 5% 3% 1% 3% 4% Monthly 2% 0% 1% 0% 0% 0% 0% 1% Weekly 1% 0% 0% 0% 0% 1% 0% 0% Daily 0% 0% 0% 0% 0% 1% 0% 0% Daily N=201 N=201 N=396 N=215 N=185 N=300 N=1455 Grade 12 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 0% 1% 1% 1% Weekly 2% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%	Never							
Monthly 2% 0% 1% 0% 0% 0% 1% Weekly 1% 0% 0% 0% 0% 1% 0% 0% Daily 0% 0% 0% 0% 0% 1% 0% 0% N=189 0% 0% 0% 0% 1% 0% 0% Monthly Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 1% 1% 1% Weekly 2% 0% 0% 0% 0% 0% 0% 0% Daily 0% 0% 0% 0% 0% 0% 0% 0%	Some	8%			3%			
Weekly Daily 1% 0% 0% 0% 0% 0% 0% 0% 0% 1% 0% 0% 0% 1% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%								
Daily 0% 0% 0% 0% 1% 0% 0% N=158 N=201 N=306 N=215 N=185 N=300 N=1455 Grade 12 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 1% 1% 1% Weekly 2% 0% 0% 0% 0% 0% 0% 0% Daily 0% 0% 0% 0% 0% 0% 0% 0%								
Grade 12 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 0% 0% 0% 0% 0% 0% Daily 0% 0% 0% 0% 0% 0% 0%								
Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 1% 1% 1% Weekly 2% 0% 0% 0% 0% 0% 0% Daily 0% 1% 0% 0% 0% 0% 0%	.,							
Never 88% 91% 96% 90% 95% 96% 94% Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 1% 1% 1% Weekly 2% 0% 0% 0% 0% 0% 0% Daily 0% 1% 0% 0% 0% 0% 0%	Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Some 9% 6% 4% 9% 4% 3% 5% Monthly 1% 1% 1% 0% 1% 1% 1% Weekly 2% 0% 0% 0% 0% 0% 0% 0% Daily 0% 1% 0% 0% 0% 0% 0% 0%			•	•	•	•		
Monthly 1% 1% 1% 0% 1% 1% 1% Weekly 2% 0%								
Weekly 2% 0% 0% 0% 0% 0% 0% Daily 0% 1% 0% 0% 0% 0% 0% 0% 0%								
Daily 0% 1% 0% 0% 0% 0%	•							
·	•							
	24,							

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

I. Hallucinogens (angel dust, LSD, PCP, 'shrooms, acid. DMT, ecstasy)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	99%	100%	99%	98%	100%	99%	99%
Some	1%	0%	1%	1%	0%	1%	1%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=265	N=211	N=224	N=276	N=240	N=185	N=1401
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	96%	93%	95%	99%	100%	96%
Some	4%	3%	5%	3%	0%	0%	3%
Monthly	1%	0%	1%	2%	0%	0%	1%
Weekly	1%	1%	1%	1%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=332	N=361	N=379	N=332	N=244	N=227	N=1875
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	92%	90%	91%	95%	95%	94%	93%
Some	5%	6%	5%	4%	4%	2%	4%
Monthly	1%	1%	2%	0%	1%	3%	2%
Weekly	2%	0%	1%	1%	0%	0%	1%
Daily	1%	2%	0%	0%	0%	0%	0%
•	N=258	N=208	N=278	N=214	N=224	N=211	N=1393
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	87%	94%	89%	87%	92%	94%	90%
			70/	10%	6%	4%	6%
Some	6%	5%	7%	10 /0	0 /0	4 /0	070
	6% 4%	5% 1%	7% 2%	1%	1%	0%	2%
Some							
Some Monthly	4%	1%	2%	1%	1%	0%	2%
Some Monthly Weekly	4% 2%	1% 0%	2% 2%	1% 2%	1% 2%	0% 1%	2% 2%
Some Monthly Weekly	4% 2% 1%	1% 0% 0%	2% 2% 0%	1% 2% 0%	1% 2% 0%	0% 1% 0%	2% 2% 0%
Some Monthly Weekly Daily	4% 2% 1% _{N=270}	1% 0% 0% N=211	2% 2% 0% N=229	1% 2% 0% N=185	1% 2% 0% N=199	0% 1% 0% <i>N=223</i>	2% 2% 0% N=1317
Some Monthly Weekly Daily Grade 11	4% 2% 1% №270 Region 1	1% 0% 0% N=211 Region 2	2% 2% 0% _{N=229} Region 3	1% 2% 0% <i>№</i> 885 Region 4	1% 2% 0% _{N=199} Region 5	0% 1% 0% N=223 Region 6	2% 2% 0% <i>N</i> =1317
Some Monthly Weekly Daily Grade 11 Never	4% 2% 1% №=270 Region 1 83%	1% 0% 0% N=211 Region 2 92%	2% 2% 0% N=229 Region 3 77%	1% 2% 0% N=185 Region 4 93%	1% 2% 0% N=199 Region 5 97%	0% 1% 0% <i>N=223</i> Region 6 91%	2% 2% 0% <i>N</i> =1317 State 86%
Some Monthly Weekly Daily Grade 11 Never Some	4% 2% 1% №270 Region 1 83% 11%	1% 0% 0% N=211 Region 2 92% 6%	2% 2% 0% №=229 Region 3 77% 18%	1% 2% 0% N=185 Region 4 93% 4%	1% 2% 0% N=199 Region 5 97% 2%	0% 1% 0% N=223 Region 6 91% 7%	2% 2% 0% N=1317 State 86% 10%
Some Monthly Weekly Daily Grade 11 Never Some Monthly	4% 2% 1% №=270 Region 1 83% 11% 2%	1% 0% 0% N=211 Region 2 92% 6% 1%	2% 2% 0% N=229 Region 3 77% 18% 5%	1% 2% 0% N=185 Region 4 93% 4% 2%	1% 2% 0% N=199 Region 5 97% 2% 1%	0% 1% 0% N=223 Region 6 91% 7% 2%	2% 2% 0% N=1317 State 86% 10% 3%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly	4% 2% 1% №270 Region 1 83% 11% 2% 3%	1% 0% 0% N=211 Region 2 92% 6% 1% 0%	2% 2% 0% №=229 Region 3 77% 18% 5% 1%	1% 2% 0% N=185 Region 4 93% 4% 2% 0%	1% 2% 0% N=199 Region 5 97% 2% 1% 0%	0% 1% 0% №223 Region 6 91% 7% 2% 0%	2% 2% 0% N=1317 State 86% 10% 3% 1%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly	4% 2% 1% №270 Region 1 83% 11% 2% 3% 1%	1% 0% 0% N=211 Region 2 92% 6% 1% 0%	2% 2% 0% №=229 Region 3 77% 18% 5% 1% 0%	1% 2% 0% N=185 Region 4 93% 4% 2% 0% 0%	1% 2% 0% N=199 Region 5 97% 2% 1% 0% 1%	0% 1% 0% №223 Region 6 91% 7% 2% 0% 0%	2% 2% 0% N=1317 State 86% 10% 3% 1% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily	4% 2% 1% №270 Region 1 83% 11% 2% 3% 1% №158	1% 0% 0% N=211 Region 2 92% 6% 1% 0% 0% N=202	2% 2% 0% N=229 Region 3 77% 18% 5% 1% 0% N=398	1% 2% 0% N=185 Region 4 93% 4% 2% 0% 0% N=215	1% 2% 0% N=199 Region 5 97% 2% 1% 0% 1% N=185	0% 1% 0% N=223 Region 6 91% 7% 2% 0% 0% N=299	2% 2% 0% N=1317 State 86% 10% 3% 1% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12	4% 2% 1% №270 Region 1 83% 11% 2% 3% 1% №158	1% 0% 0% 0% N=211 Region 2 92% 6% 1% 0% 0% N=202 Region 2	2% 2% 0% N=229 Region 3 77% 18% 5% 1% 0% N=398	1% 2% 0% N=185 Region 4 93% 4% 2% 0% 0% N=215	1% 2% 0% N=199 Region 5 97% 2% 1% 0% 1% N=185 Region 5	0% 1% 0% N=223 Region 6 91% 7% 2% 0% 0% N=299 Region 6	2% 2% 0% N=1317 State 86% 10% 3% 1% 0% N=1457
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never	4% 2% 1% №270 Region 1 83% 11% 2% 3% 1% №159 Region 1 71%	1% 0% 0% 0% N=211 Region 2 92% 6% 1% 0% 0% N=202 Region 2 79%	2% 2% 0% N=229 Region 3 77% 18% 5% 1% 0% N=398 Region 3 92%	1% 2% 0% N=185 Region 4 93% 4% 2% 0% 0% N=215 Region 4 83%	1% 2% 0% N=199 Region 5 97% 2% 1% 0% 1% N=185 Region 5 92%	0% 1% 0% N=223 Region 6 91% 7% 2% 0% 0% N=299 Region 6 86%	2% 2% 0% N=1317 State 86% 10% 3% 1% 0% N=1457 State 86%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never Some	4% 2% 1% №270 Region 1 83% 11% 2% 3% 1% №159 Region 1 71% 19%	1% 0% 0% 0% N=211 Region 2 92% 6% 1% 0% 0% N=202 Region 2 79% 12%	2% 2% 0% N=229 Region 3 77% 18% 5% 1% 0% N=398 Region 3 92% 7%	1% 2% 0% N=185 Region 4 93% 4% 2% 0% 0% N=215 Region 4 83% 13%	1% 2% 0% N=199 Region 5 97% 2% 1% 0% 1% N=185 Region 5 92% 6%	0% 1% 0% N=223 Region 6 91% 7% 2% 0% 0% N=299 Region 6 86% 11%	2% 2% 0% N=1317 State 86% 10% 3% 1% 0% N=1457 State 86% 10%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never Some Monthly	4% 2% 1% N=270 Region 1 83% 11% 2% 3% 1% N=158 Region 1 71% 19% 8%	1% 0% 0% 0% N=211 Region 2 92% 6% 1% 0% 0% N=202 Region 2 79% 12% 5%	2% 2% 0% N=229 Region 3 77% 18% 5% 1% 0% N=398 Region 3 92% 7% 1%	1% 2% 0% N=185 Region 4 93% 4% 2% 0% 0% N=215 Region 4 83% 13% 4%	1% 2% 0% N=199 Region 5 97% 2% 1% 0% 1% N=185 Region 5 92% 6% 2%	0% 1% 0% N=223 Region 6 91% 7% 2% 0% 0% N=299 Region 6 86% 11% 3%	2% 2% 0% N=1317 State 86% 10% 3% 1% 0% N=1457 State 86% 10% 3%

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

m. Inhaled substances to get high (glue, gasoline, paint thinner, spray cans, snappers, poppers)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	96%	96%	96%	97%	95%	93%	96%
Some	4%	3%	3%	2%	5%	5%	4%
Monthly	0%	0%	0%	1%	0%	2%	1%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=265	N=214	N=224	N=275	N=243	N=186	N=1407
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	92%	93%	88%	86%	93%	95%	90%
Some	7%	5%	10%	11%	6%	4%	8%
Monthly	1%	1%	1%	1%	0%	0%	1%
Weekly	1%	1%	0%	1%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	1%	0%
	N=331	N=362	N=377	N=333	N=244	N=228	N=1875
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	90%	89%	91%	93%	88%	89%	90%
Some	8%	8%	5%	7%	8%	8%	7%
Monthly	0%	1%	2%	0%	1%	1%	1%
Weekly	1%	1%	1%	0%	1%	1%	1%
Daily	0%	0%	1%	0%	0%	1%	1%
	N=259	N=208	N=278	N=215	N=225	N=212	N=1397
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	92%	92%	86%	91%	85%	93%	89%
Some	7%	7%	11%	8%	11%	6%	9%
Some Monthly	7% 0%	7% 1%	11% 0%	8% 1%	11% 1%	6% 0%	9% 1%
Some Monthly Weekly	7% 0% 0%	7% 1% 0%	11% 0% 1%	8% 1% 0%	11% 1% 2%	6% 0% 0%	9% 1% 1%
Some Monthly	7% 0% 0% 0%	7% 1% 0% 0%	11% 0% 1% 1%	8% 1% 0% 0%	11% 1% 2% 1%	6% 0% 0% 0%	9% 1% 1% 1%
Some Monthly Weekly	7% 0% 0%	7% 1% 0%	11% 0% 1%	8% 1% 0%	11% 1% 2%	6% 0% 0%	9% 1% 1%
Some Monthly Weekly Daily Grade 11	7% 0% 0% 0% №270 Region 1	7% 1% 0% 0% N=211 Region 2	11% 0% 1% 1% N=231 Region 3	8% 1% 0% 0% N=185 Region 4	11% 1% 2% 1% N=199 Region 5	6% 0% 0% 0% N=223 Region 6	9% 1% 1% 1% <i>N</i> =1319
Some Monthly Weekly Daily Grade 11 Never	7% 0% 0% 0% N=270 Region 1 90%	7% 1% 0% 0% N=211 Region 2 93%	11% 0% 1% 1% N=231 Region 3 95%	8% 1% 0% 0% № 185 Region 4 94%	11% 1% 2% 1% N=199 Region 5 90%	6% 0% 0% 0% N=223 Region 6 91%	9% 1% 1% 1% № 1319 State 93%
Some Monthly Weekly Daily Grade 11 Never Some	7% 0% 0% 0% 0% №270 Region 1 90% 8%	7% 1% 0% 0% N=211 Region 2 93% 7%	11% 0% 1% 1% N=231 Region 3 95% 5%	8% 1% 0% 0% N=185 Region 4 94% 6%	11% 1% 2% 1% N=199 Region 5 90% 7%	6% 0% 0% 0% N=223 Region 6 91% 7%	9% 1% 1% 1% N=1319 State 93% 6%
Some Monthly Weekly Daily Grade 11 Never Some Monthly	7% 0% 0% 0% 0% №270 Region 1 90% 8% 1%	7% 1% 0% 0% №=211 Region 2 93% 7% 0%	11% 0% 1% 1% N=231 Region 3 95% 5% 1%	8% 1% 0% 0% N=185 Region 4 94% 6% 0%	11% 1% 2% 1% N=199 Region 5 90% 7% 2%	6% 0% 0% 0% N=223 Region 6 91% 7% 1%	9% 1% 1% 1% N=1319 State 93% 6% 1%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly	7% 0% 0% 0% 0% №270 Region 1 90% 8% 1%	7% 1% 0% 0% N=211 Region 2 93% 7% 0% 0%	11% 0% 1% 1% N=231 Region 3 95% 5% 1% 0%	8% 1% 0% 0% N=185 Region 4 94% 6% 0% 0%	11% 1% 2% 1% №199 Region 5 90% 7% 2% 1%	6% 0% 0% 0% N=223 Region 6 91% 7% 1%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly	7% 0% 0% 0% 0% №270 Region 1 90% 8% 1% 1%	7% 1% 0% 0% N=211 Region 2 93% 7% 0% 0%	11% 0% 1% 1% N=231 Region 3 95% 5% 1% 0% 0%	8% 1% 0% 0% N=185 Region 4 94% 6% 0% 0% 0%	11% 1% 2% 1% N=199 Region 5 90% 7% 2% 1% 0%	6% 0% 0% 0% N=223 Region 6 91% 7% 1% 1%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly	7% 0% 0% 0% 0% №270 Region 1 90% 8% 1%	7% 1% 0% 0% N=211 Region 2 93% 7% 0% 0%	11% 0% 1% 1% N=231 Region 3 95% 5% 1% 0%	8% 1% 0% 0% N=185 Region 4 94% 6% 0% 0%	11% 1% 2% 1% №199 Region 5 90% 7% 2% 1%	6% 0% 0% 0% N=223 Region 6 91% 7% 1%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12	7% 0% 0% 0% 0% N=270 Region 1 90% 8% 1% 1% 1% N=157 Region 1	7% 1% 0% 0% 0% N=211 Region 2 93% 7% 0% 0% 0% N=202 Region 2	11% 0% 1% 1% N=231 Region 3 95% 5% 1% 0% 0% N=400 Region 3	8% 1% 0% 0% N=185 Region 4 94% 6% 0% 0% 0% N=215 Region 4	11% 1% 2% 1% 1% N=199 Region 5 90% 7% 2% 1% 0% N=185 Region 5	6% 0% 0% 0% N=223 Region 6 91% 7% 1% 0% N=300 Region 6	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% N=1459
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never	7% 0% 0% 0% 0% N=270 Region 1 90% 8% 1% 1% 1% N=157 Region 1 91%	7% 1% 0% 0% 0% N=211 Region 2 93% 7% 0% 0% 0% N=202 Region 2 94%	11% 0% 1% 1% N=231 Region 3 95% 5% 1% 0% 0% N=400 Region 3 96%	8% 1% 0% 0% 0% N=185 Region 4 94% 6% 0% 0% 0% N=215 Region 4 92%	11% 1% 2% 1% 1% 8=199 Region 5 90% 7% 2% 1% 0% N=185 Region 5 90%	6% 0% 0% 0% N=223 Region 6 91% 7% 1% 0% N=300 Region 6 92%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% N=1459 State 93%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never Some	7% 0% 0% 0% 0% 0% N=270 Region 1 90% 8% 1% 1% 1% N=157 Region 1 91% 7%	7% 1% 0% 0% 0% N=211 Region 2 93% 7% 0% 0% 0% N=202 Region 2 94% 5%	11% 0% 1% 1% 1% N=231 Region 3 95% 5% 1% 0% 0% N=400 Region 3 96% 4%	8% 1% 0% 0% 0% N=185 Region 4 94% 6% 0% 0% 0% N=215 Region 4 92% 8%	11% 1% 2% 1% N=199 Region 5 90% 7% 2% 1% 0% N=185 Region 5 90% 7%	6% 0% 0% 0% N=223 Region 6 91% 7% 1% 0% N=300 Region 6 92% 8%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% N=1459 State 93% 6% 6%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never Some Monthly	7% 0% 0% 0% 0% N=270 Region 1 90% 8% 1% 1% 1% N=157 Region 1 91% 7% 1%	7% 1% 0% 0% 0% N=211 Region 2 93% 7% 0% 0% 0% N=202 Region 2 94% 5% 0%	11% 0% 1% 1% 1% N=231 Region 3 95% 5% 1% 0% N=400 Region 3 96% 4% 0%	8% 1% 0% 0% 0% N=185 Region 4 94% 6% 0% 0% 0% N=215 Region 4 92% 8% 0%	11% 1% 2% 1% N=199 Region 5 90% 7% 2% 1% 0% N=185 Region 5 90% 7% 2%	6% 0% 0% 0% N=223 Region 6 91% 7% 1% 0% N=300 Region 6 92% 8% 0%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% N=1459 State 93% 6% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never Some Monthly Wever Some Monthly Weekly Daily	7% 0% 0% 0% 0% 0% N=270 Region 1 90% 8% 1% 1% 1% N=157 Region 1 91% 7% 1% 0%	7% 1% 0% 0% 0% N=211 Region 2 93% 7% 0% 0% 0% N=202 Region 2 94% 5% 0% 0%	11% 0% 1% 1% 1% N=231 Region 3 95% 5% 1% 0% 0% N=400 Region 3 96% 4% 0% 0%	8% 1% 0% 0% 0% N=185 Region 4 94% 6% 0% 0% 0% N=215 Region 4 92% 8% 0% 0%	11% 1% 2% 1% N=199 Region 5 90% 7% 2% 1% 0% N=185 Region 5 90% 7% 2% 0%	6% 0% 0% 0% 0% N=223 Region 6 91% 7% 1% 0% N=300 Region 6 92% 8% 0% 1%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% N=1459 State 93% 6% 0% 0%
Some Monthly Weekly Daily Grade 11 Never Some Monthly Weekly Daily Grade 12 Never Some Monthly	7% 0% 0% 0% 0% N=270 Region 1 90% 8% 1% 1% 1% N=157 Region 1 91% 7% 1%	7% 1% 0% 0% 0% N=211 Region 2 93% 7% 0% 0% 0% N=202 Region 2 94% 5% 0%	11% 0% 1% 1% 1% N=231 Region 3 95% 5% 1% 0% N=400 Region 3 96% 4% 0%	8% 1% 0% 0% 0% N=185 Region 4 94% 6% 0% 0% 0% N=215 Region 4 92% 8% 0%	11% 1% 2% 1% N=199 Region 5 90% 7% 2% 1% 0% N=185 Region 5 90% 7% 2%	6% 0% 0% 0% N=223 Region 6 91% 7% 1% 0% N=300 Region 6 92% 8% 0%	9% 1% 1% 1% 1% N=1319 State 93% 6% 1% 0% N=1459 State 93% 6% 0%

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

n. Methamphetamine (crystal, meth, crank, ice)

Grade 6	Region 1 100%	Region 2 100%	Region 3 99%	Region 4 99%	Region 5 100%	Region 6 99%	State 99%
Never							
Some	0%	0%	0%	1%	0%	0%	0%
Monthly	0%	0%	0%	0%	0%	1%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=265	N=209	N=224	N=273	N=240	N=186	N=1397
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	97%	98%	95%	97%	99%	100%	97%
Some	2%	2%	3%	2%	1%	0%	2%
Monthly	0%	0%	1%	1%	0%	0%	0%
Weekly	1%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	1%	0%	0%	0%	0%
	N=331	N=361	N=374	N=332	N=244	N=228	N=1870
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	96%	95%	95%	97%	96%	97%	96%
Some	2%	3%	2%	2%	2%	1%	2%
Monthly	0%	0%	2%	0%	1%	2%	1%
Weekly	1%	0%	1%	0%	0%	0%	0%
Daily	1%	1%	0%	0%	0%	0%	0%
	N=259	N=208	N=277	N=215	N=224	N=212	N=1395
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	94%	96%	91%	93%	95%	95%	93%
Some	4%	3%	6%	4%	4%	4%	4%
Monthly	0%	1%	2%	2%	0%	0%	1%
Weekly	1%	0%	0%	1%	0%	0%	0%
Daily	0%	0%	1%	1%	1%	0%	1%
	N=270	N=211	N=231	N=185	N=199	N=222	N=1318
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	91%	94%	93%	97%	97%	94%	94%
Some	6%	4%	5%	2%	2%	4%	4%
Monthly	1%	1%	1%	0%	1%	1%	1%
Weekly	1%	1%	0%	0%	1%	1%	1%
Daily	1%	0%	1%	0%	0%	0%	0%
	N=158	N=202	N=398	N=215	N=185	N=300	N=1458
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	85%	90%	95%	90%	95%	89%	91%
Some	10%	6%	3%	6%	2%	7%	5%
Monthly	4%	1%	1%	2%	1%	2%	2%
Weekly	1%	1%	0%	1%	2%	1%	1%
Daily	0%	1%	0%	0%	1%	0%	0%
•	N=220	N=204	N=360	N=212	N=181	N=189	N=1366

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

o. Other illegal stimulants (uppers, speed, dexedrine)

Grade 6	Region 1 99%	Region 2 100%	Region 3 99%	Region 4 100%	Region 5 100%	Region 6 99%	State 99%
Never							
Some	1%	0%	0%	0%	0%	1%	1%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=265	N=207	N=222	N=272	N=240	N=186	N=1392
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	97%	98%	95%	95%	98%	100%	97%
Some	2%	1%	4%	3%	2%	0%	2%
Monthly	0%	0%	1%	1%	0%	0%	0%
Weekly	0%	0%	1%	1%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=325	N=361	N=372	N=330	N=244	N=227	N=1859
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	94%	91%	97%	96%	96%	94%
Some	3%	5%	4%	2%	3%	3%	3%
Monthly	0%	0%	3%	0%	1%	0%	1%
Weekly	1%	0%	1%	0%	0%	0%	1%
Daily	1%	1%	2%	0%	0%	0%	1%
,	N=258	N=208	N=274	N=214	N=224	N=209	N=1387
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	91%	96%	91%	94%	94%	95%	93%
Some	6%	2%	6%	3%	2%	3%	4%
Monthly	2%	1%	1%	2%	0%	0%	1%
Weekly	1%	0%	0%	1%	3%	1%	1%
Daily	1%	0%	1%	1%	2%	0%	1%
24,	N=269	N=210	N=230	N=183	N=198	N=221	N=1311
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	92%	95%	92%	96%	97%	92%	93%
Some	4%	4%	6%	2%	3%	6%	5%
Monthly	1%	1%	1%	1%	0%	0%	1%
Weekly	0%	1%	1%	0%	0%	1%	0%
Daily	3%	0%	0%	0%	1%	1%	1%
Daily	N=157	N=200	N=398	N=212	N=183	N=300	N=1450
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
		•	•	•	•		93%
Never	89%	91%	96%	89%	96%	91%	
Some	10%	6%	3%	8%	1%	7%	6%
Monthly	1%	0%	0%	2%	1%	2%	1%
Weekly	0%	2%	1%	0%	1%	1%	1%
Daily	0%	0%	0%	0%	1%	0%	0%
	N=218	N=202	N=360	N=213	N=181	N=188	N=1362

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

p. Drugs purchased from the store to get high (diet pills, NoDoz or Vivarin, cough medicines)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	97%	95%	97%	97%	95%	96%
Some	2%	3%	4%	2%	2%	4%	3%
Monthly	0%	0%	0%	0%	1%	1%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	1%	0%	0%	0%
•	N=267	N=210	N=222	N=275	N=240	N=186	N=1400
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	93%	94%	91%	92%	93%	96%	93%
Some	7%	5%	6%	4%	5%	3%	5%
Monthly	1%	1%	2%	2%	2%	1%	2%
Weekly	0%	0%	0%	1%	0%	0%	0%
Daily	0%	0%	0%	1%	0%	0%	0%
•	N=329	N=360	N=374	N=330	N=245	N=226	N=1864
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	88%	88%	87%	93%	93%	90%	90%
Some	7%	9%	9%	6%	4%	9%	7%
Monthly	2%	2%	3%	0%	2%	0%	2%
Weekly	2%	1%	1%	1%	1%	0%	1%
Daily	0%	0%	0%	0%	0%	1%	0%
•	N=257	N=208	N=277	N=214	N=227	N=211	N=1394
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	89%	92%	87%	84%	88%	90%	88%
Some	8%	7%	7%	13%	8%	8%	8%
Monthly	1%	1%	3%	3%	1%	1%	2%
Weekly	0%	0%	1%	0%	0%	0%	0%
Daily	1%	0%	1%	1%	3%	1%	1%
	N=270	N=210	N=229	N=185	N=198	N=223	N=1315
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	82%	86%	89%	89%	89%	86%	87%
Some	14%	11%	8%	8%	9%	11%	10%
Monthly	1%	2%	2%	2%	2%	2%	2%
Weekly	1%	0%	1%	0%	1%	1%	1%
Daily	1%	0%	1%	1%	1%	0%	1%
	N=158	N=202	N=399	N=213	N=185	N=300	N=1457
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	81%	89%	89%	78%	88%	86%	86%
Some	14%	9%	8%	17%	9%	11%	11%
Monthly	4%	0%	1%	3%	2%	2%	2%
Weekly	0%	0%	1%	1%	0%	1%	1%
Daily	1%	1%	1%	1%	1%	0%	1%
	N=220	N=205	N=360	N=212	N=181	N=187	N=1365

NEVER - never used in my lifetime

SOME - used at least once in my lifetime

MONTHLY - used about once a month (or at least 6 times) in the last 12 months

WEEKLY - used about once a week (or at least 3 times) in the last 30 days

DAILY - used about every day (or at least 5 times a week) in the last 30 days

q. Steroids (muscle builders)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	99%	100%	99%	99%	100%	98%	99%
Some	1%	0%	0%	1%	0%	1%	1%
Monthly	0%	0%	0%	0%	0%	1%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	0%	0%	0%	0%	0%	0%
	N=265	N=212	N=220	N=274	N=240	N=185	N=1396
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	98%	99%	99%	98%	98%	99%	99%
Some	2%	0%	1%	2%	2%	1%	1%
Monthly	0%	0%	0%	0%	0%	0%	0%
Weekly	0%	0%	0%	0%	0%	0%	0%
Daily	0%	1%	0%	0%	0%	0%	0%
·	N=329	N=361	N=372	N=327	N=244	N=226	N=1859
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	97%	95%	98%	96%	98%	96%
Some	3%	1%	3%	1%	1%	1%	2%
Monthly	0%	0%	1%	0%	0%	0%	1%
Weekly	1%	0%	0%	0%	0%	1%	0%
Daily	1%	1%	1%	0%	1%	0%	1%
24,	N=258	N=207	N=275	N=215	N=225	N=209	N=1389
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	95%	95%	94%	99%	95%	98%	96%
Some	4%	1%	4%	0%	2%	0%	2%
Monthly	0%	1%	0%	0%	1%	0%	0%
Weekly	0%	1%	1%	1%	0%	1%	1%
Daily	1%	2%	1%	0%	3%	1%	1%
Daily	N=271	2 /0 N=210	N=231	N=184	N=196	N=222	N=1314
Grade 11	Dogion 1	Dogion 2	Dogion 2	Pagion 4	Pagion F	Pagion 6	State
	Region 1 96%	Region 2 98%	Region 3 98%	Region 4 98%	Region 5 97%	Region 6 97%	97%
Never	2%		1%		2%		
Some		2%		1%		2%	2%
Monthly	1%	1%	0%	0%	0%	1%	0%
Weekly	1%	0%	0%	0%	0%	0%	0%
Daily	1%	1%	0%	0%	1%	0%	0%
	N=157	N=200	N=399	N=215	N=184	N=299	N=1454
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never	96%	97%	96%	97%	97%	98%	97%
Some	2%	1%	3%	2%	2%	1%	2%
Monthly	0%	0%	1%	0%	1%	0%	0%
Weekly	0%	0%	0%	0%	0%	1%	0%
Daily	2%	1%	0%	0%	1%	1%	1%
	N=219	N=203	N=359	N=212	N=181	N=189	N=1363

a. If you have smoked cigarettes in the past 30 days, on how many days have you smoked?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
0	98%	95%	96%	95%	97%	94%	96%
1-2	2%	3%	1%	2%	1%	2%	2%
3-5	0%	0%	0%	0%	1%	1%	1%
6-9	0%	0%	0%	2%	0%	0%	0%
10-19	0%	0%	0%	1%	1%	0%	0%
20-29	1%	1%	2%	0%	0%	2%	2%
20 20	N=255	N=220				N=172	N=1354
	N=255	N=220	N=217	N=257	N=233	N=172	N=1354
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
0	87%	87%	83%	88%	94%	98%	88%
1-2	4%	5%	9%	4%	3%	1%	5%
3-5	1%	3%	1%	3%	1%	0%	1%
6-9	2%	3%	3%	3%	1%	0%	2%
10-19	1%	1%	2%	2%	1%	0%	1%
20-29	5%	2%	3%	1%	1%	0%	2%
	N=332	N=371	N=372	N=346	N=256	N=232	N=1909
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
0	87%	76%	72%	91%	88%	87%	82%
1-2	3%	9%	6%	3%	6%	2%	5%
3-5	1%	2%	2%	1%	4%	1%	2%
6-9	1%	0%	3%	1%	1%	1%	2%
10-19	0%	3%	4%	0%	1%	4%	2%
20-29	7%	9%	13%	4%	6%	5%	8%
	N=270	N=219	N=294	N=236	N=239	N=219	N=1477
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
0	78%	77%	80%	77%	86%	85%	80%
1-2	8%	4%	4%	5%	7%	1%	4%
3-5	3%	2%	4%	3%	3%	4%	3%
6-9	2%	4%	2%	3%	3%	0%	2%
10-19	2%	1%	3%	1%	1%	3%	2%
20-29	8%	12%	8%	9%	9%	7%	8%
	N=280	N=227	N=232	N=201	N=197	N=228	N=1365
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
0	56%	74%	68%	79%	92%	74%	72%
1-2	12%	9%	9%	4%	5%	6%	7%
3-5	7%	1%	4%	3%	1%	3%	3%
6-9	3%	2%	2%	2%	1%	2%	2%
10-19	4%	3%	2%	3%	1%	2%	3%
20-29	18%	10%	15%	9%	10%	12%	13%
	N=155	N=211	N=411	N=226	N=213	N=322	N=1538
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
0	54%	67%	75%	70%	89%	71%	71%
1-2	4%	7%	8%	6%	6%	5%	6%
3-5	2%	3%	1%	1%	2%	4%	2%
6-9	2%	0%	2%	2%	2%	1%	2%
10-19	5%				2% 1%		
		3%	4%	2%		4%	3%
20-29	33%	19%	9%	19%	13%	16%	16%
	N=216	N=202	N=371	N=221	N=195	N=192	N=1397

b. Alcohol (beer, wine, wine coolers, hard liquor)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	92%	93%	95%	93%	95%	94%	94%
1-2 times	7%	7%	4%	4%	4%	4%	5%
3-5 times	1%	0%	0%	3%	1%	1%	1%
6-9 times	0%	0%	0%	0%	0%	0%	0%
10 or more times	0%	0%	1%	0%	0%	1%	0%
	N=274	N=231	N=227	N=284	N=247	N=189	N=1452
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	67%	84%	72%	80%	89%	93%	79%
1-2 times	21%	10%	17%	13%	8%	5%	13%
3-5 times	6%	4%	7%	2%	1%	2%	5%
6-9 times	3%	1%	1%	1%	1%	0%	1%
10 or more times	3%	1%	2%	3%	2%	0%	2%
To of more times	N=344	N=383	N=388	N=355	N=265	N=238	N=1973
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	69%	62%	58%	77%	78%	77%	69%
1-2 times	14%	21%	18%	13%	10%	13%	15%
3-5 times	11%	9%	11%	6%	6%	4%	8%
6-9 times	2%	3%	6%	1%	3%	3%	3%
10 or more times	4%	5%	7%	3%	3%	2%	5%
TO OF MORE UNIES	476 N=278	576 N=228	N=301	376 N=239	376 N=249	Z-76 N=222	076 N=1517
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	55%	58%	58%	63%	73%	87%	65%
1-2 times	23%	20%	18%	16%	13%	4%	15%
3-5 times	12%	14%	9%	9%	8%	4%	9%
6-9 times	5%	3%	8%	8%	3%	2%	6%
10 or more times	6%	5%	6%	6%	3%	3%	5%
	N=283	N=231	N=238	N=200	N=198	N=233	N=1383
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	32%	59%	44%	68%	70%	66%	54%
1-2 times	37%	17%	27%	12%	16%	18%	23%
3-5 times	16%	12%	15%	11%	8%	8%	12%
6-9 times	4%	6%	8%	4%	2%	4%	5%
10 or more times	10%	7%	5%	5%	3%	4%	6%
	N=164	N=214	N=423	N=227	N=212	N=327	N=1567
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	38%	44%	60%	53%	71%	62%	57%
1-2 times	26%	26%	22%	23%	10%	14%	20%
3-5 times	15%	18%	10%	10%	9%	13%	12%
6-9 times	9%	3%	5%	7%	5%	6%	6%
10 or more times	13%	10%	3%	7%	5%	5%	6%
10 of filore times	N=223	N=207	N=377	N=226	N=199	N=195	N=1427
	N=223	N=207	N=3//	N=226	N=199	N=195	N=1427

c. Marijuana or hashish (grass, hash, pot)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	99%	98%	98%	99%	100%	98%	98%
1-2 times	1%	2%	0%	1%	0%	1%	1%
3-5 times	0%	0%	0%	0%	0%	1%	0%
6-9 times	0%	0%	0%	0%	0%	1%	0%
10 or more times	0%	0%	0%	0%	0%	1%	0%
To di more unico	N=274	N=231	N=227	N=283	N=244	N=190	N=1449
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	92%	93%	89%	92%	97%	99%	93%
1-2 times	5%	3%	6%	5%	2%	0%	4%
3-5 times	1%	2%	2%	2%	0%	1%	1%
6-9 times	1%	1%	0%	1%	0%	0%	0%
10 or more times	1%	1%	3%	1%	1%	0%	2%
To of more times	N=344	N=381	N=388	N=355	N=264	N=237	N=1969
Grade 9	Pagian 1	Bogion 2	Dogion 2	Dogion 4	Dogion F	Pagion 6	State
None	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	86%
	82%	83%	77%	94%	91%	92%	
1-2 times	8%	8%	6%	4%	6%	5%	6%
3-5 times	3%	2%	4%	1%	2%	1%	2%
6-9 times	2%	2%	4%	1%	1%	0%	2%
10 or more times	5%	6%	9%	0%	1%	1%	4%
	N=277	N=224	N=298	N=238	N=248	N=221	N=1506
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	81%	89%	80%	86%	88%	92%	85%
1-2 times	8%	5%	8%	6%	5%	3%	6%
3-5 times	2%	2%	4%	3%	2%	0%	3%
6-9 times	1%	1%	3%	2%	2%	1%	2%
10 or more times	7%	3%	5%	4%	3%	3%	4%
	N=281	N=231	N=237	N=200	N=197	N=233	N=1379
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	75%	86%	70%	89%	92%	84%	80%
1-2 times	7%	6%	12%	5%	4%	8%	8%
3-5 times	1%	4%	7%	1%	2%	2%	4%
6-9 times	3%	0%	3%	2%	0%	2%	2%
10 or more times	14%	5%	9%	2%	1%	3%	6%
To of more times	N=163	N=214	N=420	N=227	N=211	N=326	N=1561
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	63%	70%	88%	83%	89%	82%	82%
1-2 times	9%	11%	7%	8%	4%	5%	7%
3-5 times	4%	4%	1%	3%	3%	5%	3%
6-9 times	3%	4%	1%	3%	3%	2%	2%
10 or more times	21%	12%	3%	3%	3%	6%	6%
	N=223	N=207	N=373	N=225	N=198	N=192	N=1418

d. Cocaine (coke, crack)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	100%	100%	99%	99%	99%	99%	99%
1-2 times	0%	0%	0%	0%	0%	1%	0%
3-5 times	0%	0%	0%	0%	0%	0%	0%
6-9 times	0%	0%	0%	0%	0%	0%	0%
10 or more times	0%	0%	0%	0%	1%	0%	0%
	N=274	N=229	N=226	N=283	N=243	N=189	N=1444
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	99%	99%	99%	97%	99%	100%	99%
1-2 times	1%	0%	1%	2%	1%	0%	1%
3-5 times	0%	0%	0%	0%	0%	0%	0%
6-9 times	0%	0%	0%	0%	0%	0%	0%
10 or more times	0%	0%	0%	0%	0%	0%	0%
	N=342	N=380	N=388	N=355	N=261	N=238	N=1964
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	96%	96%	96%	97%	97%	99%	97%
1-2 times	2%	2%	1%	2%	2%	1%	1%
3-5 times	0%	1%	1%	0%	1%	0%	1%
6-9 times	1%	0%	1%	0%	0%	0%	1%
10 or more times	0%	1%	1%	0%	0%	0%	1%
	N=276	N=225	N=299	N=238	N=249	N=222	N=1509
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	98%	98%	96%	98%	97%	98%	97%
1-2 times	0%	2%	2%	2%	2%	1%	2%
3-5 times	0%	0%	0%	0%	1%	0%	0%
6-9 times	1%	0%	0%	1%	1%	0%	1%
10 or more times	0%	0%	1%	0%	0%	0%	0%
	N=282	N=230	N=238	N=200	N=197	N=233	N=1380
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	95%	98%	98%	99%	99%	96%	97%
1-2 times	3%	1%	1%	1%	0%	3%	2%
3-5 times	1%	0%	0%	0%	0%	0%	0%
6-9 times	1%	0%	0%	0%	0%	0%	0%
10 or more times	1%	0%	0%	0%	0%	0%	0%
	N=164	N=213	N=418	N=227	N=211	N=327	N=1560
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	91%	94%	98%	96%	97%	98%	97%
1-2 times	5%	2%	1%	3%	3%	2%	2%
3-5 times	1%	1%	1%	0%	0%	0%	0%
6-9 times	2%	1%	1%	0%	1%	0%	1%
10 or more times	0%	1%	0%	0%	0%	0%	0%
	N=223	N=207	N=374	N=224	N=197	N=193	N=1418

e. Methamphetamines (crystal, meth, crank, ice)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	100%	100%	99%	99%	100%	99%	99%
1-2 times	0%	0%	0%	1%	0%	0%	0%
3-5 times	0%	0%	0%	0%	0%	1%	0%
6-9 times	0%	0%	0%	0%	0%	0%	0%
10 or more times	0%	0%	1%	0%	0%	0%	0%
To of more armos	N=274	N=230	N=226	N=281	N=244	N=190	N=1445
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	98%	99%	99%	98%	98%	100%	99%
1-2 times	1%	1%	1%	1%	1%	0%	1%
3-5 times	0%	0%	0%	1%	0%	0%	0%
6-9 times	0%	0%	0%	0%	0%	0%	0%
10 or more times	0%	0%	0%	0%	0%	0%	0%
To of more times	N=342	N=381	N=389	N=351	N=264	N=238	N=1965
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	97%	97%	96%	98%	97%	99%	97%
1-2 times	1%	0%	1%	1%	1%	1%	1%
3-5 times	1%	1%	1%	0%	0%	0%	1%
							1%
6-9 times	1%	0%	1%	1%	1%	0%	
10 or more times	0%	1%	1%	0%	0%	0%	1%
	N=277	N=225	N=298	N=238	N=249	N=222	N=1509
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	97%	98%	95%	96%	96%	98%	96%
1-2 times	2%	1%	3%	3%	3%	0%	2%
3-5 times	1%	0%	1%	1%	0%	1%	1%
6-9 times	0%	0%	0%	0%	1%	0%	0%
10 or more times	0%	0%	1%	1%	0%	0%	1%
	N=282	N=230	N=238	N=200	N=197	N=233	N=1380
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	95%	96%	97%	100%	98%	97%	97%
1-2 times	2%	2%	1%	0%	1%	2%	2%
3-5 times	1%	1%	1%	0%	0%	0%	1%
6-9 times	1%	0%	0%	0%	0%	0%	0%
10 or more times	1%	0%	1%	0%	0%	0%	0%
	N=164	N=214	N=419	N=227	N=211	N=326	N=1561
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	93%	94%	98%	94%	97%	93%	96%
1-2 times	4%	3%	1%	4%	1%	4%	2%
3-5 times	2%	0%	0%	1%	0%	1%	1%
6-9 times	0%	0%	1%	0%	0%	1%	1%
		2%	1%	1%	2%	1%	1%
10 or more times	0%						
	N=223	N=205	N=373	N=225	N=198	N=194	N=1418

f. Other illegal drugs

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	99%	99%	98%	100%	99%	98%	99%
1-2 times	1%	1%	0%	0%	1%	1%	1%
3-5 times	0%	0%	0%	0%	0%	0%	0%
6-9 times	0%	0%	0%	0%	0%	1%	0%
10 or more times	0%	0%	1%	0%	0%	1%	1%
	N=273	N=231	N=225	N=282	N=244	N=190	N=1445
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	96%	98%	95%	95%	98%	99%	96%
1-2 times	2%	2%	3%	3%	1%	0%	2%
3-5 times	1%	1%	1%	1%	0%	0%	1%
6-9 times	1%	0%	0%	0%	0%	0%	0%
10 or more times	0%	0%	1%	1%	1%	0%	0%
	N=342	N=380	N=390	N=355	N=264	N=236	N=1967
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	96%	94%	92%	98%	94%	95%	94%
1-2 times	1%	3%	4%	1%	3%	3%	3%
3-5 times	0%	2%	0%	0%	1%	0%	1%
6-9 times	1%	0%	1%	0%	1%	0%	1%
10 or more times	2%	1%	3%	0%	0%	1%	2%
	N=276	N=223	N=298	N=237	N=249	N=221	N=1504
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	89%	96%	93%	94%	93%	97%	94%
1-2 times	5%	3%	3%	3%	2%	2%	3%
3-5 times	2%	0%	3%	1%	2%	0%	2%
6-9 times	1%	0%	0%	2%	2%	0%	1%
10 or more times	2%	0%	1%	1%	2%	0%	1%
	N=282	N=230	N=239	N=200	N=196	N=233	N=1380
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	93%	96%	92%	98%	99%	96%	95%
1-2 times	4%	2%	6%	2%	0%	3%	4%
3-5 times	2%	2%	1%	0%	0%	0%	1%
6-9 times	0%	0%	0%	0%	0%	0%	0%
10 or more times	2%	0%	1%	0%	0%	1%	1%
	N=163	N=214	N=420	N=227	N=211	N=326	N=1561
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	87%	90%	97%	91%	94%	94%	94%
1-2 times	8%	6%	1%	7%	3%	4%	4%
3-5 times	2%	0%	0%	2%	1%	2%	1%
6-9 times	1%	0%	0%	0%	2%	1%	1%
10 or more times	2%	3%	1%	0%	1%	0%	1%
	N=223	N=206	N=374	N=224	N=198	N=194	N=1419

a. Smoke cigarettes

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Ctoto
None	85%	78%	88%	80%	89%	85%	State 86%
A few	10%	17%	8%	13%	9%	8%	10%
Some	3%	4%	2%	2%	2%	3%	3%
Most							1%
	1% 1%	0% 1%	0% 0%	3% 1%	0% 0%	3% 1%	1%
All							
	N=272	N=224	N=225	N=288	N=245	N=188	N=1442
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	52%	63%	51%	56%	74%	84%	61%
A few	31%	22%	27%	26%	17%	12%	23%
Some	9%	9%	9%	8%	2%	4%	7%
Most	5%	5%	11%	8%	5%	0%	7%
All	2%	2%	2%	2%	2%	1%	2%
	N=348	N=388	N=389	N=351	N=261	N=243	N=1980
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	44%	36%	32%	57%	59%	46%	44%
A few	32%	32%	24%	26%	21%	25%	26%
Some	13%	17%	17%	10%	9%	17%	14%
Most	10%	11%	20%	6%	6%	9%	12%
All	2%	4%	8%	1%	5%	3%	4%
	N=272	N=224	N=301	N=254	N=247	N=224	N=1522
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	35%	23%	34%	36%	47%	64%	41%
A few	29%	39%	29%	27%	27%	17%	27%
Some	19%	18%	21%	16%	10%	10%	16%
Most	14%	16%	10%	16%	12%	6%	11%
All	3%	3%	6%	5%	4%	3%	4%
	N=287	N=229	N=237	N=201	N=209	N=242	N=1405
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	9%	29%	19%	39%	43%	34%	27%
A few	28%	28%	32%	29%	28%	31%	30%
Some	28%	20%	23%	14%	17%	17%	20%
Most	25%	20%	21%	16%	9%	14%	18%
All	10%	3%	5%	3%	4%	5%	5%
	N=165	N=218	N=421	N=237	N=218	N=331	N=1590
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	16%	23%	25%	31%	44%	31%	28%
A few	16%	26%	36%	25%	22%	29%	28%
Some	17%	25%	22%	21%	16%	19%	20%
Most	39%	21%	14%	14%	13%	13%	17%
All	12%	6%	3%	9%	6%	8%	6%
/ VII	N=225	0 /6 N=214	3 /6 N=384	N=230	N=200	N=199	N=1452
	N=225	N=214	IV=384	N=230	N=200	N=199	N=1452

b. Use spit tobacco

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	97%	95%	96%	94%	98%	96%	96%
A few	3%	4%	4%	4%	1%	1%	3%
Some	0%	1%	0%	1%	0%	1%	0%
Most	0%	0%	0%	0%	0%	1%	0%
All	0%	0%	0%	1%	0%	1%	0%
	N=268	N=220	N=222	N=282	N=243	N=186	N=1421
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	78%	85%	76%	84%	94%	95%	84%
A few	13%	9%	18%	11%	4%	3%	11%
Some	6%	4%	3%	3%	0%	1%	3%
Most	2%	1%	2%	1%	1%	0%	1%
All	1%	1%	1%	0%	1%	0%	1%
	N=337	N=382	N=382	N=345	N=259	N=239	N=1944
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	68%	60%	74%	85%	83%	58%	72%
A few	22%	23%	21%	10%	8%	24%	18%
Some	9%	13%	3%	2%	6%	11%	6%
Most	1%	2%	0%	2%	2%	6%	2%
All	1%	1%	2%	0%	1%	2%	1%
	N=267	N=219	N=287	N=249	N=245	N=224	N=1491
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	61%	52%	66%	57%	61%	89%	67%
A few	24%	30%	22%	21%	22%	8%	20%
Some	10%	12%	8%	16%	8%	3%	9%
Most	5%	4%	2%	4%	5%	0%	3%
All	0%	1%	2%	2%	4%	0%	2%
	N=283	N=226	N=232	N=201	N=208	N=239	N=1389
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	19%	42%	53%	63%	63%	65%	53%
A few	34%	29%	24%	22%	19%	24%	25%
Some	29%	21%	17%	8%	12%	8%	15%
Most	16%	8%	5%	6%	5%	2%	6%
All	2%	0%	0%	2%	0%	0%	1%
	N=164	N=216	N=413	N=234	N=216	N=327	N=1570
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	56%	50%	51%	54%	64%	49%	53%
A few	27%	29%	28%	26%	21%	33%	28%
Some	13%	13%	14%	15%	8%	16%	13%
Most	4%	6%	6%	3%	4%	2%	4%
All	0%	1%	2%	2%	4%	0%	1%
	N=221	N=210	N=384	N=224	N=199	N=195	N=1433

c. Drink alcohol

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	85%	84%	88%	83%	89%	86%	87%
A few	9%	13%	8%	9%	8%	9%	9%
Some	4%	3%	2%	5%	3%	2%	3%
Most	1%	0%	1%	1%	0%	3%	1%
All	0%	0%	0%	1%	0%	0%	0%
	N=268	N=220	N=223	N=278	N=246	N=187	N=1422
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	42%	57%	46%	54%	75%	81%	57%
A few	25%	22%	22%	21%	18%	11%	20%
Some	13%	12%	11%	9%	3%	6%	9%
Most	13%	7%	16%	9%	2%	2%	10%
All	7%	2%	4%	6%	3%	0%	4%
	N=341	N=385	N=378	N=347	N=256	N=238	N=1945
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	24%	25%	29%	46%	58%	38%	37%
A few	27%	24%	18%	24%	18%	26%	22%
Some	15%	23%	19%	15%	9%	15%	16%
Most	27%	20%	20%	10%	10%	13%	16%
All	7%	8%	15%	4%	5%	8%	9%
	N=271	N=218	N=293	N=248	N=244	N=224	N=1498
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	18%	12%	20%	25%	45%	63%	31%
A few	19%	27%	23%	22%	21%	16%	21%
Some	21%	26%	20%	20%	13%	10%	18%
Most	28%	22%	20%	20%	13%	6%	18%
All	13%	12%	17%	13%	8%	5%	12%
	N=282	N=227	N=235	N=197	N=205	N=238	N=1384
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	5%	19%	10%	32%	34%	26%	19%
A few	15%	22%	19%	23%	21%	25%	21%
Some	16%	18%	20%	14%	18%	18%	18%
Most	41%	26%	34%	21%	20%	23%	28%
All	22%	14%	17%	10%	7%	9%	14%
	N=164	N=217	N=418	N=236	N=214	N=326	N=1575
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	13%	10%	17%	20%	36%	26%	20%
A few	10%	18%	25%	23%	21%	17%	20%
Some	15%	24%	22%	20%	15%	24%	21%
Most	40%	34%	27%	24%	18%	23%	27%
All	23%	14%	9%	12%	11%	10%	12%
	N=224	N=208	N=386	N=226	N=199	N=192	N=1435

d. Smoke marijuana or hashish

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	91%	95%	96%	94%	100%	94%	95%
A few	5%	4%	3%	4%	0%	3%	3%
Some	1%	0%	1%	0%	0%	1%	1%
Most	2%	0%	0%	1%	0%	2%	1%
All	1%	0%	0%	1%	0%	1%	0%
	N=268	N=222	N=224	N=283	N=241	N=187	N=1425
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	70%	80%	65%	72%	91%	94%	76%
A few	17%	11%	13%	13%	5%	4%	11%
Some	8%	5%	10%	7%	1%	2%	6%
Most	4%	3%	10%	5%	1%	0%	5%
All	1%	1%	2%	3%	2%	0%	2%
	N=342	N=383	N=384	N=350	N=258	N=239	N=1956
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	43%	57%	43%	75%	73%	70%	59%
A few	23%	23%	19%	16%	16%	16%	18%
Some	16%	11%	14%	5%	7%	10%	11%
Most	14%	6%	17%	4%	3%	4%	9%
All	4%	3%	8%	0%	1%	1%	3%
	N=269	N=219	N=295	N=252	N=242	N=221	N=1498
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	37%	55%	47%	48%	74%	76%	55%
A few	28%	23%	23%	24%	12%	11%	20%
Some	17%	12%	14%	13%	6%	7%	12%
Most	12%	8%	11%	10%	4%	3%	8%
All	7%	2%	6%	5%	3%	3%	5%
	N=280	N=227	N=235	N=199	N=205	N=237	N=1383
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	24%	47%	27%	60%	57%	52%	42%
A few	31%	22%	28%	20%	26%	24%	26%
Some	23%	15%	19%	10%	10%	13%	16%
Most	12%	13%	18%	7%	4%	8%	11%
All	10%	2%	8%	3%	2%	3%	5%
	N=158	N=215	N=416	N=235	N=214	N=326	N=1564
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	20%	30%	47%	40%	60%	50%	44%
A few	17%	22%	29%	29%	24%	24%	26%
Some	18%	25%	13%	18%	8%	13%	15%
Most	31%	14%	8%	9%	7%	10%	11%
All	13%	10%	2%	4%	3%	3%	5%
	N=224	N=210	N=382	N=223	N=200	N=198	N=1437

e. Use methamphetamines

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	99%	99%	98%	98%	100%	97%	98%
A few	1%	1%	2%	1%	0%	1%	1%
Some	0%	0%	0%	1%	0%	1%	0%
Most	0%	0%	0%	0%	0%	1%	0%
All	0%	0%	0%	0%	0%	1%	0%
	N=269	N=221	N=222	N=284	N=243	N=187	N=1426
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	92%	95%	86%	93%	98%	100%	92%
A few	6%	3%	10%	6%	1%	0%	6%
Some	2%	1%	3%	1%	0%	0%	1%
Most	0%	1%	1%	1%	0%	0%	1%
All	1%	0%	1%	0%	2%	0%	1%
/ WI	N=339	N=385	N=387	N=348	N=255	N=237	N=1951
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	84%	89%	81%	92%	93%	91%	87%
A few	10%	7%	11%	6%	4%	6%	8%
Some	3%	2%	4%	2%	2%	3%	3%
Most	2%	1%	1%	1%	0%	0%	1%
All	0%	1%	2%	0%	0%	0%	1%
	N=269	N=220	N=296	N=253	N=246	N=222	N=1506
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	83%	86%	84%	78%	90%	93%	86%
A few	12%	10%	10%	13%	7%	4%	9%
Some	3%	2%	4%	3%	1%	2%	3%
Most	1%	0%	0%	4%	0%	0%	1%
All	1%	2%	2%	1%	1%	0%	1%
	N=282	N=227	N=238	N=201	N=206	N=241	N=1395
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	83%	86%	81%	88%	88%	84%	84%
A few	9%	9%	13%	8%	9%	12%	11%
Some	6%	3%	4%	2%	1%	3%	3%
Most	1%	1%	1%	1%	1%	1%	1%
All	1%	0%	0%	0%	0%	1%	0%
	N=162	N=216	N=416	N=233	N=214	N=328	N=1569
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	68%	80%	85%	78%	86%	74%	79%
A few	17%	12%	12%	13%	9%	19%	14%
Some	12%	5%	3%	6%	3%	6%	5%
Most	2%	1%	1%	2%	2%	1%	1%
All	2% 1%			2%			1%
All		2%	0%		1%	0%	
	N=225	N=212	N=382	N=228	N=198	N=197	N=1442

f. Take other illegal drugs

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	95%	97%	97%	93%	98%	95%	96%
A few	3%	3%	0%	4%	1%	2%	2%
Some	1%	0%	1%	1%	1%	1%	1%
Most	0%	0%	0%	1%	0%	1%	0%
All	1%	0%	1%	1%	0%	1%	1%
, vi	N=269	N=218	N=224	N=285	N=243	N=187	N=1426
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	85%	89%	74%	82%	94%	97%	84%
A few	9%	6%	16%	11%	4%	3%	10%
Some	3%	2%	5%	3%	1%	0%	3%
Most	1%	2%	4%	2%	0%	0%	2%
All	1%	1%	2%	1%	1%	0%	1%
All	N=342	N=386	N=385	N=348	N=255	N=237	N=1953
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	74%	81%	66%	86%	85%	83%	77%
A few	15%	13%	19%	8%	9%	10%	13%
Some	6%	5%	7%	3%	3%	3%	5%
Most	3%	1%	5%	4%	2%	3%	3%
All	2%	1%	3%	0%	1%	1%	2%
	N=270	N=221	N=296	N=252	N=245	N=221	N=1505
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	68%	79%	70%	70%	85%	87%	75%
A few	20%	14%	17%	18%	7%	7%	14%
Some	5%	4%	7%	8%	4%	4%	6%
Most	5%	1%	3%	3%	0%	1%	2%
All	2%	2%	3%	2%	3%	1%	2%
	N=284	N=227	N=237	N=200	N=207	N=240	N=1395
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	72%	77%	62%	78%	84%	78%	73%
A few	13%	14%	26%	15%	10%	13%	17%
Some	8%	7%	7%	4%	4%	4%	6%
Most	3%	1%	3%	2%	2%	2%	2%
All	3%	0%	2%	1%	0%	2%	2%
, 	N=163	N=214	N=417	N=236	N=215	N=327	N=1572
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	55%	67%	75%	72%	82%	67%	71%
A few	25%	17%	17%	15%	10%	25%	18%
Some	8%	9%	6%	7%	6%	7%	7%
Most	8%	4%	1%	2%	2%	2%	2%
All	3%	3%	1%	4%	2%	1%	2%
	N=224	N=211	N=380	N=228	N=197	N=198	N=1438

21. How do you usually get the alcoholic beverages you drink?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink	92%	92%	94%	92%	95%	94%	93%
From home. My parents know	5%	6%	4%	4%	2%	3%	4%
From home. My parents don't know	0%	1%	2%	2%	2%	1%	1%
From friends	2%	1%	1%	1%	1%	2%	1%
Ask adults to purchase or buy it myself	0%	0%	0%	1%	0%	0%	0%
	N=275	N=233	N=236	N=289	N=252	N=191	N=1476
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink	63%	80%	65%	72%	86%	91%	74%
From home. My parents know	11%	6%	12%	8%	2%	1%	8%
From home. My parents don't know	4%	3%	4%	6%	2%	2%	3%
From friends	21%	9%	18%	13%	9%	6%	14%
Ask adults to purchase or buy it myself	1%	1%	2%	1%	0%	0%	1%
	N=347	N=386	N=382	N=353	N=263	N=244	N=1975
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink	56%	51%	53%	71%	77%	70%	63%
From home. My parents know	9%	10%	12%	7%	4%	5%	8%
From home. My parents don't know	2%	2%	3%	2%	1%	4%	2%
From friends	28%	30%	27%	18%	13%	17%	22%
Ask adults to purchase or buy it myself	5%	50 % 6%	5%	2%	5%	5%	4%
Ask addits to purchase of buy it myself							
	N=267	N=225	N=301	N=258	N=244	N=221	N=1516
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink	46%	46%	46%	54%	70%	83%	57%
From home. My parents know	9%	10%	12%	5%	4%	1%	7%
From home. My parents don't know	3%	3%	2%	4%	2%	1%	2%
From friends	33%	34%	34%	33%	15%	12%	27%
Ask adults to purchase or buy it myself	8%	7%	6%	5%	9%	3%	6%
	N=283	N=227	N=233	N=198	N=205	N=237	N=1383
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink	21%	44%	32%	61%	64%	56%	44%
From home. My parents know	18%	11%	13%	8%	4%	5%	10%
From home. My parents don't know	2%	0%	4%	0%	0%	1%	2%
From friends	38%	27%	39%	23%	27%	29%	32%
Ask adults to purchase or buy it myself	20%	18%	13%	8%	5%	9%	12%
, tok addite to parenage of Bay k myseli	N=163	N=216	N=404	N=236	N=214	N=329	N=1562
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink	26%	33%	45%	45%	66%	54%	46%
From home. My parents know	15%	10%	11%	7%	3%	4%	8%
	1%	1%	1%	0%	0%	1%	0% 1%
From home. My parents don't know From friends	44%	40%	34%	0% 34%	23%	28%	33%
Ask adults to purchase or buy it myself	13%	15%	10%	14%	8%	13%	12%
	N=213	N=203	N=379	N=227	N=201	N=195	N=1418

22. How much do you usually drink at one time?

Idont drink	Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
One beer, glasse of wine, or mixed drink 11% 0% 11% 22% 0% 13% 13% 2-4 beers glasses of wine, or mixed drinks 1% 0	I don't drink	90%	92%	94%	91%	94%	94%	93%
2-4 beers glasses of wine, or mixed drinks 5 or more beers, glasses of wine, or mixed drinks 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0% 0%	Less than one beer, glass of wine, or mixed drink	8%	7%	4%	4%	5%	5%	5%
Sor more beers, glasses of wine, or mixed drinks Name	One beer, glass of wine, or mixed drink	1%	0%	1%	2%	0%	1%	1%
Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State	2-4 beers glasses of wine, or mixed drinks	1%	0%	1%	2%	1%	0%	1%
Grade 8	5 or more beers, glasses of wine, or mixed drinks	0%	0%	0%	0%	0%	1%	0%
Lon't drink		N=276	N=233	N=236	N=290	N=252	N=188	N=1475
Less than one beer, glass of wine, or mixed drink One beer, glass of wine, or mixed drink 13% 8% 6% 10% 5% 3% 2% 6% 24 beers glasses of wine, or mixed drinks 10% 5% 6% 8% 6% 6% 8% 6% 2% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6%	Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
One beer, glass of wine, or mixed drinks 8% 6% 10% 5% 3% 2% 6% 2-4 beers glasses of wine, or mixed drinks 10% 5% 6% 8% 2% 2% 6% 5 or more beers, glasses of wine, or mixed drinks 10% 3% 5% 6% 2% 0% 4% 6 or more beers, glasses of wine, or mixed drinks 10 on t drink 10% 11% 11% 17% 75% 66% 61% Less than one beer, glass of wine, or mixed drink 10% 14% 14% 9% 6% 11% 11% One beer, glass of wine, or mixed drink 10% 14% 14% 9% 6% 11% 11% 2-4 beers glasses of wine, or mixed drinks 12% 11% 14% 8% 4% 4% 4% 9% 5 or more beers, glasses of wine, or mixed drinks 12% 11% 14% 14% 8% 4% 4% 4% 9% 11% 14%	I don't drink	61%	78%	62%	70%	85%	91%	72%
2-4 beers glasses of wine, or mixed drinks 5 or more beers, glasses of wine, or mixed drinks 8 0 36 86 87 29 29 09 48 66 67 50 rmore beers, glasses of wine, or mixed drinks 8 0 38 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Less than one beer, glass of wine, or mixed drink	13%	8%	17%	12%	7%	5%	12%
5 or more beers, glasses of wine, or mixed drinks 9% N=355 3% N=393 15% N=396 6% N=369 2% N=267 0% N=265 4% N=2015 Grade 9 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State Less than one beer, glass of wine, or mixed drink 10% 49% 51% 71% 75% 66% 61% Cheers glass of wine, or mixed drink 10% 14% 14% 9% 6% 111% 11% One beer, glass of wine, or mixed drinks 12% 111% 114% 8% 4% 4% 8% 2-4 beers glasses of wine, or mixed drinks 12% 111% 114% 8% 4% 4% 9% 5 or more beers, glasses of wine, or mixed drinks 12% 11% 11% 8% 4% 4% 9% Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 45% 45% 45% 45% 52% 71% 81% 56% 2% 7% Less than one beer, glass of wine, or mixed drink 9% 9% 9% 9% 7% 55% 52% 7% 7% 5% 2% 7%	One beer, glass of wine, or mixed drink	8%	6%	10%	5%	3%	2%	6%
N=395	2-4 beers glasses of wine, or mixed drinks	10%	5%	6%	8%	2%	2%	6%
Grade 9 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 56% 49% 51% 71% 75% 66% 61% Less than one beer, glass of wine, or mixed drink 10% 14% 14% 9% 6% 11% 11% One beer, glass of wine, or mixed drinks 12% 10% 9% 7% 4% 8% 8% 2-4 beers glasses of wine, or mixed drinks 12% 11% 14% 8% 4% 4% 9% 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5% 12% 11% 11% Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 45% 45% 45% 52% 71% 81% 56% Less than one beer, glass of wine, or mixed drink 8% 9% 9% 5% 7% 5% 2% 7% One beer, glass of wine, or mix	5 or more beers, glasses of wine, or mixed drinks	9%	3%	5%	6%	2%	0%	4%
I don't drink		N=355	N=393	N=396	N=359	N=267	N=245	N=2015
Less than one beer, glass of wine, or mixed drink One beer, glass of wine, or mixed drink 8% 10% 9% 7% 46% 8% 8% 2-4 beers glasses of wine, or mixed drinks 12% 11% 14% 8% 49% 49% 9% 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5% 12% 11% 11% 16rade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 Region 6 Region 1 Region 9% 7% 59% 29% 7% 16% Less than one beer, glass of wine, or mixed drinks 18% 9% 9% 7% 59% 29% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 129% 66% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 18% 18% 16% 129% 69% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 18% 18% 16% 129% 19% 15% 8% 18% 16% 129% 19% 15% 8% 18% 18% 16% 129% 19% 15% 8% 18% 18% 16% 129% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 16% 12% 19% 15% 8% 18% 18% 18% 18% 18% 18% 16% 12% 15% 8% 18% 18% 18% 18% 18% 18% 18% 18% 18% 18% 18%	Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
One beer, glass of wine, or mixed drink 8% 10% 9% 7% 4% 8% 8% 2-4 beers glasses of wine, or mixed drinks 12% 11% 14% 8% 4% 4% 9% 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5% 12% 11% 11% Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 45% 45% 45% 52% 71% 81% 56% Less than one beer, glass of wine, or mixed drink 8% 9% 9% 7% 5% 2% 7% One beer, glass of wine, or mixed drink 9% 11% 9% 10% 3% 3% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 12% 6% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% Grade 11 Regi	I don't drink	56%	49%	51%	71%	75%	66%	61%
2-4 beers glasses of wine, or mixed drinks 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5 or more beers, glasses of wine, or mixed drinks 14% 17% 13% 5 or more beers, glass of wine, or mixed drink 1 don't drink 2 deers glasses of wine, or mixed drink 3 don't drink 1 don't drink 2 deers glasses of wine, or mixed drinks 1 don't drink 1 d	Less than one beer, glass of wine, or mixed drink	10%	14%	14%	9%	6%	11%	11%
5 or more beers, glasses of wine, or mixed drinks 14% N=274 17% N=228 13% N=310 5% N=258 12% N=255 11% N=256 Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 45% 45% 45% 45% 52% 71% 81% 56% Less than one beer, glass of wine, or mixed drink 8% 9% 9% 9% 7% 5% 2% 77% 2% 7% 7% 7% One beer, glass of wine, or mixed drinks 18% 11% 18% 118% 16% 12% 6% 5% 5% 13% 3% 7% 5% 13% 5 5° 13% 5 18% 18% 16% 16% 12% 6% 5% 13% 5% 18% 18% 18% 16% 16% 12% 6% 5% 13% 5 5° 13% 5 5° 13% 5 18% 18% 16% 16% 12% 6% 5% 13% 5% 18% 18% 18% 18% 16% 16% 12% 6% 5% 13% 5 5° 13% 5 5° 13% 5 18% 18% 16% 16% 12% 6% 5% 18% 18% 18% 18% 18% 16% 16% 12% 6% 5% 18% 18% 18% 18% 18% 16% 16% 12% 6% 5% 18% 18% 18% 18% 18% 18% 16% 16% 15% 18% 18% 18% 18% 18% 18% 18% 18% 18% 18	One beer, glass of wine, or mixed drink	8%	10%	9%	7%	4%	8%	8%
Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State L don't drink 45% 45% 45% 52% 71% 81% 56% Less than one beer, glass of wine, or mixed drink 8% 9% 9% 7% 5% 2% 7% One beer, glass of wine, or mixed drink 9% 11% 9% 10% 3% 3% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 12% 6% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% I don't drink 8% 18% 22% 19% 15% 8% 18% Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% <t< td=""><td>2-4 beers glasses of wine, or mixed drinks</td><td>12%</td><td>11%</td><td>14%</td><td>8%</td><td>4%</td><td>4%</td><td>9%</td></t<>	2-4 beers glasses of wine, or mixed drinks	12%	11%	14%	8%	4%	4%	9%
Grade 10 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State L don't drink 45% 45% 45% 52% 71% 81% 56% Less than one beer, glass of wine, or mixed drink 8% 9% 9% 7% 5% 2% 7% One beer, glass of wine, or mixed drink 9% 11% 9% 10% 3% 3% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 12% 6% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% I don't drink 8% 18% 22% 19% 15% 8% 18% Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% <t< td=""><td>5 or more beers, glasses of wine, or mixed drinks</td><td>14%</td><td>17%</td><td>13%</td><td>5%</td><td>12%</td><td>11%</td><td>11%</td></t<>	5 or more beers, glasses of wine, or mixed drinks	14%	17%	13%	5%	12%	11%	11%
I don't drink 45% 45% 45% 52% 71% 81% 56% Less than one beer, glass of wine, or mixed drink 8% 9% 9% 7% 5% 2% 7% One beer, glass of wine, or mixed drink 9% 11% 9% 10% 3% 3% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 12% 6% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% M=269 N=232 N=240 N=202 N=205 N=241 N=1409 Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 5% 5% 6% One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 6% 2-4 beers glasses of wine, or	, 6	N=274	N=228	N=310	N=258	N=251	N=225	N=1546
Less than one beer, glass of wine, or mixed drink One beer, glass of wine, or mixed drink 9% 11% 9% 10% 3% 3% 3% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 12% 6% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% N=289 N=232 N=240 N=202 N=205 N=241 N=1409 Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 7% 5% 5% 6% One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 6% 8% 2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=21 N=240 N=217 N=331 N=1595	Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
One beer, glass of wine, or mixed drink 9% 11% 9% 10% 3% 3% 7% 2-4 beers glasses of wine, or mixed drinks 18% 18% 16% 12% 6% 5% 13% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% N=269 N=232 N=240 N=202 N=205 N=241 N=1409 Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 5% 5% 6% 6% 6% 6% Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 5% 5% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6% 6%	I don't drink	45%	45%	45%	52%	71%	81%	56%
2-4 beers glasses of wine, or mixed drinks 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% 18% 18% 5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% 18% 18% 18% 18% 18% 18% 18% 18%	Less than one beer, glass of wine, or mixed drink	8%	9%	9%	7%	5%	2%	7%
5 or more beers, glasses of wine, or mixed drinks 20% 18% 22% 19% 15% 8% 18% N=265 N=241 N=1409 Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State 1 don't drink Less than one beer, glass of wine, or mixed drink One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 6% 6% 8% 2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 88% 11% 88% 11% 88% 69% 60% 60% 88% 2-4 beers glasses of wine, or mixed drinks 25% 18% 25% 18% 26% 88% 11% 18% 18% 18% 18% 18% 18% 18% 18	One beer, glass of wine, or mixed drink	9%	11%	9%	10%	3%	3%	7%
Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 5% 5% 6% One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 6% 2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=421 N=240 N=217 N=331 N=1595	2-4 beers glasses of wine, or mixed drinks	18%	18%	16%	12%	6%	5%	13%
Grade 11 Region 1 Region 2 Region 3 Region 4 Region 5 Region 6 State I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 5% 5% 6% One beer, glass of wine, or mixed drinks 8% 8% 11% 8% 6% 6% 8% 2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=421 N=240 N=217 N=331 N=1595	5 or more beers, glasses of wine, or mixed drinks	20%	18%	22%	19%	15%	8%	18%
I don't drink 21% 45% 30% 58% 63% 55% 43% Less than one beer, glass of wine, or mixed drink 5% 5% 7% 7% 5% 5% 6% One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 8% 2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=421 N=240 N=217 N=331 N=1595	-	N=289	N=232	N=240	N=202	N=205	N=241	N=1409
Less than one beer, glass of wine, or mixed drink One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 6% 8% 2-4 beers glasses of wine, or mixed drinks 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 18% 26% 8% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 26% 12% 11% 18% 18% 26% 12% 11% 11% 18% 26% 12% 11% 18% 18% 26% 12% 11% 18% 18% 26% 12% 11% 18% 18% 26% 12% 11% 11% 18% 18% 26% 12% 11% 11% 18% 18% 26% 12% 11% 11% 18% 26% 12% 11% 11% 18% 26% 12% 11% 11% 18% 26% 12% 11% 11% 11% 11% 11% 11% 11% 11% 11	Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
One beer, glass of wine, or mixed drink 8% 8% 11% 8% 6% 6% 8% 2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=421 N=240 N=217 N=331 N=1595	I don't drink	21%	45%	30%	58%	63%	55%	43%
2-4 beers glasses of wine, or mixed drinks 25% 18% 26% 8% 12% 11% 18% 5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=421 N=240 N=217 N=331 N=1595	Less than one beer, glass of wine, or mixed drink	5%	5%	7%	7%	5%	5%	6%
5 or more beers, glasses of wine, or mixed drinks 40% 23% 25% 19% 15% 23% 24% N=166 N=220 N=421 N=240 N=217 N=331 N=1595	One beer, glass of wine, or mixed drink	8%	8%	11%	8%	6%	6%	8%
N=166 N=220 N=421 N=240 N=217 N=331 N=1595	2-4 beers glasses of wine, or mixed drinks	25%	18%	26%	8%	12%	11%	18%
N=166 N=220 N=421 N=240 N=217 N=331 N=1595	5 or more beers, glasses of wine, or mixed drinks	40%	23%	25%	19%	15%	23%	24%
Grade 12 Pegion 1 Pegion 2 Pegion 5 Pegion 5 Pegion 6 State		N=166	N=220	N=421	N=240	N=217	N=331	N=1595
Orace 12 Region 6 State	Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
I don't drink 26% 31% 45% 43% 67% 52% 45%	I don't drink	26%	31%	45%	43%	67%	52%	45%
Less than one beer, glass of wine, or mixed drink 8% 8% 7% 4% 3% 1% 5%	Less than one beer, glass of wine, or mixed drink	8%	8%	7%	4%	3%	1%	5%
One beer, glass of wine, or mixed drink 8% 11% 9% 10% 3% 7% 8%		8%		9%	10%	3%	7%	8%
2-4 beers glasses of wine, or mixed drinks 21% 21% 20% 22% 10% 16% 19%	2-4 beers glasses of wine, or mixed drinks	21%	21%	20%	22%	10%	16%	19%
5 or more beers, glasses of wine, or mixed drinks 37% 28% 19% 21% 17% 23% 23%	5 or more beers, glasses of wine, or mixed drinks	37%	28%	19%	21%	17%	23%	23%
- N=224 N=210 N=388 N=232 N=201 N=201 N=1456		N=224	N=210	N=388	N=232	N=201	N=201	N=1456

23. How old were you when you had your first full drink (a can of beer, a full glass of wine, or a mixed drink)?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never had a drink	87% 7%	86%	92% 5%	89% 7%	92% 4%	89% 8%	90% 6%
10 or younger 11 or 12	6%	10%	3%	7 % 4%	4% 4%	3%	4%
13 or 14	0%	4% 0%	0%	4% 0%	4% 0%	3% 0%	4% 0%
15 or older	1%	0%	0%	0%	0%	0%	0%
	N=276	N=235	N=234	N=290	N=256	N=190	N=1481
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never had a drink	53%	68%	50%	60%	79%	87%	63%
10 or younger	14%	7%	13%	12%	8%	3%	10%
11 or 12	20%	15%	22%	18%	8%	5%	16%
13 or 14	13%	10%	15%	10%	5%	5%	11%
15 or older	1%	0%	0%	0%	0%	0%	0%
	N=354	N=392	N=397	N=358	N=268	N=246	N=2015
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never had a drink	45%	41%	44%	62%	69%	62%	53%
10 or younger	15%	14%	13%	9%	7%	11%	12%
11 or 12	17%	23%	16%	11%	9%	14%	15%
13 or 14	20%	20%	26%	15%	14%	12%	19%
15 or older	2%	2%	2%	2%	1%	1%	2%
	N=275	N=231	N=312	N=254	N=253	N=225	N=1550
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never had a drink	36%	33%	36%	41%	61%	75%	47%
10 or younger	9%	11%	15%	12%	10%	6%	11%
11 or 12	15%	18%	12%	11%	8%	8%	11%
13 or 14	27%	26%	24%	30%	13%	7%	21%
15 or older	13%	12%	13%	6%	9%	4%	10%
	N=287	N=233	N=239	N=203	N=210	N=240	N=1412
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never had a drink	14%	31%	22%	46%	56%	47%	34%
10 or younger	13%	12%	11%	9%	3%	7%	9%
11 or 12	20%	12%	15%	12%	4%	11%	13%
13 or 14	35%	30%	30%	17%	18%	19%	25%
15 or older	19%	15%	22%	16%	18%	16%	18%
13 of older	N=166	N=222	N=421	N=238	N=217	N=329	N=1593
Crada 12	Danier 4	Derien C	Derien C	Denien 4	Decise 5	Danien C	Ctat-
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never had a drink	18%	25%	36%	33%	52%	42%	36%
10 or younger	17%	8%	7%	12%	7%	6%	9%
11 or 12	18%	16%	7%	7%	7%	13%	10%
13 or 14	25%	26%	22%	21%	18%	14%	20%
15 or older	22%	25%	28%	27%	16%	25%	25%
	N=225	N=211	N=388	N=233	N=203	N=202	N=1462

24. Think back over the 30 days. How many times have you had five or more drinks in a row?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	95%	97%	96%	96%	97%	94%	96%
1 time	2%	3%	2%	1%	0%	3%	2%
2 times	1%	0%	1%	1%	2%	2%	1%
3-5 times	1%	0%	0%	1%	1%	0%	0%
6 or more times	0%	0%	0%	1%	0%	1%	0%
	N=274	N=231	N=228	N=283	N=246	N=180	N=1442
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	80%	91%	83%	84%	94%	96%	87%
1 time	8%	5%	7%	6%	3%	3%	6%
2 times	5%	2%	4%	4%	0%	1%	3%
3-5 times	3%	2%	3%	3%	2%	0%	2%
6 or more times	3%	0%	2%	3%	2%	0%	2%
	N=346	N=387	N=391	N=355	N=266	N=237	N=1982
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	76%	73%	72%	87%	84%	83%	79%
1 time	9%	10%	7%	4%	4%	6%	7%
2 times	6%	6%	9%	4%	3%	3%	6%
3-5 times	5%	5%	7%	4%	4%	5%	5%
6 or more times	5%	6%	5%	2%	4%	3%	4%
	N=271	N=231	N=303	N=247	N=248	N=222	N=1522
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	69%	71%	68%	70%	80%	92%	75%
1 time	10%	10%	8%	6%	4%	3%	7%
2 times	6%	6%	8%	8%	6%	1%	6%
3-5 times	10%	8%	8%	10%	6%	2%	7%
6 or more times	6%	6%	7%	6%	3%	3%	5%
	N=284	N=226	N=237	N=203	N=204	N=236	N=1390
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	49%	70%	64%	74%	83%	73%	68%
1 time	18%	10%	9%	5%	6%	7%	9%
2 times	10%	7%	12%	7%	4%	10%	9%
3-5 times	14%	6%	10%	9%	4%	5%	8%
6 or more times	9%	7%	5%	6%	2%	5%	5%
c of more united	N=164	N=217	N=421	N=231	N=213	N=328	N=1574
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	51%	61%	72%	66%	76%	67%	67%
1 time	13%	11%	8%	10%	5%	9%	9%
2 times	12%	7%	10%	5%	6%	9%	9%
3-5 times	10%	10%	7%	9%	7%	8%	8%
6 or more times	14%	11%	3%	10%	5%	6%	7%
o or more unice	N=223	N=210	N=382	N=229	N=201	N=201	N=1446
	/V=223	14=210	14=302	14=229	14-201	14-201	14=1440

25. How many drinks does it take for you to get drunk when you drink?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't get drunk.	96%	95%	95%	95%	96%	94%	95%
2 or less	1%	1%	0%	1%	0%	1%	0%
3 or 4	1%	1%	2%	3%	1%	4%	2%
5 or 6	1%	1%	1%	1%	1%	1%	1%
7 or more	1%	1%	1%	1%	2%	0%	1%
	N=270	N=216	N=214	N=275	N=234	N=143	N=1352
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't get drunk.	71%	86%	74%	78%	89%	96%	81%
2 or less	5%	2%	3%	3%	2%	0%	2%
3 or 4	9%	4%	12%	6%	2%	2%	8%
5 or 6	7%	4%	4%	7%	2%	1%	4%
7 or more	9%	5%	6%	6%	4%	1%	5%
	N=340	N=387	N=385	N=355	N=254	N=230	N=1951
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't get drunk.	65%	66%	65%	75%	77%	72%	69%
2 or less	1%	2%	4%	5%	2%	3%	3%
3 or 4	13%	6%	12%	4%	3%	7%	8%
5 or 6	12%	11%	8%	9%	7%	8%	9%
7 or more	8%	15%	11%	7%	11%	10%	10%
	N=268	N=224	N=301	N=242	N=242	N=219	N=1496
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't get drunk.	54%	55%	54%	56%	74%	84%	62%
2 or less	3%	2%	3%	3%	2%	1%	3%
3 or 4	10%	11%	10%	14%	8%	3%	9%
5 or 6	21%	18%	17%	14%	8%	5%	14%
7 or more	12%	14%	16%	14%	8%	6%	12%
	N=283	N=228	N=236	N=199	N=201	N=230	N=1377
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't get drunk.	28%	52%	37%	65%	69%	58%	49%
2 or less	2%	3%	5%	2%	5%	3%	4%
3 or 4	16%	10%	25%	7%	8%	12%	15%
5 or 6	28%	18%	21%	9%	7%	14%	17%
7 or more	26%	17%	11%	17%	11%	14%	15%
	N=165	N=215	N=418	N=235	N=209	N=324	N=1566
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't get drunk.	29%	39%	51%	45%	66%	57%	50%
2 or less	6%	3%	4%	4%	2%	1%	3%
3 or 4	20%	19%	14%	20%	6%	12%	15%
5 or 6	24%	20%	15%	14%	10%	17%	16%
7 or more	21%	19%	16%	18%	15%	13%	16%
	N=219	N=208	N=383	N=228	N=201	N=201	N=1440
	11-2.10	30	230	==0	5,		

26. Have you ever used drugs and alcohol together?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't drink or use drugs.	87%	86%	90%	84%	88%	88%	88%
No, never	11%	13%	9%	14%	11%	10%	11%
Once or twice	1%	1%	1%	1%	0%	2%	1%
Many times	0%	0%	0%	0%	1%	1%	0%
	N=278	N=231	N=233	N=290	N=256	N=186	N=1474
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't drink or use drugs.	62%	73%	60%	69%	79%	90%	70%
No, never	29%	21%	30%	22%	16%	10%	23%
Once or twice	6%	5%	7%	6%	3%	0%	5%
Many times	3%	1%	3%	2%	1%	0%	2%
,	N=352	N=391	N=390	N=357	N=268	N=240	N=1998
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't drink or use drugs.	56%	52%	54%	70%	73%	64%	61%
No, never	29%	32%	28%	24%	17%	26%	26%
Once or twice	10%	8%	9%	4%	6%	5%	7%
Many times	6%	8%	8%	2%	4%	4%	6%
•	N=272	N=230	N=306	N=254	N=251	N=224	N=1537
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Grade 10 Don't drink or use drugs.	Region 1 46%	Region 2 45%	Region 3 47%	Region 4 50%	Region 5 67%	Region 6 78%	State 55%
	•	•	•	•	•	•	
Don't drink or use drugs.	46%	45%	47%	50%	67%	78%	55%
Don't drink or use drugs. No, never	46% 32%	45% 41%	47% 33%	50% 33%	67% 20%	78% 11%	55% 28%
Don't drink or use drugs. No, never Once or twice	46% 32% 14%	45% 41% 11%	47% 33% 13%	50% 33% 9%	67% 20% 7%	78% 11% 5%	55% 28% 10%
Don't drink or use drugs. No, never Once or twice	46% 32% 14% 8%	45% 41% 11% 3%	47% 33% 13% 8%	50% 33% 9% 8%	67% 20% 7% 6%	78% 11% 5% 5%	55% 28% 10% 7%
Don't drink or use drugs. No, never Once or twice Many times	46% 32% 14% 8% N=289	45% 41% 11% 3% N=232	47% 33% 13% 8% N=238	50% 33% 9% 8% N=202	67% 20% 7% 6% N=208	78% 11% 5% 5% N=240	55% 28% 10% 7% N=1409
Don't drink or use drugs. No, never Once or twice Many times Grade 11	46% 32% 14% 8% №=289	45% 41% 11% 3% <i>N=232</i> Region 2	47% 33% 13% 8% N=238	50% 33% 9% 8% <i>N=202</i> Region 4	67% 20% 7% 6% <i>N=208</i> Region 5	78% 11% 5% 5% N=240 Region 6	55% 28% 10% 7% <i>N</i> =1409
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs.	46% 32% 14% 8% №289 Region 1 24%	45% 41% 11% 3% N=232 Region 2 46%	47% 33% 13% 8% №=238 Region 3 30%	50% 33% 9% 8% N=202 Region 4 59%	67% 20% 7% 6% №=208 Region 5 62%	78% 11% 5% 5% N=240 Region 6 54%	55% 28% 10% 7% <i>N=1409</i> State 43%
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never	46% 32% 14% 8% №=289 Region 1 24% 39%	45% 41% 11% 3% N=232 Region 2 46% 32%	47% 33% 13% 8% N=238 Region 3 30% 32%	50% 33% 9% 8% N=202 Region 4 59% 24%	67% 20% 7% 6% №208 Region 5 62% 26%	78% 11% 5% 5% N=240 Region 6 54% 26%	55% 28% 10% 7% N=1409 State 43% 30%
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never Once or twice	46% 32% 14% 8% №=289 Region 1 24% 39% 21%	45% 41% 11% 3% N=232 Region 2 46% 32% 12%	47% 33% 13% 8% N=238 Region 3 30% 32% 24%	50% 33% 9% 8% №=202 Region 4 59% 24% 11%	67% 20% 7% 6% №208 Region 5 62% 26% 9%	78% 11% 5% 5% N=240 Region 6 54% 26% 14%	55% 28% 10% 7% N=1409 State 43% 30% 17%
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never Once or twice	46% 32% 14% 8% №=289 Region 1 24% 39% 21% 16%	45% 41% 11% 3% N=232 Region 2 46% 32% 12% 10%	47% 33% 13% 8% N=238 Region 3 30% 32% 24% 14%	50% 33% 9% 8% N=202 Region 4 59% 24% 11% 6%	67% 20% 7% 6% N=208 Region 5 62% 26% 9% 4%	78% 11% 5% 5% N=240 Region 6 54% 26% 14% 6%	55% 28% 10% 7% N=1409 State 43% 30% 17% 10%
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never Once or twice Many times	46% 32% 14% 8% №289 Region 1 24% 39% 21% 16% №166	45% 41% 11% 3% N=232 Region 2 46% 32% 12% 10% N=222	47% 33% 13% 8% N=238 Region 3 30% 32% 24% 14% N=423	50% 33% 9% 8% N=202 Region 4 59% 24% 11% 6% N=239	67% 20% 7% 6% N=208 Region 5 62% 26% 9% 4% N=214	78% 11% 5% 5% N=240 Region 6 54% 26% 14% 6% N=328	55% 28% 10% 7% №1409 State 43% 30% 17% 10% №1592
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never Once or twice Many times Grade 12	46% 32% 14% 8% №289 Region 1 24% 39% 21% 16% №166	45% 41% 11% 3% N=232 Region 2 46% 32% 12% 10% N=222 Region 2	47% 33% 13% 8% N=238 Region 3 30% 32% 24% 14% N=423 Region 3	50% 33% 9% 8% №202 Region 4 59% 24% 11% 6% №239	67% 20% 7% 6% №208 Region 5 62% 26% 9% 4% №214 Region 5	78% 11% 5% 5% 5% N=240 Region 6 54% 26% 14% 6% N=328	55% 28% 10% 7% №1409 State 43% 30% 17% 10% №1592 State
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never Once or twice Many times Grade 12 Don't drink or use drugs.	46% 32% 14% 8% N=289 Region 1 24% 39% 21% 16% N=166 Region 1 25%	45% 41% 11% 3% N=232 Region 2 46% 32% 12% N=222 Region 2 32%	47% 33% 13% 8% N=238 Region 3 30% 32% 24% 14% N=423 Region 3 44%	50% 33% 9% 8% 8% N=202 Region 4 59% 24% 11% 6% N=239 Region 4 43%	67% 20% 7% 6% N=208 Region 5 62% 26% 9% 4% N=214 Region 5 64%	78% 11% 5% 5% 5% N=240 Region 6 54% 26% 14% 6% N=328 Region 6 49%	55% 28% 10% 7% N=1409 State 43% 30% 17% 10% N=1592 State 44%
Don't drink or use drugs. No, never Once or twice Many times Grade 11 Don't drink or use drugs. No, never Once or twice Many times Grade 12 Don't drink or use drugs. No, never	46% 32% 14% 8% №=289 Region 1 24% 39% 21% 16% №=166 Region 1 25% 25%	45% 41% 11% 3% N=232 Region 2 46% 32% 12% 10% N=222 Region 2 32% 34%	47% 33% 13% 8% 13% 8% N=238 Region 3 30% 32% 24% 14% N=423 Region 3 44% 35%	50% 33% 9% 8% N=202 Region 4 59% 24% 11% 6% N=239 Region 4 43% 25%	67% 20% 7% 6% N=208 Region 5 62% 26% 9% 4% N=214 Region 5 64% 22%	78% 11% 5% 5% 5% N=240 Region 6 54% 26% 14% 6% N=328 Region 6 49% 29%	55% 28% 10% 7% N=1409 State 43% 30% 17% 10% N=1592 State 44% 30%

27. How old were you when you smoked your first cigarette?

Grade 6 Never smoked	Region 1 92%	Region 2 93%	Region 3 96%	Region 4 92%	Region 5 94%	Region 6 92%	State 94%
10 or younger	5%	4%	3%	6%	4%	6%	4%
11 or 12	2%	3%	1%	2%	1%	2%	1%
13 or 14	0%	0%	0%	0%	0%	0%	0%
15 or older	0%	0%	0%	0%	0%	0%	0%
15 of older							
	N=277	N=233	N=236	N=290	N=254	N=190	N=1480
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never smoked	75%	80%	71%	73%	86%	92%	78%
10 or younger	11%	7%	11%	12%	6%	3%	9%
11 or 12	9%	9%	13%	11%	6%	4%	10%
13 or 14	4%	3%	5%	4%	2%	1%	4%
15 or older	0%	0%	0%	0%	0%	0%	0%
	N=351	N=391	N=394	N=357	N=264	N=244	N=2001
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never smoked	74%	68%	61%	79%	75%	75%	71%
10 or younger	9%	13%	15%	6%	7%	10%	11%
11 or 12	7%	10%	13%	8%	8%	10%	10%
13 or 14	9%	8%	9%	6%	9%	5%	7%
15 or older	0%	1%	2%	1%	1%	0%	1%
10 01 01001	N=274	N=231	N=307	N=253	N=252	N=226	N=1543
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never smoked	66%	63%	60%	60%	70%	77%	65%
10 or younger	8%	13%	16%	13%	8%	10%	12%
11 or 12	11%	10%	12%	14%	6%	7%	10%
13 or 14	11%	11%	10%	10%	11%	5%	9%
15 or older	3%	4%	3%	3%	6%	1%	3%
13 of older	N=287	N=233	N=240	N=203	N=208	N=238	N=1409
0 1 11	D : 4	D : 0	D : 0	D	5	D : 0	0
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never smoked	38%	59%	50%	67%	77%	62%	57%
10 or younger	14%	10%	10%	6%	3%	9%	9%
11 or 12	13%	14%	14%	9%	5%	10%	11%
13 or 14	22%	12%	17%	10%	8%	13%	14%
15 or older	12%	5%	10%	8%	8%	6%	8%
	N=164	N=222	N=416	N=239	N=213	N=328	N=1582
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Never smoked	41%	51%	56%	52%	64%	58%	55%
10 or younger	18%	7%	8%	10%	5%	8%	9%
11 or 12	19%	13%	10%	7%	9%	13%	11%
13 or 14	13%	13%	14%	17%	10%	11%	13%
15 or older	9%	16%	12%	15%	12%	9%	12%
	N=223	N=213	N=387	N=230	N=201	N=201	N=1455

28. How do you usually get the cigarettes you smoke?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't smoke	97%	97%	98%	94%	98%	94%	97%
Adults	0%	1%	0%	2%	1%	2%	1%
Friends	3%	2%	1%	4%	2%	4%	2%
Vending machine	0%	0%	0%	0%	0%	0%	0%
Store	0%	0%	0%	0%	0%	0%	0%
	N=276	N=232	N=234	N=290	N=253	N=188	N=1473
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't smoke	83%	87%	78%	82%	89%	95%	84%
Adults	3%	2%	3%	5%	5%	2%	3%
Friends	13%	9%	18%	12%	5%	4%	12%
Vending machine	1%	1%	0%	0%	1%	0%	0%
Store	1%	1%	1%	1%	0%	0%	0%
	N=351	N=385	N=381	N=353	N=263	N=242	N=1975
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't smoke	83%	75%	70%	84%	81%	82%	78%
Adults	3%	6%	6%	3%	3%	4%	4%
Friends	11%	16%	22%	11%	15%	12%	16%
Vending machine	2%	0%	0%	0%	0%	0%	0%
Store	2%	3%	1%	1%	1%	1%	1%
	N=266	N=228	N=300	N=254	N=250	N=222	N=1520
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't smoke	76%	75%	66%	73%	76%	81%	73%
Adults	4%	5%	6%	6%	4%	3%	5%
Friends	16%	18%	22%	19%	17%	13%	19%
Vending machine	0%	0%	2%	1%	0%	0%	1%
Store	3%	2%	3%	1%	2%	3%	3%
	N=287	N=231	N=238	N=198	N=206	N=237	N=1397
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't smoke	53%	74%	65%	75%	82%	69%	68%
Adults	11%	4%	8%	4%	2%	4%	6%
Friends	24%	17%	20%	14%	13%	20%	19%
Vending machine	1%	0%	0%	1%	0%	0%	0%
Store	11%	5%	7%	6%	2%	7%	7%
	N=161	N=218	N=413	N=237	N=213	N=327	N=1569
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't smoke	53%	63%	68%	66%	73%	71%	67%
Adults	3%	2%	5%	4%	2%	3%	4%
Friends	18%	20%	15%	13%	16%	15%	15%
Vending machine	1%	0%	2%	0%	1%	0%	1%
Store	25%	15%	11%	17%	8%	12%	13%
	N=215	N=211	N=385	N=227	N=198	N=198	N=1434

a. Smoke one or more packs of cigarettes a day

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	3%	6%	7%	7%	6%	9%	7%
Slight risk	8%	9%	8%	10%	5%	9%	8%
Moderate risk	25%	17%	18%	21%	19%	20%	20%
Great risk	50%	46%	49%	40%	51%	42%	47%
Not sure	14%	21%	19%	22%	19%	20%	19%
	N=263	N=222	N=226	N=274	N=241	N=184	N=1410
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	2%	2%	2%	3%	7%	1%	2%
Slight risk	8%	4%	6%	7%	5%	8%	7%
Moderate risk	29%	25%	23%	22%	16%	17%	22%
Great risk	54%	59%	58%	56%	60%	62%	58%
Not sure	7%	10%	12%	11%	12%	12%	11%
Not suite	N=337	N=383	N=380	N=353	N=253	N=235	N=1941
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	4%	2%	2%	4%	7%	4%	4%
Slight risk	7%	7%	8%	6%	5%	9%	7%
Moderate risk	22%	26%	26%	23%	20%	28%	24%
Great risk	56%	59%	57%	58%	57%	49%	56%
Not sure	11%	5%	8%	9%	10%	11%	9%
	N=263	N=221	N=290	N=248	N=242	N=219	N=1483
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	0%	3%	8%	3%	5%	3%	5%
Slight risk	4%	3%	9%	3%	3%	6%	6%
Moderate risk	21%	28%	22%	22%	27%	17%	22%
Great risk	69%	62%	54%	62%	58%	68%	61%
Not sure	5%	5%	7%	10%	6%	6%	7%
	N=283	N=229	N=236	N=197	N=204	N=234	N=1383
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	4%	2%	1%	4%	3%	2%	2%
Slight risk	7%	5%	4%	4%	3%	4%	5%
Moderate risk	23%	24%	23%	19%	18%	25%	22%
Great risk	62%	64%	68%	67%	66%	64%	65%
Not sure	3%	5%	5%	7%	10%	5%	5%
	N=162	N=221	N=413	N=232	N=214	N=316	N=1558
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	1%	2%	2%	2%	4%	1%	2%
Slight risk	5%	3%	5%	4%	3%	2%	4%
Moderate risk	17%	20%	23%	18%	18%	24%	21%
Great risk	73%	74%	64%	74%	71%	65%	68%
Not sure	4%	1%	6%	2%	5%	8%	5%
	N=218	N=206	N=374	N=224	N=198	N=197	N=1417
	.4-210						

b. Smoke marijuana occasionally

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	5%	7%	7%	7%	8%	10%	7%
Slight risk	6%	4%	4%	7%	2%	6%	5%
Moderate risk	15%	14%	13%	13%	9%	11%	13%
Great risk	61%	52%	53%	47%	55%	50%	53%
Not sure	13%	23%	23%	26%	25%	23%	22%
1401.0010	N=265	N=221	N=225	N=269	N=237	N=183	N=1400
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	6%	4%	6%	4%	8%	2%	5%
Slight risk	9%	7%	8%	8%	3%	0%	6%
Moderate risk	14%	14%	12%	14%	9%	13%	13%
Great risk	63%	62%	62%	60%	70%	73%	65%
Not sure	8%	12%	11%	14%	11%	12%	11%
	N=337	N=384	N=379	N=351	N=254	N=232	N=1937
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	7%	7%	5%	3%	7%	6%	6%
Slight risk	15%	14%	16%	8%	6%	7%	11%
Moderate risk	19%	17%	19%	17%	15%	17%	17%
Great risk	46%	55%	53%	65%	60%	61%	57%
Not sure	12%	7%	7%	7%	11%	9%	9%
1401.0010	N=263	N=219	N=286	N=247	N=242	N=215	N=1472
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	8%	4%	15%	6%	6%	3%	9%
Slight risk	20%	11%	13%	10%	4%	7%	11%
Moderate risk	24%	23%	21%	21%	16%	12%	19%
Great risk	42%	55%	44%	55%	66%	69%	53%
Not sure	5%	7%	8%	8%	8%	9%	8%
	N=281	N=229	N=233	N=197	N=204	N=233	N=1377
							_
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	13%	5%	8%	7%	6%	6%	8%
Slight risk	18%	15%	28%	10%	8%	11%	17%
Moderate risk	24%	27%	28%	17%	17%	17%	22%
Great risk	40%	46%	33%	57%	59%	61%	47%
Not sure	4%	7%	4%	9%	10%	5%	6%
	N=161	N=221	N=410	N=232	N=211	N=316	N=1551
O d 40	Davis 4	D C	Danier C	Denieu 4	Danier 5	Danier 0	01-1
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	12%	12%	7%	5%	3%	5%	7%
Slight risk	29%	23%	16%	20%	9%	11%	16%
Moderate risk	28%	30%	25%	22%	18%	22%	24%
Great risk	24%	33%	46%	50%	63%	52%	46%
Not sure	7%	2%	7%	3%	7%	11%	7%
	N=217	N=203	N=373	N=224	N=198	N=196	N=1411

c. Try heroin once or twice

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	5%	9%	7%	10%	8%	10%	8%
Slight risk	16%	14%	15%	18%	10%	9%	14%
Moderate risk	20%	20%	14%	16%	17%	17%	16%
Great risk	39%	32%	38%	27%	34%	34%	35%
Not sure	19%	25%	25%	29%	32%	31%	27%
Not suie	N=261	N=220	N=224		N=238		N=1391
	N=261	N=220	N=224	N=269	N=238	N=179	N=1391
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	3%	3%	2%	2%	8%	1%	3%
Slight risk	11%	11%	12%	11%	6%	11%	11%
Moderate risk	22%	20%	19%	24%	17%	20%	20%
Great risk	53%	51%	51%	44%	56%	52%	51%
Not sure	11%	15%	15%	19%	13%	16%	15%
	N=335	N=382	N=375	N=349	N=252	N=231	N=1924
Crade 0	Decien 4	Design 0	Danian 2	Danian 4	Danian F	Decise C	Ctata
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	3%	2%	3%	2%	5%	3%	3%
Slight risk	14%	11%	9%	10%	7%	7%	9%
Moderate risk	24%	24%	18%	20%	14%	18%	19%
Great risk	47%	52%	59%	57%	60%	60%	57%
Not sure	12%	10%	11%	11%	14%	11%	11%
	N=258	N=218	N=285	N=245	N=241	N=217	N=1464
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	1%	1%	7%	3%	4%	4%	5%
Slight risk	10%	9%	10%	6%	10%	6%	9%
Moderate risk	24%	15%	18%	21%	21%	17%	19%
Great risk	59%	65%	54%	59%	53%	63%	58%
Not sure	7%	10%	10%	12%	11%	9%	10%
	N=284	N=227	N=232	N=196	N=202	N=232	N=1373
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	5%	3%	2%	4%	4%	3%	3%
Slight risk	10%	5%	10%	9%	6%	4%	8%
Moderate risk	20%	19%	20%	16%	19%	16%	19%
Great risk	57%	64%	61%	60%	59%	69%	62%
Not sure	7%	9%	6%	12%	12%	8%	8%
	N=162	N=221	N=407	N=231	N=211	N=316	N=1548
Crode 12	Pagier 4	Bogion 2	Pagion 2	Dogion 4	Pagion F	Bogion 6	Ctoto
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	2%	3%	3%	2%	2%	1%	2%
Slight risk	6%	5%	6%	9%	7%	6%	6%
Moderate risk	19%	16%	17%	19%	15%	13%	17%
Great risk	65%	70%	65%	62%	68%	68%	66%
Not sure	8%	5%	9%	8%	8%	12%	9%
	N=217	N=205	N=372	N=223	N=197	N=194	N=1408

d. Try cocaine once or twice

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	4%	9%	7%	9%	8%	11%	8%
Slight risk	14%	10%	12%	14%	12%	10%	12%
Moderate risk	21%	21%	17%	17%	20%	20%	18%
Great risk	44%	34%	37%	31%	35%	38%	37%
Not sure	18%	25%	26%	28%	26%	21%	24%
	N=257	N=212	N=217	N=263	N=234	N=179	N=1362
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	2%	3%	2%	4%	7%	2%	3%
Slight risk	10%	11%	11%	10%	8%	9%	10%
Moderate risk	23%	22%	25%	25%	17%	23%	23%
Great risk	51%	48%	48%	42%	56%	55%	50%
Not sure	13%	16%	13%	20%	12%	12%	14%
	N=330	N=378	N=366	N=342	N=251	N=232	N=1899
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	3%	3%	3%	2%	6%	4%	3%
Slight risk	15%	12%	10%	10%	8%	6%	10%
Moderate risk	25%	22%	21%	19%	17%	18%	20%
Great risk	43%	53%	57%	56%	54%	58%	55%
Not sure	13%	10%	10%	13%	15%	14%	12%
	N=261	N=214	N=282	N=242	N=237	N=212	N=1448
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	1%	1%	8%	2%	5%	4%	5%
Slight risk	10%	10%	9%	6%	11%	6%	8%
Moderate risk	27%	15%	22%	23%	26%	19%	22%
Great risk	54%	64%	48%	56%	47%	59%	53%
Not sure	8%	10%	12%	12%	11%	12%	11%
	N=278	N=225	N=233	N=193	N=202	N=233	N=1364
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	5%	3%	2%	3%	4%	3%	3%
Slight risk	11%	6%	12%	10%	8%	5%	9%
Moderate risk	25%	22%	24%	17%	19%	18%	21%
Great risk	52%	59%	56%	59%	57%	66%	58%
Not sure	7%	10%	6%	11%	11%	8%	8%
	N=162	N=217	N=402	N=230	N=207	N=314	N=1532
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	4%	3%	2%	2%	2%	1%	2%
Slight risk	10%	7%	7%	10%	6%	6%	7%
Moderate risk	25%	20%	19%	20%	18%	19%	20%
Croat rick	E 40/	65%	63%	61%	66%	62%	62%
Great risk	54%	63%	03/6	0170	0078	02 /0	0270
Not sure	54% 6%	5%	10%	7%	8%	12%	9%

e. Have five or more drinks once or twice each weekend

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	5%	10%	10%	10%	6%	9%	9%
Slight risk	19%	14%	9%	16%	8%	8%	12%
Moderate risk	25%	22%	23%	15%	20%	19%	21%
Great risk	35%	29%	37%	34%	41%	42%	37%
Not sure	16%	26%	21%	25%	24%	21%	21%
1101 0010	N=264	N=221	N=222	N=273	N=237	N=182	N=1399
	11-204	14=221	14=222	14=273	14=237	14=102	N=1399
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	7%	3%	6%	9%	9%	1%	5%
Slight risk	22%	14%	13%	15%	10%	8%	13%
Moderate risk	25%	26%	29%	20%	18%	21%	24%
Great risk	37%	45%	39%	45%	51%	58%	45%
Not sure	9%	12%	13%	12%	12%	12%	12%
	N=336	N=385	N=381	N=352	N=254	N=233	N=1941
Grade 9	Pagion 1	Bogion 2	Pagion 2	Bogion 4	Bogion F	Dogion 6	State
	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	
No risk	7%	7%	7%	6%	10%	7%	7%
Slight risk	19%	24%	17%	13%	13%	16%	16%
Moderate risk	28%	33%	29%	26%	18%	26%	27%
Great risk	37%	33%	40%	47%	47%	42%	42%
Not sure	10%	5%	7%	8%	12%	10%	8%
	N=261	N=221	N=286	N=248	N=241	N=219	N=1476
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	4%	7%	11%	7%	8%	5%	8%
Slight risk	22%	25%	27%	15%	11%	9%	20%
Moderate risk	33%	33%	23%	25%	30%	18%	25%
Great risk	34%	28%	31%	42%	42%	59%	39%
Not sure	7%	7%	8%	11%	9%	9%	9%
	N=284	N=229	N=234	N=196	N=201	N=234	N=1378
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	8%	6%	6%	6%	5%	6%	6%
Slight risk	27%	18%	21%	15%	16%	15%	19%
Moderate risk	33%	34%	33%	24%	25%	29%	30%
Great risk	27%	37%	37%	46%	46%	45%	39%
Not sure	6%	5%	3%	8%	7%	4%	5%
	N=162	N=219	N=407	N=232	N=214	N=317	N=1551
Crode 12	Posice 4	Bogion 2	Pagion 2	Pagion 4	Pagion F	Pagion 6	Ctoto
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
No risk	10%	8%	7%	5%	5%	3%	6%
Slight risk	20%	17%	17%	22%	15%	19%	18%
Moderate risk	34%	38%	29%	32%	25%	30%	30%
Great risk	28%	34%	38%	38%	50%	40%	38%
Not sure	8%	2%	9%	3%	5%	8%	7%
	N=218	N=204	N=372	N=223	N=197	N=197	N=1411

a. Smoking marijuana occasionally

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	1%	1%	4%	5%	3%	3%	3%
Disapprove	5%	9%	7%	4%	3%	7%	6%
Greatly disapprove	94%	90%	89%	91%	94%	91%	91%
	N=273	N=221	N=229	N=276	N=243	N=183	N=1425
Grade 7	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Disapprove	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Greatly disapprove	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
	N=0	N=0	N=0	N=0	N=0	N=0	N=0
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	3%	1%	2%	2%	2%	1%	2%
Disapprove	10%	6%	9%	10%	5%	3%	7%
Greatly disapprove	87%	92%	89%	88%	93%	96%	91%
	N=351	N=388	N=389	N=353	N=255	N=243	N=1979
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	3%	5%	5%	2%	4%	1%	4%
Disapprove	16%	9%	13%	5%	7%	9%	10%
Greatly disapprove	80%	86%	82%	93%	89%	90%	86%
	N=270	N=226	N=302	N=256	N=248	N=224	N=1526
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	5%	3%	5%	3%	4%	1%	4%
Disapprove	17%	9%	11%	10%	3%	5%	10%
Greatly disapprove	79%	87%	83%	87%	93%	93%	87%
, , , ,	N=290	N=234	N=236	N=202	N=211	N=240	N=1413
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	11%	4%	8%	5%	2%	2%	6%
Disapprove	16%	13%	22%	10%	6%	13%	15%
Greatly disapprove	73%	83%	70%	85%	92%	85%	79%
, ,	N=166	N=220	N=421	N=239	N=219	N=330	N=1595
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	16%	9%	3%	5%	3%	1%	5%
Disapprove	29%	23%	11%	14%	8%	10%	14%
Greatly disapprove	55%	68%	86%	81%	90%	89%	81%
	N=220	N=214	N=387	N=228	N=198	N=202	N=1449

b. Having one or two drinks nearly every day

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	1%	1%	5%	6%	3%	4%	4%
Disapprove	7%	11%	9%	5%	4%	9%	8%
Greatly disapprove	91%	88%	86%	89%	93%	87%	88%
	N=272	N=219	N=227	N=274	N=242	N=181	N=1415
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	3%	1%	3%	4%	2%	1%	2%
Disapprove	15%	10%	15%	13%	7%	5%	12%
Greatly disapprove	83%	89%	82%	84%	91%	94%	86%
	N=351	N=388	N=388	N=352	N=255	N=243	N=1977
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	2%	3%	4%	4%	5%	3%	3%
Disapprove	15%	17%	16%	8%	13%	14%	14%
Greatly disapprove	83%	80%	80%	88%	83%	83%	83%
	N=269	N=225	N=300	N=256	N=248	N=224	N=1522
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	2%	4%	6%	3%	3%	2%	4%
Disapprove	18%	18%	17%	17%	7%	8%	14%
Greatly disapprove	80%	77%	77%	80%	90%	90%	82%
	N=291	N=233	N=235	N=201	N=211	N=240	N=1411
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	7%	1%	4%	5%	2%	2%	4%
Disapprove	29%	25%	21%	14%	12%	18%	20%
Greatly disapprove	64%	74%	74%	81%	85%	79%	76%
	N=164	N=221	N=424	N=239	N=219	N=330	N=1597
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	11%	4%	3%	8%	3%	2%	5%
Disapprove	32%	26%	17%	17%	15%	16%	19%
	32 /0						
Greatly disapprove	57%	69%	79%	75%	82%	82%	76%
				75% N=226	82% N=196	82% N=200	76% N=1439

c. Having five or more drinks once or twice each weekend

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	1%	1%	5%	6%	3%	4%	4%
Disapprove	7%	11%	9%	5%	4%	9%	8%
Greatly disapprove	91%	88%	86%	89%	93%	87%	88%
	N=272	N=219	N=227	N=274	N=242	N=181	N=1415
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	3%	1%	3%	4%	2%	1%	2%
Disapprove	13%	7%	12%	10%	6%	4%	9%
Greatly disapprove	84%	92%	86%	86%	92%	95%	88%
	N=351	N=387	N=390	N=352	N=255	N=242	N=1977
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	2%	5%	5%	3%	6%	6%	5%
Disapprove	17%	17%	14%	7%	9%	11%	12%
Greatly disapprove	81%	77%	80%	90%	84%	83%	83%
	N=272	N=226	N=299	N=255	N=249	N=224	N=1525
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	4%	6%	8%	4%	4%	1%	5%
Disapprove	19%	21%	19%	20%	10%	9%	16%
Greatly disapprove	77%	73%	72%	76%	87%	90%	78%
	N=288	N=233	N=237	N=202	N=209	N=240	N=1409
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	15%	6%	6%	5%	3%	5%	7%
Disapprove	31%	25%	24%	16%	14%	18%	21%
Greatly disapprove	54%	69%	70%	79%	83%	77%	72%
	N=164	N=221	N=423	N=238	N=219	N=330	N=1595
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	17%	9%	6%	8%	5%	4%	7%
Disapprove	32%	25%	20%	21%	15%	18%	21%
Greatly disapprove	51%	66%	74%	72%	80%	78%	72%
	N=219	N=212	N=387	N=229	N=198	N=202	N=1447

d. Attending a party in a private home where alcoholic beverages were available

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	2%	2%	6%	6%	3%	4%	5%
Disapprove	14%	15%	8%	9%	8%	14%	10%
Greatly disapprove	84%	83%	86%	85%	89%	82%	85%
	N=273	N=219	N=228	N=271	N=242	N=182	N=1415
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	9%	5%	7%	6%	4%	2%	6%
Disapprove	27%	27%	26%	26%	12%	11%	22%
Greatly disapprove	64%	69%	67%	69%	84%	88%	73%
	N=350	N=388	N=389	N=352	N=255	N=242	N=1976
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	8%	13%	10%	9%	11%	6%	9%
Disapprove	31%	33%	34%	20%	15%	25%	27%
Greatly disapprove	60%	54%	56%	72%	74%	69%	64%
	N=268	N=221	N=299	N=255	N=249	N=224	N=1516
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	16%	17%	16%	9%	8%	3%	12%
Disapprove	42%	41%	30%	32%	18%	15%	28%
Greatly disapprove	43%	42%	54%	59%	74%	82%	60%
	N=291	N=233	N=236	N=202	N=210	N=240	N=1412
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	30%	16%	20%	14%	8%	9%	17%
Disapprove	38%	41%	41%	21%	26%	28%	33%
Greatly disapprove	32%	44%	40%	64%	66%	62%	50%
	N=166	N=219	N=422	N=238	N=217	N=329	N=1591
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Approve	36%	27%	17%	15%	9%	12%	18%
Disapprove	33%	40%	30%	30%	24%	27%	29%
Greatly disapprove	31%	33%	53%	55%	67%	61%	53%
•	N=218	N=212	N=386	N=229	N=198	N=202	N=1445

The next questions ask about drug education.

31. Where have you learned the most about the dangers of drugs and drinking?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Family or those I live with	26%	42%	29%	26%	32%	33%	30%
School	68%	43%	64%	61%	58%	40%	58%
Other kids	1%	1%	1%	2%	1%	4%	2%
Church or temple	0%	1%	0%	3%	2%	3%	1%
TV, movies and newspaper	4%	13%	6%	8%	7%	20%	9%
i v, movies and newspaper							
	N=267	N=212	N=217	N=273	N=242	N=184	N=1395
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Family or those I live with	29%	28%	29%	25%	26%	22%	27%
School	57%	57%	56%	60%	60%	61%	58%
Other kids	3%	5%	6%	4%	3%	3%	4%
Church or temple	2%	2%	2%	3%	4%	2%	2%
TV, movies and newspaper	9%	8%	8%	8%	7%	13%	9%
TV, movies and newspaper	N=330	N=366	N=357	N=332	N=229	N=227	9 70 N=1841
		71-000	71-507	71-552	71-220	,,	11-1011
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Family or those I live with	26%	23%	29%	23%	21%	30%	26%
School	50%	58%	54%	61%	61%	49%	55%
Other kids	10%	5%	10%	5%	7%	10%	8%
	1%			4%	6%	5%	3%
Church or temple		1%	3%				
TV, movies and newspaper	13%	13%	5%	7%	6%	7%	8%
	N=257	N=215	N=280	N=252	N=227	N=219	N=1450
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Family or those I live with	23%	24%	35%	33%	21%	21%	28%
School	55%	56%	35%	47%	59%	59%	48%
Other kids	13%	8%	13%	7%	6%	9%	10%
Church or temple	1%	2%	2%	7%	6%	3%	3%
·	9%	11%	15%	7%	8%	8%	11%
TV, movies and newspaper							
	N=277	N=225	N=223	N=195	N=197	N=226	N=1343
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Family or those I live with	25%	31%	25%	24%	23%	18%	24%
School	57%	52%	46%	51%	50%	58%	52%
Other kids	11%	4%	13%	12%	6%	10%	10%
Church or temple	0%	2%	2%	3%	11%	6%	4%
TV, movies and newspaper	8%	10%	14%	11%	10%	8%	11%
I V, Illovies and newspaper	0 /6 N=157	N=210	N=398	N=227	N=205	N=315	N=1512
	N=157	N=210	N=398	N=227	N=205	N=315	N=1512
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Family or those I live with	17%	26%	31%	24%	21%	26%	26%
School	51%	42%	36%	53%	51%	49%	45%
Other kids	16%	19%	12%	6%	11%	12%	12%
Church or temple	3%	2%	6%	8%	8%	5%	6%
TV, movies and newspaper	14%	11%	15%	9%	8%	8%	12%
i v, movies and newspaper	14/0	11/0	10/0	J/0	U /0	0 /0	14/0
	N=205	N=195	N=369	N=217	N=183	N=195	N=1364

32. At what grade level do you think alcohol and drug education should begin?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
3rd or less	28%	44%	47%	36%	50%	46%	43%
4th or 5th	43%	16%	23%	27%	16%	15%	23%
6th, 7th, 8th	12%	13%	7%	12%	10%	13%	10%
9th or 10th	3%	4%	2%	4%	4%	4%	3%
11th or 12th	15%	23%	21%	22%	19%	23%	21%
	N=268	N=217	N=224	N=278	N=238	N=180	N=1405
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
3rd or less	37%	37%	46%	33%	50%	37%	41%
4th or 5th	38%	34%	28%	34%	21%	34%	31%
6th, 7th, 8th	16%	22%	18%	23%	14%	21%	19%
9th or 10th	2%	2%	3%	2%	3%	3%	3%
11th or 12th	7%	5%	5%	8%	12%	5%	7%
	N=349	N=383	N=381	N=348	N=256	N=237	N=1954
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
3rd or less	40%	42%	42%	36%	44%	30%	39%
4th or 5th	34%	30%	32%	34%	27%	32%	32%
6th, 7th, 8th	21%	20%	18%	25%	16%	30%	22%
9th or 10th	2%	4%	3%	2%	6%	5%	3%
11th or 12th	4%	4%	5%	3%	7%	4%	4%
	N=262	N=225	N=300	N=250	N=243	N=220	N=1500
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
3rd or less	30%	33%	35%	41%	50%	37%	37%
4th or 5th	33%	32%	32%	21%	29%	35%	31%
6th, 7th, 8th	31%	30%	24%	31%	14%	23%	25%
9th or 10th	4%	3%	3%	4%	4%	2%	3%
11th or 12th	2%	3%	5%	4%	4%	3%	4%
	N=285	N=229	N=237	N=199	N=207	N=237	N=1394
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
3rd or less	36%	34%	30%	31%	38%	37%	34%
4th or 5th	31%	35%	34%	32%	29%	29%	32%
6th, 7th, 8th	29%	28%	31%	30%	28%	28%	29%
9th or 10th	1%	1%	2%	5%	1%	3%	3%
11th or 12th	2%	2%	2%	3%	5%	3%	3%
	N=162	N=215	N=412	N=238	N=214	N=325	N=1566
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
3rd or less	26%	28%	35%	40%	46%	35%	35%
4th or 5th	34%	31%	31%	32%	28%	26%	30%
6th, 7th, 8th	33%	37%	30%	24%	21%	33%	29%
9th or 10th	0%	4%	2%	3%	2%	6%	3%
11th or 12th	6%	2%	3%	2%	4%	1%	3%
	N=220	N=200	N=385	N=225	N=196	N=199	N=1425

a. Types of drugs and what drugs do to people.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	4%	9%	7%	7%	8%	11%	8%
Learned a little	3%	9%	6%	8%	7%	12%	7%
Learned some	23%	31%	15%	17%	28%	25%	20%
Learned a lot	70%	51%	72%	67%	57%	52%	65%
	N=277	N=228	N=232	N=284	N=247	N=188	N=1456
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	8%	8%	12%	9%	7%	3%	8%
Learned a little	17%	13%	15%	13%	13%	10%	14%
Learned some	34%	36%	37%	31%	32%	30%	34%
Learned a lot	41%	43%	37%	47%	48%	58%	44%
Edulida d lot	N=355	N=387	N=390	N=357	N=262	N=244	N=1995
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	13%	13%	9%	11%	15%	12%	11%
Learned a little	18%	12%	17%	12%	10%	19%	15%
Learned some	39%	41%	41%	36%	34%	37%	38%
Learned a lot	31%	34%	34%	40%	41%	32%	35%
Learned a lot							
	N=271	N=228	N=303	N=256	N=248	N=224	N=1530
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	9%	7%	20%	13%	10%	12%	14%
Learned a little	21%	22%	27%	23%	22%	13%	22%
Learned some	49%	45%	35%	40%	41%	41%	40%
Learned a lot	20%	26%	19%	25%	26%	34%	24%
	N=289	N=233	N=237	N=200	N=210	N=237	N=1406
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	17%	9%	11%	11%	13%	14%	13%
Learned a little	20%	21%	25%	19%	20%	16%	21%
Learned some	43%	42%	40%	44%	44%	39%	41%
Learned a lot	20%	29%	23%	26%	23%	30%	25%
	N=166	N=221	N=424	N=240	N=220	N=328	N=1599
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	11%	14%	14%	9%	15%	12%	12%
Learned a little	19%	27%	25%	21%	15%	22%	22%
Learned some			40%	50%	41%	47%	43%
	36%	41%	40%	3U7n			
		41% 17%					
Learned a lot	36% 33% N=221	41% 17% N=211	21% N=388	21% N=229	30% N=199	20% N=200	23% N=1448

b. How to say "no" to kids who want you to use drugs or alcohol.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	2%	5%	3%	5%	6%	7%	4%
Learned a little	3%	5%	2%	3%	2%	7%	4%
Learned some	9%	11%	9%	9%	8%	9%	9%
Learned a lot	86%	80%	86%	83%	83%	76%	83%
	N=276	N=226	N=231	N=283	N=245	N=187	N=1448
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	8%	8%	9%	7%	6%	2%	7%
Learned a little	11%	9%	12%	9%	5%	6%	9%
Learned some	20%	24%	21%	17%	16%	19%	19%
Learned a lot	61%	59%	58%	67%	73%	73%	64%
	N=355	N=390	N=392	N=355	N=262	N=244	N=1998
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	10%	11%	7%	9%	11%	9%	9%
Learned a little	17%	14%	14%	8%	11%	11%	13%
Learned some	29%	25%	25%	25%	15%	30%	25%
Learned a lot	44%	50%	54%	59%	63%	50%	54%
Learned a lot	N=271	N=228	N=303	N=257	N=250	N=225	N=1534
	N=271	N=228	N=3U3	N=257	N=250	N=225	N=1534
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	11%	10%	16%	8%	7%	6%	11%
Learned a little	15%	12%	20%	16%	13%	13%	16%
Learned some	32%	31%	24%	27%	32%	28%	28%
Learned a lot	43%	46%	39%	49%	48%	52%	45%
	N=288	N=233	N=237	N=199	N=210	N=237	N=1404
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	18%	6%	12%	9%	10%	13%	12%
Learned a little	22%	20%	19%	18%	15%	9%	17%
Learned some	23%	31%	27%	32%	33%	30%	29%
Learned a lot	37%	42%	42%	41%	41%	47%	42%
	N=166	N=220	N=422	N=238	N=220	N=328	N=1594
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	14%	12%	13%	9%	12%	9%	11%
Learned a little	23%	26%	22%	18%	20%	16%	20%
Learned some	24%	30%	31%	38%	28%	40%	33%
Learned a lot	38%	32%	34%	35%	40%	36%	35%
	N=222	N=210	N=388	N=229	N=199	N=200	N=1448
			550				

c. How to make good decisions in life.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	3%	6%	3%	7%	7%	10%	6%
Learned a little	6%	12%	4%	7%	4%	7%	6%
Learned some	20%	17%	15%	14%	20%	19%	17%
Learned a lot	72%	65%	77%	71%	69%	63%	72%
	N=276	N=229	N=231	N=283	N=245	N=187	N=1451
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	9%	8%	10%	6%	6%	4%	8%
Learned a little	14%	15%	17%	11%	8%	10%	13%
Learned some	24%	32%	23%	27%	27%	27%	26%
Learned a lot	54%	45%	50%	55%	58%	59%	53%
	N=355	N=388	N=391	N=355	N=262	N=242	N=1993
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	12%	15%	9%	12%	11%	9%	11%
Learned a little	20%	13%	17%	11%	12%	16%	15%
Learned some	31%	32%	29%	30%	27%	30%	30%
Learned a lot	37%	39%	46%	47%	50%	44%	45%
	N=271	N=226	N=303	N=257	N=250	N=225	N=1532
0 1 10	Pagion 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Grade 10	Region 1						
Grade 10 Don't remember	10%	10%	17%	8%	10%	10%	12%
	•	•	•	•	10% 16%	•	12% 18%
Don't remember	10%	10%	17%	8%		10%	
Don't remember Learned a little	10% 22%	10% 24%	17% 18%	8% 18%	16%	10% 15%	18%
Don't remember Learned a little Learned some	10% 22% 36%	10% 24% 37%	17% 18% 28%	8% 18% 33%	16% 36%	10% 15% 33%	18% 32%
Don't remember Learned a little Learned some	10% 22% 36% 33%	10% 24% 37% 29%	17% 18% 28% 37%	8% 18% 33% 41%	16% 36% 38%	10% 15% 33% 42%	18% 32% 38%
Don't remember Learned a little Learned some Learned a lot	10% 22% 36% 33% N=287	10% 24% 37% 29% N=233	17% 18% 28% 37% N=237	8% 18% 33% 41% N=199	16% 36% 38% N=210	10% 15% 33% 42% N=237	18% 32% 38% N=1403
Don't remember Learned a little Learned some Learned a lot Grade 11	10% 22% 36% 33% №287 Region 1	10% 24% 37% 29% N=233 Region 2	17% 18% 28% 37% N=237	8% 18% 33% 41% <i>N=199</i> Region 4	16% 36% 38% N=210 Region 5	10% 15% 33% 42% №237	18% 32% 38% N=1403 State
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember	10% 22% 36% 33% №287 Region 1 18%	10% 24% 37% 29% №233 Region 2 8%	17% 18% 28% 37% №=237 Region 3 11%	8% 18% 33% 41% №=199 Region 4	16% 36% 38% N=210 Region 5 11%	10% 15% 33% 42% №237 Region 6 13%	18% 32% 38% <i>N=1403</i> State 12%
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little	10% 22% 36% 33% №=287 Region 1 18% 19%	10% 24% 37% 29% N=233 Region 2 8% 17%	17% 18% 28% 37% N=237 Region 3 11% 23%	8% 18% 33% 41% N=199 Region 4 8% 20%	16% 36% 38% №=210 Region 5 11% 19%	10% 15% 33% 42% N=237 Region 6 13% 16%	18% 32% 38% <i>N=1403</i> State 12% 19%
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little Learned some	10% 22% 36% 33% №=287 Region 1 18% 19% 35%	10% 24% 37% 29% №233 Region 2 8% 17% 35%	17% 18% 28% 37% N=237 Region 3 11% 23% 34%	8% 18% 33% 41% N=199 Region 4 8% 20% 36%	16% 36% 38% N=210 Region 5 11% 19% 33%	10% 15% 33% 42% N=237 Region 6 13% 16% 35%	18% 32% 38% <i>N=1403</i> State 12% 19% 34%
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little Learned some	10% 22% 36% 33% №=287 Region 1 18% 19% 35% 28%	10% 24% 37% 29% №233 Region 2 8% 17% 35% 40%	17% 18% 28% 37% N=237 Region 3 11% 23% 34% 32%	8% 18% 33% 41% N=199 Region 4 8% 20% 36% 36%	16% 36% 38% N=210 Region 5 11% 19% 33% 37%	10% 15% 33% 42% N=237 Region 6 13% 16% 35% 37%	18% 32% 38% N=1403 State 12% 19% 34% 34%
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little Learned some Learned a lot	10% 22% 36% 33% №=287 Region 1 18% 19% 35% 28% №=165	10% 24% 37% 29% №233 Region 2 8% 17% 35% 40%	17% 18% 28% 37% N=237 Region 3 11% 23% 34% 32% N=421	8% 18% 33% 41% №=199 Region 4 8% 20% 36% 36% N=240	16% 36% 38% №210 Region 5 11% 19% 33% 37% №220	10% 15% 33% 42% N=237 Region 6 13% 16% 35% 37% N=327	18% 32% 38% N=1403 State 12% 19% 34% 34% N=1593
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little Learned some Learned a lot Grade 12	10% 22% 36% 33% №=287 Region 1 18% 19% 35% 28% №=165	10% 24% 37% 29% N=233 Region 2 8% 17% 35% 40% N=220	17% 18% 28% 37% N=237 Region 3 11% 23% 34% 32% N=421 Region 3	8% 18% 33% 41% №199 Region 4 8% 20% 36% 36% №240 Region 4	16% 36% 38% №210 Region 5 11% 19% 33% 37% №220 Region 5	10% 15% 33% 42% №237 Region 6 13% 16% 35% 37% №327	18% 32% 38% №1403 State 12% 19% 34% №1593 State
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little Learned some Learned a lot Grade 12 Don't remember	10% 22% 36% 33% N=287 Region 1 18% 19% 35% 28% N=165 Region 1 13%	10% 24% 37% 29% N=233 Region 2 8% 17% 35% 40% N=220 Region 2 13%	17% 18% 28% 37% N=237 Region 3 11% 23% 34% 32% N=421 Region 3 12%	8% 18% 33% 41% N=199 Region 4 8% 20% 36% 36% N=240 Region 4 9%	16% 36% 38% №210 Region 5 11% 19% 33% 37% №220 Region 5 13%	10% 15% 33% 42% №237 Region 6 13% 16% 35% 37% №327 Region 6 11%	18% 32% 38% N=1403 State 12% 19% 34% N=1593 State 12%
Don't remember Learned a little Learned some Learned a lot Grade 11 Don't remember Learned a little Learned some Learned a lot Grade 12 Don't remember Learned a little	10% 22% 36% 33% N=287 Region 1 18% 19% 35% 28% N=165 Region 1 13% 22%	10% 24% 37% 29% №233 Region 2 8% 17% 35% 40% №220 Region 2 13% 37%	17% 18% 28% 37% N=237 Region 3 11% 23% 34% 32% N=421 Region 3 12% 24%	8% 18% 33% 41% N=199 Region 4 8% 20% 36% 36% N=240 Region 4 9% 19%	16% 36% 38% N=210 Region 5 11% 19% 33% 37% N=220 Region 5 13% 20%	10% 15% 33% 42% N=237 Region 6 13% 16% 35% 37% N=327 Region 6 11% 15%	18% 32% 38% N=1403 State 12% 19% 34% N=1593 State 12% 22%

d. Healthy things to do rather than take drugs or drink alcohol.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	4%	7%	6%	8%	7%	10%	7%
Learned a little	5%	5%	4%	5%	6%	9%	6%
Learned some	15%	21%	11%	15%	12%	11%	13%
Learned a lot	76%	66%	78%	73%	75%	71%	75%
	N=275	N=228	N=230	N=282	N=243	N=187	N=1445
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	12%	9%	11%	9%	8%	4%	9%
Learned a little	13%	15%	17%	12%	8%	8%	13%
Learned some	24%	25%	24%	23%	21%	26%	24%
Learned a lot	51%	51%	48%	56%	64%	62%	54%
204.1100 4.101	N=355	N=389	N=391	N=355	N=261	N=242	N=1993
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	13%	14%	9%	11%	14%	12%	11%
Learned a little	18%	14%	19%	11%	14%	19%	17%
Learned some	28%	30%	26%	25%	21%	26%	26%
Learned a lot	42%	42%	47%	53%	51%	43%	46%
Learned a lot							
	N=269	N=227	N=303	N=256	N=249	N=225	N=1529
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	13%	12%	20%	12%	11%	11%	15%
Learned a little	23%	24%	19%	16%	16%	18%	19%
Learned some	36%	30%	31%	30%	32%	27%	31%
Learned a lot	28%	33%	31%	42%	41%	44%	36%
	N=289	N=233	N=237	N=199	N=209	N=237	N=1404
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	20%	10%	14%	12%	13%	16%	15%
Learned a little	23%	19%	25%	17%	20%	14%	20%
Learned some	31%	37%	30%	35%	35%	32%	33%
Learned a lot	25%	34%	31%	36%	31%	38%	32%
	N=166	N=221	N=419	N=240	N=220	N=328	N=1594
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Don't remember	16%	15%	13%	11%	16%	13%	13%
Learned a little	27%	35%	25%	24%	20%	18%	24%
Learned some	27%	22%	34%	35%	33%	36%	33%
Learned a lot	31%	28%	27%	30%	32%	33%	30%
Eduliou a lot				N=229	N=199	N=198	N=1444
	N=222	N=210	N=386	N=229	N=199	N=198	N=1444

If you or a friend had a problem with alcohol or drugs, does your school provide:

34. A counselor or other school staff to discuss the problem.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	77%	52%	64%	61%	67%	57%	64%
No	5%	5%	7%	8%	7%	4%	6%
I'm not sure	18%	42%	29%	31%	26%	38%	30%
	N=266	N=224	N=225	N=276	N=246	N=188	N=1425
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	66%	66%	71%	62%	63%	63%	66%
No	6%	6%	7%	7%	7%	7%	7%
I'm not sure	28%	29%	22%	30%	30%	30%	27%
	N=350	N=389	N=385	N=356	N=258	N=243	N=1981
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	53%	60%	69%	59%	50%	56%	60%
No	7%	7%	7%	5%	9%	5%	7%
I'm not sure	40%	33%	24%	36%	41%	39%	34%
	N=271	N=229	N=301	N=258	N=250	N=224	N=1533
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	61%	66%	72%	64%	67%	67%	68%
No	3%	5%	8%	8%	4%	3%	6%
I'm not sure	35%	29%	20%	29%	29%	31%	27%
	N=290	N=233	N=235	N=199	N=208	N=238	N=1403
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	79%	70%	60%	67%	52%	62%	64%
No	2%	5%	6%	8%	8%	6%	6%
I'm not sure	19%	24%	34%	26%	39%	32%	30%
	N=164	N=222	N=423	N=236	N=218	N=328	N=1591
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	66%	75%	63%	74%	45%	66%	64%
No	8%	8%	10%	8%	10%	10%	9%
I'm not sure	26%	17%	27%	18%	45%	25%	27%
	N=224	N=214	N=387	N=232	N=199	N=200	N=1456

35. A support group of students with similar concerns.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	18%	16%	15%	19%	17%	16%	16%
No	14%	13%	19%	17%	15%	19%	17%
I'm not sure	68%	70%	66%	64%	68%	65%	66%
	N=266	N=223	N=225	N=273	N=247	N=182	N=1416
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	16%	22%	22%	20%	17%	12%	19%
No	25%	20%	21%	17%	26%	26%	22%
I'm not sure	59%	58%	57%	64%	56%	62%	59%
	N=350	N=389	N=385	N=354	N=257	N=243	N=1978
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	14%	16%	18%	8%	20%	10%	14%
No	16%	21%	17%	21%	18%	18%	18%
I'm not sure	69%	64%	65%	71%	62%	72%	68%
	N=270	N=229	N=301	N=258	N=248	N=224	N=1530
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	16%	8%	32%	47%	22%	38%	31%
No	16%	43%	17%	14%	23%	11%	18%
I'm not sure	67%	49%	51%	40%	55%	51%	52%
	N=289	N=232	N=234	N=200	N=208	N=238	N=1401
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	27%	15%	23%	15%	12%	26%	21%
No	24%	36%	17%	31%	22%	18%	22%
I'm not sure	49%	48%	61%	54%	65%	57%	57%
	N=164	N=222	N=425	N=237	N=219	N=328	N=1595
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	20%	23%	20%	41%	24%	11%	22%
No	35%	27%	31%	24%	23%	41%	31%
I'm not sure	45%	50%	49%	35%	53%	48%	47%
	N=224	N=214	N=387	N=230	N=199	N=200	N=1454

36. Does your school provide students to talk to who have been trained to assist students with problems and to refer them to help? (Peer Assistants, Natural Helpers, etc.)

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	17%	17%	24%	28%	29%	31%	25%
No	20%	19%	12%	14%	17%	14%	14%
I'm not sure	62%	63%	64%	58%	54%	55%	60%
	N=276	N=232	N=226	N=280	N=245	N=188	N=1447
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	42%	30%	50%	13%	45%	23%	37%
No	19%	14%	13%	16%	13%	23%	16%
I'm not sure	39%	55%	37%	70%	41%	54%	47%
	N=355	N=388	N=397	N=359	N=263	N=244	N=2006
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	23%	33%	29%	34%	26%	27%	29%
No	12%	16%	15%	13%	10%	15%	14%
I'm not sure	65%	51%	56%	52%	64%	58%	58%
	N=269	N=230	N=298	N=258	N=250	N=224	N=1529
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	71%	18%	60%	46%	42%	49%	52%
No	7%	32%	8%	16%	18%	9%	12%
I'm not sure	21%	50%	33%	38%	40%	42%	36%
	N=289	N=234	N=239	N=200	N=210	N=239	N=1411
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	67%	44%	41%	47%	27%	41%	44%
No	9%	22%	11%	18%	19%	17%	15%
I'm not sure	24%	34%	48%	35%	54%	42%	42%
	N=164	N=222	N=425	N=239	N=216	N=332	N=1598
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	21%	58%	40%	57%	19%	10%	33%
No	33%	19%	27%	16%	28%	44%	29%
I'm not sure	47%	23%	32%	27%	52%	47%	38%
	N=218	N=211	N=386	N=231	N=202	N=200	N=1448

37. During the past 30 days how many times have you been in a car, truck or on a motorcycle driven by someone who had been drinking alcohol or using drugs?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	76%	81%	82%	77%	84%	81%	81%
1 time	10%	6%	6%	10%	7%	8%	8%
2 or 3 times	6%	7%	4%	6%	3%	5%	5%
4 or 5 times	1%	1%	3%	2%	1%	2%	2%
6 or more times	7%	4%	4%	5%	5%	4%	5%
	N=271	N=232	N=224	N=279	N=241	N=189	N=1436
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	71%	82%	76%	73%	83%	87%	78%
1 time	13%	7%	10%	13%	6%	5%	9%
2 or 3 times	6%	5%	7%	7%	4%	4%	6%
			2%		2%		2%
4 or 5 times	4%	3%		2%		2%	
6 or more times	5%	3%	6%	4%	5%	3%	5%
	N=350	N=388	N=401	N=356	N=264	N=243	N=2002
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	68%	69%	69%	82%	78%	75%	74%
1 time	12%	12%	11%	5%	8%	9%	9%
2 or 3 times	9%	10%	8%	6%	8%	7%	8%
4 or 5 times	7%	4%	4%	4%	2%	2%	4%
6 or more times	4%	6%	7%	4%	3%	6%	6%
	N=271	N=230	N=295	N=257	N=248	N=224	N=1525
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	71%	68%	68%	73%	74%	85%	73%
1 time	10%	13%	10%	10%	12%	5%	9%
2 or 3 times	8%	11%	11%	11%	8%	4%	9%
4 or 5 times	5%	2%	3%	3%	3%	3%	3%
6 or more times	6%	6%	3 <i>%</i> 8%	4%	3%	3%	5%
o of more times	0 76 N=290	N=232	N=236	4 70 N=200	3 /6 N=207	N=239	N=1404
							_
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	66%	72%	63%	79%	77%	73%	70%
1 time	13%	9%	15%	5%	7%	10%	11%
2 or 3 times	10%	10%	11%	9%	8%	12%	10%
4 or 5 times	2%	4%	4%	3%	3%	2%	3%
4 Or 5 times	270	.,0					
6 or more times	9%	6%	5%	4%	5%	4%	5%
			5% N=427				5% N=1598
6 or more times	9% N=164	6% N=220	N=427	4 % <i>№</i> 239	5% N=216	4% N=332	N=1598
6 or more times Grade 12	9% _{N=164} Region 1	6% N=220 Region 2	N=427 Region 3	4% N=239 Region 4	5% N=216 Region 5	4% <i>№</i> 332 Region 6	N=1598 State
6 or more times Grade 12 None	9% _{N=164} Region 1 66%	6% N=220 Region 2 70%	N=427 Region 3 76%	4% N=239 Region 4 59%	5% _{N=216} Region 5 75%	4% N=332 Region 6 73%	N=1598 State 71%
6 or more times Grade 12 None 1 time	9% ^{N=164} Region 1 66% 11%	6% N=220 Region 2 70% 8%	N=427 Region 3 76% 9%	4% N=239 Region 4 59% 14%	5% N=216 Region 5 75% 8%	4% <i>N</i> =332 Region 6 73% 9%	N=1598 State 71% 10%
Grade 12 None 1 time 2 or 3 times	9% N=164 Region 1 66% 11% 11%	6% N=220 Region 2 70% 8% 7%	N=427 Region 3 76% 9% 7%	4% N=239 Region 4 59% 14% 14%	5% N=216 Region 5 75% 8% 8%	4% N=332 Region 6 73% 9% 11%	N=1598 State 71% 10%
6 or more times Grade 12 None 1 time 2 or 3 times 4 or 5 times	9% N=164 Region 1 66% 11% 11% 2%	6% N=220 Region 2 70% 8% 7% 5%	N=427 Region 3 76% 9% 7% 2%	4% N=239 Region 4 59% 14% 14% 7%	5% N=216 Region 5 75% 8% 8% 2%	4% N=332 Region 6 73% 9% 11% 3%	N=1598 State 71% 10% 10% 3%
Grade 12 None 1 time 2 or 3 times	9% N=164 Region 1 66% 11% 11%	6% N=220 Region 2 70% 8% 7%	N=427 Region 3 76% 9% 7%	4% N=239 Region 4 59% 14% 14%	5% N=216 Region 5 75% 8% 8%	4% N=332 Region 6 73% 9% 11%	N=1598 State 71% 10%

38. During the past 30 days how many times did you drive a car, truck or motorcycle while or after drinking alcohol or using drugs?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	98%	97%	97%	96%	96%	97%	97%
1 time	1%	1%	1%	3%	2%	1%	1%
2 or 3 times	0%	0%	0%	0%	0%	1%	0%
4 or 5 times	0%	0%	0%	0%	0%	1%	0%
6 or more times	0%	1%	0%	1%	1%	1%	1%
	N=274	N=236	N=227	N=278	N=246	N=182	N=1443
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	93%	95%	94%	94%	97%	97%	95%
1 time	4%	3%	2%	3%	1%	0%	2%
2 or 3 times	2%	1%	2%	1%	1%	1%	1%
4 or 5 times	0%	0%	0%	1%	0%	0%	0%
6 or more times	1%	1%	2%	1%	1%	1%	1%
o or more arrive	N=354	N=389	N=396	N=358	N=265	N=242	N=2004
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	92%	92%	89%	96%	91%	94%	92%
1 time	2%	3%	3%	2%	5%	3%	3%
2 or 3 times	2%	3%	4%	1%	2%	1%	2%
	2%	3% 0%	1%	0%	2% 0%	0%	2% 1%
4 or 5 times							
6 or more times	3%	2%	3%	1%	2%	1%	2%
	N=272	N=230	N=296	N=256	N=249	N=224	N=1527
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	91%	89%	87%	89%	89%	95%	90%
1 time	3%	6%	5%	4%	5%	1%	4%
2 or 3 times	3%	2%	3%	4%	3%	1%	3%
4 or 5 times	2%	1%	2%	2%	2%	1%	2%
6 or more times	1%	2%	3%	2%	1%	1%	2%
	N=290	N=234	N=238	N=200	N=209	N=238	N=1409
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	78%	85%	81%	86%	89%	87%	84%
1 time	7%	9%	8%	4%	3%	4%	6%
2 or 3 times	6%	3%	7%	6%	4%	5%	6%
4 or 5 times	3%	1%	2%	2%	2%	2%	2%
6 or more times	6%	2%	2%	2%	2%	2%	3%
o or more arrive	N=165	N=220	N=429	N=238	N=216	N=332	N=1600
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	77%	79%	85%	77%	84%	88%	83%
1 time	8%	7%	7%	8%	6%	5%	7%
2 or 3 times	6%	4%	5%	8%	4%	4%	5%
4 or 5 times	0%	4%	1%	3%	0%	1%	1%
6 or more times	8%	7%	2%	3%	5%	1%	3%
	N=219	N=213	N=387	N=231	N=202	N=202	N=1454

39. During the past 30 days how many times have you carried a weapon, such as a gun, knife or club for self-protection, or because you thought you might need it in a fight?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	89%	89%	88%	87%	94%	88%	89%
1 time	3%	2%	3%	6%	1%	4%	3%
2 or 3 times	2%	4%	6%	4%	3%	3%	4%
4 or 5 times	2%	1%	1%	1%	0%	1%	1%
6 or more times	4%	4%	2%	4%	1%	4%	3%
	N=257	N=209	N=211	N=252	N=216	N=163	N=1308
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	86%	86%	80%	82%	88%	88%	83%
1 time	3%	2%	4%	7%	2%	4%	4%
2 or 3 times	5%	5%	6%	7%	4%	3%	5%
4 or 5 times	1%	1%	2%	1%	1%	0%	1%
6 or more times	6%	6%	8%	3%	5%	4%	6%
	N=322	N=340	N=361	N=330	N=244	N=203	N=1800
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	81%	87%	77%	82%	83%	79%	80%
1 time	4%	3%	4%	6%	6%	3%	4%
2 or 3 times	8%	4%	8%	3%	5%	6%	6%
4 or 5 times	1%	2%	2%	1%	2%	3%	2%
6 or more times	6%	3%	9%	7%	5%	8%	7%
o or more times	N=251	N=203	N=262	N=208	N=218	N=203	N=1345
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	81%	86%	78%	84%	79%	84%	81%
1 time	6%	1%	3%	2%	3%	3%	3%
2 or 3 times	6%	5%	10%	6%	5%	4%	7%
	1%	2%	2%	2%	2%	2%	2%
4 or 5 times							
6 or more times	6%	5%	7%	7%	10%	6%	7%
	N=247	N=204	N=224	N=167	N=186	N=201	N=1229
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	83%	84%	75%	84%	81%	78%	79%
1 time	2%	3%	5%	2%	5%	5%	4%
2 or 3 times	5%	5%	8%	7%	6%	6%	7%
4 or 5 times	2%	1%	2%	2%	2%	3%	2%
6 or more times	8%	6%	9%	6%	6%	8%	8%
	N=133	N=185	N=366	N=192	N=172	N=285	N=1333
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
None	79%	83%	81%	82%	89%	83%	82%
1 time	5%	3%	3%	2%	2%	2%	3%
2 or 3 times	6%	6%	6%	8%	3%	5%	6%
4 or 5 times	2%	1%	2%	2%	0%	1%	1%
6 or more times	276 8%	7%	2% 9%	2% 6%	6%	9%	8%
o or more times	8% N=202	1 % N=167	9% <i>N</i> =336	0% N=185	0% N=171	9% N=176	8% N=1237

40. Have you ever carried a weapon to school?

Grade 6 Yes	Region 1 7%	Region 2 4%	Region 3 7%	Region 4 4%	Region 5 3%	Region 6 6%	State 6%
No	93%	96%	93%	96%	97%	94%	94%
	N=281	N=235	N=230	N=284	N=250	N=190	N=1470
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	11%	12%	10%	11%	9%	9%	10%
No	89%	88%	90%	89%	91%	91%	90%
	N=354	N=389	N=396	N=358	N=265	N=245	N=2007
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	13%	13%	18%	8%	12%	17%	14%
No	87%	87%	82%	92%	88%	83%	86%
	N=270	N=230	N=298	N=259	N=249	N=223	N=1529
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	14%	11%	22%	9%	18%	11%	16%
No	86%	89%	78%	91%	82%	89%	84%
	N=290	N=234	N=239	N=196	N=210	N=237	N=1406
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	10%	12%	13%	9%	12%	12%	12%
No	90%	88%	87%	91%	88%	88%	88%
	N=165	N=223	N=428	N=240	N=217	N=332	N=1605
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	12%	10%	15%	10%	9%	13%	13%
No	88%	90%	85%	90%	91%	87%	87%
	N=220	N=213	N=387	N=231	N=202	N=202	N=1455

41. What kind of weapon did you usually carry? Choose the best answer.

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Did not carry a weapon	88%	89%	90%	86%	93%	89%	89%
Handgun	0%	1%	0%	1%	1%	1%	0%
Rifle or shotgun	0%	0%	0%	1%	0%	1%	1%
Knife or razor	10%	6%	8%	7%	4%	6%	7%
Club, stick, bat, pipe or some other weapon	2%	4%	2%	5%	2%	2%	3%
•	N=272	N=230	N=220	N=281	N=245	N=186	N=1434
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Did not carry a weapon	82%	85%	80%	81%	85%	89%	83%
Handgun	2%	1%	2%	2%	1%	1%	2%
Rifle or shotgun	1%	1%	1%	0%	0%	0%	0%
Knife or razor	13%	11%	15%	12%	12%	8%	13%
Club, stick, bat, pipe or some other weapon	3%	2%	3%	5%	2%	1%	3%
,,,,	N=345	N=376	N=385	N=349	N=260	N=238	N=1953
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Did not carry a weapon	78%	83%	76%	84%	84%	76%	79%
Handgun	2%	0%	1%	0%	1%	1%	1%
Rifle or shotgun	2%	0%	1%	1%	0%	0%	1%
Knife or razor	13%	15%	17%	12%	13%	20%	16%
Club, stick, bat, pipe or some other weapon	5%	1%	4%	3%	2%	2%	3%
olds, slick, bat, pipe of some stiller weapon	N=262	N=226	N=292	N=251	N=245	N=217	N=1493
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Did not carry a weapon	80%	84%	73%	86%	76%	82%	79%
Handgun	1%	1%	3%	2%	1%	3%	2%
Rifle or shotgun	1%	2%	3%	1%	1%	2%	2%
Knife or razor	15%	10%	17%	9%	17%	10%	14%
Club, stick, bat, pipe or some other weapon	3%	3%	3%	2%	4%	4%	3%
olds, stick, bat, pipe of some other weapon	N=279	N=226	N=230	N=190	N=202	N=229	N=1356
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Did not carry a weapon	79%	82%	77%	82%	81%	79%	79%
Handgun	1%	0%	2%	1%	3%	3%	2%
Rifle or shotgun	1%	1%	1%	1%	1%	2%	1%
<u> </u>	14%	11%	15%	11%	11%	11%	13%
Knife or razor					4%	6%	
Club, stick, bat, pipe or some other weapon	5% <i>N</i> =155	4% №211	6% N=402	5% N=228	4% N=207	0% N=317	5% N=1520
Crada 42	Danian 4	Derien C	Decise C	Denien 4	Danian 5	Danien C	Ctat-
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Did not carry a weapon	78%	84%	81%	84%	87%	81%	82%
Handgun	2%	2%	2%	1%	1%	0%	1%
Rifle or shotgun	2%	1%	2%	1%	4%	2%	2%
Knife or razor	13%	10%	11%	9%	5%	13%	11%
Club, stick, bat, pipe or some other weapon	5%	3%	4%	5%	4%	5%	5%
	N=205	N=196	N=372	N=216	N=195	N=191	N=1375

42. Is it okay to physically hurt someone if they disrespect you or your friends, or call you names?

Grade 6 Yes	Region 1 8%	Region 2 7%	Region 3 5%	Region 4 6%	Region 5 9%	Region 6 8%	State 7%
No	93%	93%	95%	94%	91%	92%	93%
	N=280	N=226	N=230	N=281	N=246	N=190	N=1453
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	23%	20%	19%	17%	19%	10%	18%
No	77%	80%	81%	83%	81%	90%	82%
	N=352	N=384	N=388	N=356	N=261	N=242	N=1983
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	25%	22%	22%	21%	21%	28%	24%
No	75%	78%	78%	79%	79%	72%	76%
	N=270	N=228	N=294	N=256	N=245	N=221	N=1514
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	23%	22%	31%	24%	26%	18%	25%
No	77%	78%	69%	76%	74%	82%	75%
	N=284	N=231	N=236	N=198	N=209	N=236	N=1394
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	30%	22%	23%	26%	29%	21%	25%
No	70%	78%	77%	74%	71%	79%	75%
	N=164	N=222	N=425	N=239	N=217	N=329	N=1596
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	25%	18%	27%	26%	29%	20%	25%
No	75%	82%	73%	74%	71%	80%	75%
	N=217	N=212	N=386	N=230	N=202	N=201	N=1448

43. Are you a member of a gang, posse, crew or other group which uses violence or threats of violence for protection or to gain respect?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	2%	3%	1%	3%	1%	6%	2%
No	98%	97%	99%	97%	99%	94%	98%
	N=277	N=230	N=227	N=284	N=247	N=190	N=1455
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	7%	4%	8%	6%	7%	2%	6%
No	93%	96%	92%	94%	93%	98%	94%
	N=353	N=385	N=396	N=358	N=263	N=244	N=1999
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	10%	6%	9%	3%	8%	4%	7%
No	90%	94%	91%	97%	92%	96%	93%
	N=273	N=230	N=294	N=259	N=247	N=223	N=1526
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	4%	3%	12%	8%	10%	5%	8%
No	96%	97%	88%	92%	90%	95%	92%
	N=289	N=231	N=238	N=198	N=211	N=239	N=1406
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	5%	3%	6%	5%	6%	8%	6%
No	95%	97%	94%	95%	94%	92%	94%
	N=164	N=222	N=428	N=240	N=217	N=330	N=1601
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Yes	8%	7%	5%	6%	8%	4%	6%
No	92%	93%	95%	94%	92%	96%	94%
	N=219	N=211	N=387	N=232	N=202	N=201	N=1452

44. We would like to have your opinion on issues related to school safety. Your answers will help us in our discussions about improving the school

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I feel safe at this school.	90%	90%	94%	85%	88%	88%	90%
b. Students of all racial groups get along with each other.	62%	67%	66%	59%	65%	60%	63%
c. The views and opinions of students are respected and	86%	80%	86%	79%	83%	79%	83%
listened to by the administrators and teachers at my school.							
d. School rules are fairly and consistently enforced for all	84%	80%	88%	83%	82%	84%	85%
students.							
e. Gangs cause trouble at my school.	14%	16%	19%	34%	18%	17%	20%
f. I feel comfortable telling teachers or administrators about	74%	65%	73%	71%	74%	74%	72%
potential fights, arguments or weapons at school							
g. Teachers show respect to students.	87%	89%	94%	84%	89%	87%	90%
h. Teachers show that they care about students.	87%	91%	95%	86%	91%	91%	91%
Students show respect to teachers.	71%	68%	81%	69%	80%	73%	76%
j. I feel I belong at this school.	85%	86%	87%	83%	84%	85%	86%
	N=277	N=231	N=226	N=280	N=248	N=189	N=1451
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I feel safe at this school.	80%	86%	73%	84%	88%	86%	80%
b. Students of all racial groups get along with each other.	73%	79%	67%	62%	69%	73%	69%
c. The views and opinions of students are respected and	60%	61%	60%	68%	68%	65%	63%
listened to by the administrators and teachers at my school.							
d. School rules are fairly and consistently enforced for all	71%	69%	62%	70%	73%	75%	68%
students.							
e. Gangs cause trouble at my school.	11%	11%	23%	17%	17%	11%	17%
f. I feel comfortable telling teachers or administrators about	45%	53%	45%	45%	56%	53%	48%
potential fights, arguments or weapons at school							
g. Teachers show respect to students.	69%	68%	68%	73%	77%	74%	71%
h. Teachers show that they care about students.	72%	67%	67%	74%	75%	73%	70%
I. Students show respect to teachers.	49%	60%	43%	58%	54%	51%	50%
j. I feel I belong at this school.	76%	77%	71%	76%	82%	80%	76%
,	N=351	N=379	N=384	N=358	N=261	N=244	N=1977
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I feel safe at this school.	81%	81%	73%	94%	83%	82%	81%
b. Students of all racial groups get along with each other.	78%	77%	63%	83%	57%	50%	66%
c. The views and opinions of students are respected and	55%	56%	48%	70%	65%	71%	60%
listened to by the administrators and teachers at my school.							
d. School rules are fairly and consistently enforced for all	60%	69%	62%	80%	67%	73%	68%
students.							
e. Gangs cause trouble at my school.	13%	6%	18%	12%	19%	23%	16%
f. I feel comfortable telling teachers or administrators about	36%	34%	32%	46%	44%	40%	38%
potential fights, arguments or weapons at school							
g. Teachers show respect to students.	67%	70%	59%	82%	71%	73%	69%
h. Teachers show that they care about students.	65%	70%	54%	78%	64%	69%	65%
I. Students show respect to teachers.	47%	51%	39%	74%	49%	57%	52%
j. I feel I belong at this school.	78%	79%	68%	83%	76%	76%	75%
. •	N=268	N=219	N=293	N=255	N=246	N=224	N=1505

44. We would like to have your opinion on issues related to school safety. Your answers will help us in our discussions about improving the school

Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I feel safe at this school.	83%	90%	80%	74%	86%	88%	82%
b. Students of all racial groups get along with each other.	79%	85%	55%	45%	70%	57%	61%
c. The views and opinions of students are respected and	50%	57%	55%	51%	60%	60%	55%
listened to by the administrators and teachers at my school.							
d. School rules are fairly and consistently enforced for all	57%	63%	61%	61%	71%	68%	63%
students.							
e. Gangs cause trouble at my school.	8%	6%	20%	29%	8%	27%	19%
f. I feel comfortable telling teachers or administrators about	36%	42%	40%	45%	46%	41%	41%
potential fights, arguments or weapons at school							
g. Teachers show respect to students.	67%	68%	64%	69%	70%	77%	68%
h. Teachers show that they care about students.	65%	68%	63%	72%	71%	68%	67%
I. Students show respect to teachers.	42%	54%	51%	49%	49%	49%	49%
j. I feel I belong at this school.	76%	75%	78%	69%	77%	78%	76%
,	N=286	N=232	N=237	N=196	N=208	N=234	N=1393
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I feel safe at this school.	88%	91%	89%	90%	83%	85%	87%
b. Students of all racial groups get along with each other.	78%	73%	78%	70%	49%	64%	70%
c. The views and opinions of students are respected and	57%	49%	50%	58%	45%	62%	54%
listened to by the administrators and teachers at my school.					,		
d. School rules are fairly and consistently enforced for all	62%	50%	57%	58%	55%	65%	59%
students.	0270	3373	0.70	30,0	0070	3370	3070
e. Gangs cause trouble at my school.	6%	5%	7%	11%	16%	15%	10%
f. I feel comfortable telling teachers or administrators about	39%	40%	41%	48%	38%	43%	42%
potential fights, arguments or weapons at school			,*	,			
g. Teachers show respect to students.	73%	65%	67%	72%	64%	74%	69%
h. Teachers show that they care about students.	70%	66%	63%	67%	61%	73%	67%
I. Students show respect to teachers.	57%	54%	49%	60%	41%	57%	53%
j. I feel I belong at this school.	76%	76%	81%	74%	72%	78%	77%
, reserved at the served.	N=165	N=222	N=426	N=234	N=213	N=329	N=1589
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I feel safe at this school.	92%	92%	90%	92%	89%	97%	92%
b. Students of all racial groups get along with each other.	78%	90%	73%	69%	71%	76%	74%
c. The views and opinions of students are respected and	70% 70%	50%	56%	59%	44%	66%	58%
listened to by the administrators and teachers at my school.	1070	30 /6	30 /0	3370	44 /0	0070	30 /0
d. School rules are fairly and consistently enforced for all	65%	56%	47%	62%	60%	63%	57%
students.	05/6	30 /8	47 /0	02 /6	00 /6	03 /6	37 /6
e. Gangs cause trouble at my school.	10%	6%	12%	7%	16%	4%	9%
•	54%	41%	50%	56%	38%	50%	49%
 f. I feel comfortable telling teachers or administrators about potential fights, arguments or weapons at school 	J4 /0	41/0	50 /6	50 /6	30 /0	50 /6	4370
g. Teachers show respect to students.	76%	67%	71%	73%	58%	78%	72%
h. Teachers show hespect to students. h. Teachers show that they care about students.	74%	74%	71%	74%	56%	80%	72%
I. Students show respect to teachers.	60%	57%	51%	60%	48%	65%	56%
j. I feel I belong at this school.	76%	73%	78%	73%	75%	80%	77%
j. i leel i belong at tills scribol.							
	N=218	N=214	N=383	N=229	N=202	N=202	N=1448

45. Which of these things happened to you during the past 30 days?

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I was pushed around by someone who was just being	32%	26%	30%	31%	22%	28%	29%
b. I was in a fist fight with another student.	7%	13%	11%	10%	6%	8%	9%
c. I was robbed or had something stolen.	15%	12%	14%	20%	13%	14%	15%
d. I saw a student with a knife.	5%	6%	11%	4%	4%	7%	7%
e. I saw a student with a gun.	1%	1%	2%	3%	2%	2%	2%
f. I saw students stealing at school	13%	12%	12%	22%	8%	15%	14%
g. I saw someone destroy or mark up school equipment or	17%	19%	14%	16%	9%	19%	15%
building walls.							
h. I was afraid of being beat up on the way to or from school	6%	6%	6%	10%	4%	7%	6%
I. I was threatened by someone with a knife or gun	1%	2%	3%	4%	2%	3%	3%
j. I was called names or put down by other students.	47%	46%	39%	44%	31%	37%	40%
	N=277	N=231	N=226	N=280	N=248	N=189	N=1451
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I was pushed around by someone who was just being	31%	26%	30%	28%	25%	26%	28%
b. I was in a fist fight with another student.	14%	9%	12%	10%	9%	8%	11%
c. I was robbed or had something stolen.	20%	13%	20%	14%	13%	13%	17%
d. I saw a student with a knife.	7%	10%	15%	9%	10%	7%	11%
e. I saw a student with a gun.	3%	2%	4%	1%	2%	1%	3%
f. I saw students stealing at school	23%	17%	29%	17%	21%	16%	22%
g. I saw someone destroy or mark up school equipment or	35%	25%	35%	24%	28%	25%	30%
building walls.							
h. I was afraid of being beat up on the way to or from school	7%	4%	6%	5%	3%	3%	5%
I. I was threatened by someone with a knife or gun	5%	3%	5%	4%	2%	2%	4%
j. I was called names or put down by other students.	47%	38%	43%	42%	41%	46%	44%
,	N=351	N=379	N=384	N=358	N=261	N=244	N=1977
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I was pushed around by someone who was just being	31%	27%	38%	21%	26%	27%	29%
b. I was in a fist fight with another student.	9%	8%	13%	10%	9%	15%	12%
c. I was robbed or had something stolen.	23%	15%	18%	16%	13%	16%	17%
d. I saw a student with a knife.	23%	29%	29%	7%	28%	36%	26%
e. I saw a student with a gun.	6%	2%	6%	2%	5%	5%	5%
f. I saw students stealing at school	23%	18%	30%	9%	15%	26%	22%
g. I saw someone destroy or mark up school equipment or	39%	24%	37%	20%	28%	29%	31%
building walls.							
h. I was afraid of being beat up on the way to or from school	6%	4%	11%	4%	4%	3%	6%
I. I was threatened by someone with a knife or gun	6%	4%	7%	2%	4%	8%	6%
j. I was called names or put down by other students.	41%	43%	46%	33%	38%	42%	41%
	N=268	N=219	N=293	N=255	N=246	N=224	N=1505

45. Which of these things happened to you during the past 30 days?

Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I was pushed around by someone who was just being	18%	20%	23%	22%	25%	26%	23%
b. I was in a fist fight with another student.	6%	6%	11%	13%	12%	8%	10%
c. I was robbed or had something stolen.	16%	13%	20%	21%	20%	10%	17%
d. I saw a student with a knife.	17%	21%	21%	15%	27%	17%	20%
e. I saw a student with a gun.	5%	3%	5%	5%	7%	3%	5%
f. I saw students stealing at school	31%	13%	19%	23%	22%	17%	21%
g. I saw someone destroy or mark up school equipment or	27%	22%	28%	22%	40%	21%	27%
building walls.							
h. I was afraid of being beat up on the way to or from school	4%	2%	6%	9%	4%	5%	5%
I. I was threatened by someone with a knife or gun	3%	3%	5%	6%	6%	3%	5%
j. I was called names or put down by other students.	39%	38%	41%	36%	32%	38%	38%
	N=286	N=232	N=237	N=196	N=208	N=234	N=1393
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I was pushed around by someone who was just being	12%	16%	12%	14%	16%	17%	14%
b. I was in a fist fight with another student.	6%	6%	6%	5%	9%	8%	7%
c. I was robbed or had something stolen.	12%	13%	15%	9%	13%	14%	13%
d. I saw a student with a knife.	18%	24%	14%	14%	25%	12%	16%
e. I saw a student with a gun.	2%	5%	3%	3%	7%	4%	4%
f. I saw students stealing at school	17%	13%	16%	10%	18%	16%	15%
g. I saw someone destroy or mark up school equipment or	35%	25%	22%	21%	27%	21%	24%
building walls.							
h. I was afraid of being beat up on the way to or from school	1%	4%	3%	1%	4%	5%	3%
I. I was threatened by someone with a knife or gun	1%	2%	3%	2%	4%	3%	3%
j. I was called names or put down by other students.	28%	33%	29%	26%	36%	31%	30%
,	N=165	N=222	N=426	N=234	N=213	N=329	N=1589
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
a. I was pushed around by someone who was just being	12%	11%	15%	10%	16%	10%	12%
b. I was in a fist fight with another student.	7%	5%	6%	6%	7%	4%	6%
c. I was robbed or had something stolen.	12%	12%	14%	9%	11%	8%	11%
d. I saw a student with a knife.	20%	17%	23%	16%	16%	17%	19%
e. I saw a student with a gun.	6%	3%	6%	3%	5%	3%	5%
f. I saw students stealing at school	14%	13%	15%	14%	12%	11%	13%
g. I saw someone destroy or mark up school equipment or	18%	22%	27%	22%	33%	13%	22%
building walls.							
h. I was afraid of being beat up on the way to or from school	5%	2%	4%	3%	4%	0%	3%
I. I was threatened by someone with a knife or gun	4%	1%	4%	1%	4%	0%	2%
j. I was called names or put down by other students.	31%	26%	28%	33%	31%	23%	28%
	N=218	N=214	N=383	N=229	N=202	N=202	N=1448

46. If you feel unsafe anywhere at school, please check the areas and the time of day when these places seem unsafe.

a. Classroom

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	6%	7%	4%	7%	7%	6%
During class	4%	4%	8%	2%	7%	4%	6%
During lunch	3%	3%	3%	2%	4%	4%	3%
After school	13%	8%	10%	12%	9%	7%	10%
Recess/breaks	9%	6%	11%	7%	7%	6%	8%
1100000, 2100110	0,0	0,0	,0	. , ,	. , ,	0,0	3,0
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	5%	8%	7%	5%	5%	6%
During class	4%	4%	5%	7%	5%	5%	5%
During lunch	4%	4%	3%	5%	3%	1%	3%
After school	10%	6%	9%	8%	6%	5%	8%
Recess/breaks	8%	5%	7%	7%	6%	4%	6%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	3%	6%	4%	10%	7%	6%
During class	8%	4%	5%	5%	10%	4%	6%
During lunch	4%	1%	3%	3%	8%	4%	4%
After school	5%	3%	5%	6%	10%	6%	6%
Recess/breaks	3%	3%	5%	5%	10%	9%	6%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	3%	5%	11%	8%	4%	5%
During class	3%	4%	4%	8%	8%	5%	5%
During lunch	1%	1%	3%	5%	4%	2%	3%
After school	5%	4%	6%	9%	6%	8%	7%
Recess/breaks	2%	4%	6%	7%	6%	7%	6%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	6%	3%	3%	7%	3%	4%
During class	3%	4%	3%	4%	4%	5%	4%
During lunch	2%	3%	2%	3%	3%	2%	2%
After school	5%	6%	4%	4%	4%	5%	4%
Recess/breaks	5%	5%	3%	3%	3%	5%	4%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	5%	3%	2%	1%	4%	3%	3%
During class	4%	3%	2%	3%	6%	3%	3%
During lunch	3%	2%	1%	2%	5%	2%	2%
After school	3%	3%	2%	4%	5%	3%	3%
Recess/breaks	4%	3%	3%	3%	7%	3%	4%

46. If you feel unsafe anywhere at school, please check the areas and the time of day when these places seem unsafe.

b. Hallways

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	5%	4%	4%	6%	5%	3%	4%
During class	7%	5%	9%	6%	5%	5%	7%
During lunch	4%	4%	5%	3%	4%	4%	4%
After school	3%	2%	4%	4%	5%	5%	4%
Recess/breaks	2%	0%	3%	6%	4%	6%	4%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	7%	5%	7%	9%	5%	2%	6%
During class	7%	4%	6%	9%	4%	3%	6%
During lunch	5%	4%	5%	6%	3%	2%	5%
After school	3%	5%	4%	4%	5%	1%	4%
Recess/breaks	9%	5%	9%	8%	8%	5%	7%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	6%	4%	6%	4%	8%	4%	5%
During class	5%	6%	7%	6%	10%	4%	6%
During lunch	3%	1%	3%	4%	11%	4%	4%
After school	4%	3%	3%	4%	7%	4%	4%
Recess/breaks	7%	7%	8%	4%	8%	8%	7%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	3%	7%	7%	7%	5%	6%
During class	4%	2%	6%	10%	7%	8%	7%
During lunch	1%	1%	4%	7%	6%	3%	4%
After school	3%	0%	5%	9%	6%	3%	5%
Recess/breaks	5%	4%	5%	9%	8%	6%	6%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	6%	4%	4%	5%	4%	4%
During class	6%	6%	5%	4%	6%	4%	5%
During lunch	2%	4%	3%	3%	3%	2%	3%
After school	3%	4%	3%	3%	5%	3%	3%
Recess/breaks	7%	2%	4%	5%	7%	9%	6%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	3%	3%	2%	4%	2%	3%
During class	6%	4%	4%	5%	6%	4%	4%
During lunch	3%	3%	1%	3%	4%	2%	2%
After school	4%	2%	3%	2%	4%	2%	3%
Recess/breaks	2%	6%	5%	5%	8%	4%	5%

c. Cafeteria

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	3%	5%	5%	4%	3%	4%
During class	1%	0%	2%	2%	2%	2%	2%
During lunch	1%	0%	1%	1%	1%	1%	1%
After school	1%	0%	1%	3%	2%	2%	1%
Recess/breaks	1%	1%	4%	2%	2%	1%	2%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	5%	6%	4%	5%	2%	4%
During class	1%	3%	3%	1%	4%	0%	2%
During lunch	1%	1%	1%	1%	2%	0%	1%
After school	1%	1%	1%	1%	2%	0%	1%
Recess/breaks	3%	2%	2%	1%	4%	1%	2%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	1%	5%	3%	4%	4%	4%
During class	2%	0%	1%	0%	0%	0%	1%
During lunch	3%	3%	0%	0%	0%	2%	1%
After school	3%	1%	1%	0%	1%	0%	1%
Recess/breaks	3%	2%	3%	1%	5%	1%	3%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	0%	3%	7%	6%	5%	4%
During class	1%	1%	2%	3%	4%	4%	3%
During lunch	0%	1%	1%	2%	3%	3%	1%
After school	1%	1%	1%	4%	2%	2%	2%
Recess/breaks	3%	0%	1%	4%	5%	5%	3%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	4%	3%	3%	5%	5%	3%
During class	1%	1%	1%	2%	1%	2%	1%
During lunch	1%	1%	1%	2%	1%	1%	1%
After school	1%	2%	1%	3%	2%	3%	2%
Recess/breaks	2%	2%	2%	2%	2%	3%	2%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	4%	1%	2%	6%	0%	2%
During class	0%	2%	1%	2%	3%	1%	1%
During lunch	0%	2%	1%	1%	3%	0%	1%
After school	0%	2%	1%	2%	2%	1%	1%
Recess/breaks	0%	2%	3%	3%	4%	1%	2%

d. Bus Stop

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	1%	3%	1%	2%	1%	2%
During class	4%	4%	6%	10%	6%	5%	6%
During lunch	2%	2%	7%	6%	4%	6%	5%
After school	1%	0%	3%	2%	2%	1%	2%
Recess/breaks	1%	0%	3%	5%	2%	4%	3%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	2%	1%	1%	2%	0%	1%
During class	7%	6%	5%	8%	4%	6%	6%
During lunch	8%	4%	8%	11%	9%	9%	8%
After school	1%	2%	3%	2%	2%	2%	2%
Recess/breaks	5%	3%	4%	3%	3%	4%	4%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	1%	2%	1%	1%	1%	2%
During class	6%	5%	5%	4%	10%	9%	6%
During lunch	10%	9%	7%	4%	9%	9%	8%
After school	2%	1%	3%	2%	2%	4%	3%
Recess/breaks	7%	3%	7%	3%	11%	8%	7%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	0%	1%	2%	4%	4%	2%
During class	6%	3%	8%	9%	7%	7%	7%
During lunch	7%	3%	4%	10%	9%	5%	6%
After school	2%	1%	1%	4%	3%	3%	2%
Recess/breaks	4%	3%	5%	9%	9%	7%	6%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	2%	2%	1%	4%	3%	2%
During class	2%	7%	5%	3%	6%	7%	5%
During lunch	5%	7%	4%	4%	7%	9%	6%
After school	1%	3%	2%	1%	3%	2%	2%
Recess/breaks	2%	4%	3%	1%	5%	6%	4%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	2%	3%	1%	4%	0%	2%
During class	1%	5%	3%	4%	6%	3%	3%
During lunch	1%	5%	4%	3%	7%	4%	4%
After school	0%	1%	2%	1%	4%	2%	2%
Recess/breaks	1%	3%	2%	2%	5%	4%	3%

e. On the bus

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	5%	4%	12%	11%	9%	8%	10%
During class	1%	1%	1%	0%	1%	2%	1%
During lunch	1%	0%	2%	1%	2%	1%	1%
After school	2%	0%	3%	3%	2%	4%	3%
Recess/breaks	1%	1%	2%	1%	3%	4%	2%
Noocss/broaks	170	170	270	170	370	470	270
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	11%	8%	11%	13%	8%	9%	10%
During class	1%	1%	1%	1%	1%	0%	1%
During lunch	1%	1%	1%	1%	2%	0%	1%
After school	4%	2%	6%	3%	9%	0%	4%
Recess/breaks	3%	2%	3%	1%	3%	2%	2%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	9%	11%	10%	7%	14%	13%	11%
During class	2%	0%	1%	0%	2%	1%	1%
During lunch	1%	0%	1%	0%	2%	2%	1%
After school	5%	2%	7%	3%	5%	6%	6%
Recess/breaks	7%	2%	7%	1%	9%	8%	6%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	10%	5%	10%	18%	12%	8%	10%
During class	1%	1%	2%	3%	3%	0%	1%
During lunch	1%	1%	1%	3%	3%	1%	2%
After school	3%	5%	5%	10%	4%	5%	6%
Recess/breaks	4%	4%	4%	11%	6%	5%	5%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	5%	10%	5%	4%	8%	9%	6%
During class	0%	1%	1%	1%	1%	2%	1%
During lunch	0%	1%	2%	1%	2%	1%	1%
After school	4%	7%	4%	2%	7%	6%	4%
Recess/breaks	4%	7%	4%	3%	6%	9%	5%
1.00000/bloako	170	1 70	170	070	070	070	070
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	5%	5%	5%	12%	3%	5%
During class	1%	1%	1%	1%	4%	0%	1%
During lunch	1%	1%	1%	1%	4%	0%	1%
After school	0%	3%	2%	3%	6%	1%	2%
Recess/breaks	2%	3%	3%	5%	7%	3%	4%

f. School grounds

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	1%	4%	3%	3%	5%	4%
During class	3%	0%	3%	1%	2%	2%	2%
During lunch	8%	6%	12%	11%	9%	8%	10%
After school	9%	7%	7%	8%	6%	8%	8%
Recess/breaks	6%	3%	6%	4%	4%	6%	5%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	5%	3%	6%	5%	6%	2%	5%
During class	2%	1%	2%	1%	3%	1%	2%
During lunch	7%	4%	5%	8%	6%	6%	6%
After school	8%	7%	8%	9%	7%	6%	8%
Recess/breaks	4%	3%	3%	6%	3%	4%	4%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	3%	6%	3%	5%	4%	5%
During class	2%	0%	3%	1%	3%	1%	2%
During lunch	4%	2%	6%	4%	6%	5%	5%
After school	6%	3%	7%	4%	9%	7%	6%
Recess/breaks	3%	1%	3%	4%	5%	4%	4%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	2%	3%	7%	6%	5%	4%
During class	3%	0%	1%	6%	2%	2%	2%
During lunch	3%	0%	7%	4%	5%	6%	5%
After school	6%	2%	6%	11%	5%	7%	7%
Recess/breaks	4%	0%	5%	5%	3%	3%	4%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	2%	3%	1%	3%	7%	3%
During class	1%	2%	2%	1%	3%	2%	2%
During lunch	2%	3%	3%	3%	5%	4%	3%
After school	2%	5%	4%	5%	5%	6%	4%
Recess/breaks	1%	1%	2%	4%	3%	3%	2%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	3%	2%	2%	7%	2%	3%
During class	1%	1%	2%	2%	5%	2%	2%
During lunch	1%	3%	3%	3%	6%	2%	3%
After school	2%	3%	4%	3%	7%	4%	4%
Recess/breaks	1%	1%	2%	4%	5%	2%	2%

g. Parking lot

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	9%	5%	11%	14%	8%	14%	11%
During class	11%	6%	11%	12%	8%	15%	11%
During lunch	12%	7%	10%	10%	5%	8%	9%
After school	15%	13%	13%	15%	11%	11%	13%
Recess/breaks	4%	4%	5%	7%	5%	7%	6%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	8%	7%	8%	14%	9%	8%	9%
During class	12%	6%	7%	14%	10%	9%	9%
During lunch	9%	8%	10%	14%	10%	10%	11%
After school	11%	10%	14%	18%	11%	13%	13%
Recess/breaks	5%	5%	6%	6%	5%	6%	6%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	7%	6%	10%	7%	19%	14%	11%
During class	8%	7%	11%	8%	14%	14%	11%
During lunch	9%	6%	11%	9%	12%	9%	10%
After school	11%	9%	13%	10%	16%	13%	13%
Recess/breaks	4%	2%	5%	5%	8%	4%	5%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	7%	2%	10%	15%	9%	5%	9%
During class	6%	1%	10%	15%	9%	7%	9%
During lunch	8%	3%	9%	12%	10%	9%	9%
After school	12%	11%	15%	25%	13%	16%	16%
Recess/breaks	4%	0%	7%	8%	6%	5%	6%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	5%	5%	4%	7%	9%	6%
During class	3%	6%	6%	5%	9%	9%	6%
During lunch	4%	6%	4%	5%	10%	10%	6%
After school	9%	10%	7%	9%	17%	16%	11%
Recess/breaks	2%	3%	5%	5%	3%	4%	4%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	6%	4%	3%	10%	4%	5%
During class	2%	5%	4%	4%	10%	5%	4%
During lunch	3%	7%	5%	4%	7%	9%	5%
After school	8%	8%	9%	9%	11%	11%	10%
Recess/breaks	1%	2%	3%	4%	6%	3%	3%
		· -		· -	- · · ·		- / -

h. Restrooms

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	5%	8%	7%	6%	6%	7%	7%
During class	5%	5%	4%	5%	5%	6%	5%
During lunch	8%	3%	6%	6%	4%	8%	6%
After school	2%	1%	4%	3%	3%	4%	3%
Recess/breaks	0%	1%	1%	2%	3%	3%	2%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	7%	5%	6%	10%	6%	7%	7%
During class	5%	5%	4%	5%	4%	4%	4%
During lunch	11%	5%	7%	11%	6%	7%	8%
After school	3%	2%	3%	4%	3%	2%	3%
Recess/breaks	2%	2%	1%	3%	1%	1%	1%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	4%	3%	6%	6%	10%	9%	6%
During class	3%	3%	4%	2%	5%	5%	4%
During lunch	7%	8%	10%	4%	11%	7%	8%
After school	1%	1%	5%	1%	6%	3%	3%
Recess/breaks	1%	1%	1%	2%	4%	3%	2%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	7%	2%	12%	9%	6%	7%	9%
During class	1%	1%	5%	7%	3%	4%	4%
During lunch	6%	4%	7%	13%	7%	8%	8%
After school	1%	1%	3%	4%	3%	2%	3%
Recess/breaks	1%	0%	2%	4%	2%	3%	2%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	6%	4%	6%	8%	6%	5%
During class	3%	1%	1%	2%	2%	3%	2%
During lunch	7%	6%	4%	4%	5%	9%	5%
After school	1%	1%	2%	1%	1%	3%	2%
Recess/breaks	1%	1%	1%	1%	2%	1%	1%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	3%	4%	4%	3%	6%	4%	4%
During class	1%	2%	1%	2%	3%	1%	1%
During lunch	2%	5%	4%	4%	7%	4%	4%
After school	1%	1%	1%	2%	3%	2%	1%
Recess/breaks	1%	2%	0%	2%	2%	1%	1%

I. Locker room

Grade 6	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	2%	2%	2%	3%	3%	2%
During class	6%	8%	10%	12%	10%	12%	10%
During lunch	1%	2%	4%	5%	5%	9%	5%
After school	5%	5%	7%	8%	5%	5%	6%
Recess/breaks	3%	3%	3%	6%	3%	4%	4%
Grade 8	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	2%	1%	3%	2%	2%	2%
During class	8%	5%	6%	6%	7%	5%	6%
During lunch	3%	3%	3%	3%	3%	2%	3%
After school	7%	5%	5%	9%	4%	4%	5%
Recess/breaks	4%	4%	2%	4%	2%	3%	3%
Grade 9	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	1%	2%	2%	3%	3%	2%
During class	5%	5%	6%	2%	7%	7%	6%
During lunch	4%	3%	4%	2%	6%	4%	4%
After school	3%	7%	7%	2%	7%	9%	6%
Recess/breaks	2%	2%	5%	4%	6%	5%	4%
Grade 10	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	2%	1%	2%	4%	4%	1%	2%
During class	2%	4%	2%	5%	4%	4%	3%
During lunch	2%	2%	2%	5%	3%	2%	2%
After school	4%	4%	5%	7%	4%	5%	5%
Recess/breaks	1%	2%	2%	6%	3%	2%	2%
Grade 11	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	1%	1%	1%	1%	2%	1%
During class	4%	3%	3%	2%	4%	5%	3%
During lunch	2%	1%	3%	1%	3%	2%	2%
After school	3%	5%	4%	2%	2%	5%	4%
Recess/breaks	2%	3%	2%	2%	3%	3%	2%
Grade 12	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	State
Before school	1%	2%	1%	1%	2%	1%	1%
During class	1%	3%	1%	3%	6%	3%	2%
During lunch	1%	2%	3%	3%	4%	1%	2%
After school	2%	3%	3%	4%	4%	4%	3%
Recess/breaks	1%	2%	2%	4%	4%	1%	2%

TOBACCO USE

A number of items on the *Idaho Substance Use and School Climate Survey* addressed student use of tobacco. Students were asked about their lifetime and recent history of smoking tobacco and using smokeless tobacco.

Overall, students in Idaho reported smoking less in the year 2000 than in 1998 and 1996. While the percentage of students who smoke nationwide also dropped in 2000, students in Idaho continue to be less likely to smoke than students in other parts of the country.

Lifetime Prevalence

Table T1 reports the percentage of students reporting any lifetime use of tobacco, from a one-time experiment to daily use. It also compares this information to data from the 1996 and 1998 Idaho surveys. This same information is presented in chart format in Figure T1. (Missing bars indicate that no data was collected for that particular grade in that year.)

Table T1
Percentage of Idaho Students Who Have Ever Used Smoking Tobacco, 1996-2000.

	Idaho	1996	Idaho	1998	Idaho	2000	Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	8.0	±1.4	5.2	± 0.8	2.9	± 1.4	-5.1
Grade 8	28.7	± 2.2	21.2	± 2.4	17.3	± 5.4	-11.4
Grade 9					27.1	± 3.2	
Grade 10			40.6	± 5.0	30.9	± 3.0	-9.7
Grade 11					42.8	± 6.1	
Grade 12	48.1	± 3.6	42.0	± 4.1	43.6	± 5.5	-4.5

The percentage of students who reported having smoked continued to increase with each subsequent grade, until it stabilized at eleventh and twelfth grades at about 43 percent of all students. Very few sixth grade students (2.9 percent) reported having ever tried smoking. By eighth grade, this percentage increased substantially to 17.3 percent.

At all grade levels that have been surveyed in more than one year, the percentage of students reporting that they had ever smoked tobacco decreased compared to the first year students were surveyed. Among high school seniors, however, there was a slight *increase* in smoking prevalence compared to 1998. While their prevalence was still down compared to 1996, the decline was within the margin of error. This suggests that the prevalence of smoking among twelfth grade students probably changed little since 1996. Among sixth, eighth, and tenth grade students there appears to have been a real reduction in the percentage of students using smoking tobacco.




Figure T1

Among younger students (grades 6 through 9), there was almost no difference between boys and girls in the reported use of smoking tobacco. Among tenth grade students, boys were slightly more likely than girls to have tried smoking, but among eleventh and twelfth grade students, girls appeared to be somewhat more likely than boys both to have tried smoking and to smoke on a daily basis.

Nationally, student use of tobacco declined in the year 2000 compared to the preceding five years (Johnston, et al. 2000). Even with the national decline, students in Idaho report lower levels of tobacco use than do students in a national sample. This is consistent with results reported from the 1996 and 1998 Idaho Substance Use and School Climate surveys, as Table T2 illustrates. (National data is available only for grades eight, ten and twelve).

Table T2
Percentage of Students Nationwide and in Idaho Who Have Ever
Used Smoking Tobacco, 1996-2000

	19	96	19	98	20	Idaho	
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		8.0		5.2		2.9	-5.1
Grade 8	49.2	28.7	45.7	21.2	40.5	17.3	-11.4
Grade 9		1				27.1	
Grade 10	61.2		57.7	40.6	55.1	30.9	-9.7
Grade 11						42.8	
Grade 12	63.5	48.1	65.3	42.0	62.5	43.6	-4.5

The rates of decline in smoking for eighth, tenth, and twelfth grade students are also presented in individual charts (Figures T2, T3, and T4, respectively). The prevalence rates for smoking among students nationwide appear on the same chart, allowing a comparison of trends in Idaho and across the nation.

27





Figure T2, for example, shows that eighth grade students reduced their lifetime prevalence of smoking at the same rate as eighth graders nationwide, even though they had already started at a much lower rate. For tenth graders, there were no Idaho data from 1996, but the rate of decrease in smoking prevalence from 1998 to 2000 was greater than the corresponding decrease among tenth graders nationally (Figure T3).






Figure T4

Figure T4 reveals that the approximately unchanged rate of smoking among high school seniors was mirrored by the lack of real change among seniors in the national study. In all three grades, however, *Idaho students continued to report substantially lower use of smoking tobacco than their peers nationwide*.

Lifetime use of smokeless tobacco also dropped compared to earlier years. Table T3 summarizes survey data on student use of smokeless tobacco by grade level. At all grade levels with national data available, *Idaho students were less likely to report use of smokeless tobacco than were their counterparts nationwide*.

Table T3
Percentage of Students Nationwide and in Idaho
Who Have Ever Used Smokeless Tobacco, 1996-2000

	19	96	19	98	20	00	Idaho
Grade	National	Idaho	National	Idaho	National	Idaho	Change since first survey
Grade 6		3.3		1.8		2.1	-1.2
Grade 8	20.4	8.8	15.0	5.5	12.8	4.7	-4.1
Grade 9		-				8.8	
Grade 10	27.4		22.7	13.3	19.1	11.3	-2.0
Grade 11						17.3	
Grade 12	29.8	21.5	26.2	17.2	23.1	16.1	-5.4

Male students were much more likely to try smokeless tobacco than were female students, and virtually all students who reported using smokeless tobacco on a daily basis were male.

Current Levels of Tobacco Use

Students were asked not only if they had ever used tobacco, but also *how often* they used it. This information helps to explain the overall decline in smoking reported above, as it distinguishes between occasional and regular users of smoking tobacco.

In 1998, declines in the overall percentage of students who reported using smoking tobacco were due primarily to lower rates of experimental or occasional use (referred to as "some" use on Table T4. Table T4 demonstrates that this explanation continues to hold for sixth and eighth grade students. For tenth grade students, however, the reduction in smoking overall is most attributable to a notable drop in the percentage of students who smoke on a daily basis, down from 15.7 percent in 1998 to 9.4 percent in 2000.

30

Table T4
Frequency of Use of Smoking Tobacco, 1996-2000

	Tobacco	Ida	ho 1996	Idal	no 1998	Idah	o 2000	Change
Grade	Use Category	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	Never	92.0	± 1.4	94.8	± 0.8	97.1	± 1.4	+ 5.1
	Some	6.6	± 1.2	4.3	± 0.6	2.3	± 1.1	- 4.3
	Monthly	0.7	± 0.2	0.5	± 0.2	0.1	± 0.1	- 0.6
	Weekly	0.4	± 0.2	0.2	± 0.1	0.3	± 0.4	- 0.1
	Daily	0.4	± 0.2	0.2	± 0.1	0.3	± 0.2	- 0.2
Grade 8	Never	71.3	± 2.2	78.8	± 2.4	82.7	± 5.4	+ 11.4
	Some	18.6	± 2.0	14.0	± 1.8	12.7	± 4.0	- 5.9
	Monthly	3.4	± 0.5	2.1	± 0.6	1.3	± 0.4	- 2.1
	Weekly	2.8	± 0.8	2.0	± 0.6	1.2	± 0.5	-1.6
	Daily	3.9	± 0.8	3.8	± 0.6	2.0	± 0.8	- 1.9
Grade 9	Never					72.9	± 3.2	
	Some					14.2	± 1.1	
	Monthly					1.5	± 0.8	
	Weekly					3.6	± 0.7	
	Daily					8.2	± 1.9	
Grade 10	Never			59.4	± 5.0	69.1	± 3.0	+ 9.7
	Some			17.6	± 1.7	16.0	± 1.9	- 1.6
	Monthly			3.5	± 0.7	2.5	± 0.6	- 1.0
	Weekly			3.8	± 0.7	3.1	± 0.4	- 0.7
	Daily			15.7	± 5.6	9.4	± 2.4	- 6.3
Grade 11	Never					57.2	± 6.1	
	Some					20.5	± 2.5	
	Monthly					4.0	± 1.4	
	Weekly		-		-	3.5	± 0.7	
	Daily		-		-	14.9	± 2.9	
Grade 12	Never	51.9	± 3.6	58.0	± 4.1	56.4	± 5.5	+ 4.5
	Some	21.0	± 1.5	18.4	± 1.8	20.2	± 1.4	- 0.8
	Monthly	4.3	± 0.7	3.4	± 0.8	3.3	± 0.8	- 1.0
	Weekly	3.7	± 0.8	3.5	± 0.6	2.9	± 0.4	- 0.8
	Daily	19.1	± 2.7	16.8	± 3.9	17.2	± 6.0	- 2.1

Another measure of tobacco use is the percentage of students who reported having smoked during the previous 30 days. This question was asked for the first time on the 2000 survey. Results are depicted in Figure T5, which compares Idaho results to national results for grades 8, 10, and 12 (the only grades for which national data is available).




Figure T5

The percentage of students who reported having smoked in the 30 days prior to the survey increased between middle school and high school and continued to increase during the high school years. This was consistent with national patterns, although the percentage of students in Idaho who smoked was still lower than the percentage nationally.

Age When Started Smoking

Students were asked how old they were when they smoked their first cigarette. Among high school seniors who said they had smoked cigarettes (45.6 percent), the most common response was age 13-14 (see Table T5). About 20 percent of seniors reported that they had first smoked a cigarette at age 12 or younger.

Table T5
Age When First Smoked, Idaho Seniors, 2000

	Never Smoked	Age 10 or Younger	Age 11 – 12	Age 13 – 14	Age 15 or Older
12 th Grade Boys	55.0%	10.0%	11.2%	10.7%	13.1%
12 th Grade Girls	53.8%	8.1%	11.9%	15.9%	10.3%
All Idaho Seniors	54.4%	9.1%	11.6%	13.3%	11.7%

The overall difference between male and female high school seniors who reported having smoked was within the margin of error and therefore not significant. Girls, however, were slightly more likely than boys to report that they first smoked at age 13-14, while boys were more likely to respond that they had first smoked at age 15.

Source of Cigarettes

Students were also asked, "If you smoke, how do you usually get the cigarettes you smoke?" Most students who smoked reported that they obtained cigarettes "from friends". Only high school seniors, some of whom were 18 years old, commonly reported that they obtained cigarettes from a store. A smaller proportion of students answered that they got cigarettes from adults, and almost no students (less than one percent) generally obtained cigarettes from vending machines.

These findings are depicted in Figure T6. Students also had the option of responding "I don't smoke," and this was the predominant answer chosen at all grade levels (96.6 percent of sixth grade students, and 66.4 percent of twelfth grade students). Only the answers of those who did smoke were included in the bar graph in Figure T6.





Figure T6

•

Perceived Risk of Harm from Smoking

Students were asked about their perceptions of potential harm from high consumption of smoking tobacco ("How much do you think people risk harming themselves if they smoke one or more packs of cigarettes a day?").

Student responses are presented in Figure T7. Across all grade levels, students were most likely to respond that this behavior posed a "great risk." In any given grade, 7 percent of students, or fewer, answered that smoking a pack of cigarettes a day posed "no risk."



Just as girls had seen binge drinking as riskier than boys had, in every grade surveyed girls were more likely than boys to indicate that people ran "great risk" of harming themselves if they smoked a pack or more of cigarettes each day.

Figure T8 compares the responses of Idaho students in eighth, tenth, and twelfth grades who said that smoking a pack a day posed a "great risk" to responses of students in the *Monitoring the Future* national study. *Idaho students in all three grades were somewhat less likely than were students nationwide to respond that people put themselves at "great risk" of harm by smoking a pack of cigarettes every day.* The difference was the greatest (10 percent) for high school seniors.




Figure T8

SCHOOL CLIMATE AND SAFETY

The final portion of the survey addressed issues of school climate and safety. Students were asked about the use of physical violence, gangs, and weapon-carrying in their school. In addition, the survey raised questions about their perception of relations among teachers and students, and whether they felt safe at school. The last section of this chapter includes questions on student experience with driving under the influence of alcohol or drugs.

Endorsement of Physical Violence

On the survey, students were asked, "Is it ok to physically hurt someone if they disrespect you or your friends, or call you names?" Results for this item are displayed in Table S1. About one-fourth of high school students endorsed the use of physical violence in response to being disrespected or called names. This percentage appears to have changed little compared to previous years, when the margin of error is taken into account. In contrast, students in the sixth and eighth grades were much less likely to endorse physical violence (6.7 and 17.8 percent respectively), and their acceptance of violence as a solution appears to have genuinely declined compared to earlier years.

Table S1
Percentage of Idaho Students Endorsing Physical Violence, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	9.5	±1.3	8.7	± 1.4	6.7	±1.3	- 2.8
Grade 8	22.0	± 1.7	20.7	± 2.2	17.8	± 2.4	- 4.2
Grade 9					23.3	± 2.0	
Grade 10			28.1	± 3.2	25.6	± 4.7	- 2.5
Grade 11					24.5	± 2.0	
Grade 12	25.9	± 2.1	22.2	± 3.3	24.8	± 2.3	- 1.1

There were important distinctions by gender in how students answered the question about the use of physical violence. In every grade surveyed, *boys were far more likely than girls to endorse the use of violence*, as Figure S1 illustrates.




Figure S1

Boys' acceptance of violence increased dramatically between the sixth and eighth grade, and then increased again early in high school, so that by tenth grade, over one-third of boys endorsed violence as a solution to incidents of perceived disrespect. While girls in eighth grade were more likely to endorse violence than were girls in sixth grade, this endorsement did not increase among older girls. Overall, only about 14 percent of high school girls agreed that violence was an appropriate response when they had been disrespected.

In addition, students who reported drug use were much more likely to endorse violence than students who reported no use of drugs. In every grade surveyed, the higher the reported drug use, the greater was the likelihood that students would endorse the use of violence.

Gangs

Two survey questions raised the issue of gangs. One question asked students whether they believed that gangs caused trouble at their school; the other question asked if students belonged to a gang.

Perception of Trouble Caused by Gangs

Table S2 reports on student responses to the question of whether gangs cause trouble in their schools. Students in the sixth through tenth grades were much more likely than eleventh or twelfth graders to perceive gangs as a problem.

Table S2
Percentage of Students Reporting that Gangs Cause Trouble in their Schools, 2000

Grade	Idaho 2000					
Grade	Percent	Margin of Error				
Grade 6	19.9	± 4.2				
Grade 8	16.8	± 3.6				
Grade 9	16.1	± 3.8				
Grade 10	18.6	± 4.0				
Grade 11	9.6	± 2.7				
Grade 12	9.5	± 2.1				

Among sixth, eighth, and ninth grade students, there was no significant difference between boys' and girls' answers. Among the older students (grades 10 through 12), however, boys were much more likely to state that gangs caused trouble at their schools.

Gang Membership

Students were also asked "Are you a member of a gang, posse, crew or other group which uses violence or threats for any reason (protection, gain acceptance by members, etc.)?" For middle and high school students, between six and eight percent of students said that they belonged to gangs.

Student answers from the 1996, 1998 and 2000 surveys are summarized in Table S3. Gang membership was down for eighth grade students, compared to 1996 and 1998. For all other grades, reports of gang membership remained very similar to 1998 reports.

Table S3
Percentage of Idaho Students Belonging to Gangs, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	3.9	± 0.8	3.0	± 0.6	2.5	±0.6	- 1.4
Grade 8	8.9	± 0.9	8.9	± 2.0	6.1	± 1.5	- 2.8
Grade 9					6.7	± 1.8	
Grade 10			8.7	±1.6	8.4	± 2.5	- 0.3
Grade 11					6.0	±1.2	
Grade 12	4.9	± 0.6	6.2	± 1.0	6.0	± 1.4	+ 1.1

66

Although girls were less likely to answer that they were members of a gang, the differences between girls' and boys' answers were small.

Weapon-Carrying

The survey asked students several questions about weapons, including whether they had ever carried them, if they had carried them to school, and what type of weapon they had carried.

In all the questions about weapons, boys and girls answered very differently. One question asked "Have you ever carried a weapon, such as a gun, knife, or club for self-protection or because you thought you might need it in a fight?" While girls were unlikely to report having carried weapons (only 5-6 percent of them ever had), almost a third of high school boys responded that they had done so at least once.

These differences, shown by grade level, are illustrated in Figure S2. Sixteen percent of boys as young as sixth grade reported having carried a weapon, and this percentage rose to a peak of 31 percent among eleventh grade boys. Among girls, the highest percentage reporting having carried a weapon was the 11 percent of ninth graders who said they had carried a weapon at least once.




Figure S2

Among students who said they carried a weapon, knive's and razors were the weapons most frequently carried. Among high school students, between 11 and 15 percent of students reported that they had ever carried knives or razors as weapons. Much smaller numbers of students, between 3 and 5 percent of high school students, reported carrying clubs, bats, sticks or pipes as weapons. Gun-carrying (including handguns, rifles, and shotguns) was reported by 2 to 4 percent of high school students. Figure S3 displays this information in chart format.




Figure S3

Carrying Weapons to School

Table S4 summarizes student responses to the question "Have you ever carried a weapon to school?" Students in the first two years of high school were the most likely to have carried weapons; 15 percent of them responded "yes". This percentage dropped to about 12 or 13 percent for juniors and seniors in high school.

The percentage of sixth, eighth, and twelfth grade students who report ever having carried a weapon to school declined, compared to 1996. The percentage of tenth grade students did not change significantly.

Table S4
Percentage of Idaho Students Who Ever Carried a Weapon to School, 1996-2000

	Idaho 1996		Idaho 1998		Idaho 2000		Change
Grade	Percent	Margin of Error	Percent	Margin of Error	Percent	Margin of Error	since first survey
Grade 6	8.5	±1.2	6.0	± 0.7	5.8	± 1.0	- 2.7
Grade 8	17.7	± 1.3	13.7	± 1.6	10.5	± 2.2	- 7.2
Grade 9					14.6	± 1.7	
Grade 10			16.2	± 1.7	15.6	± 3.6	- 0.6
Grade 11					12.3	± 2.5	
Grade 12	16.0	± 1.6	12.8	± 2.0	13.0	± 1.7	- 3.0

The responses of male and female students were very different from one another, as Figure S4 illustrates. *High school boys were four to five times more likely than girls to report having carried weapons to school, and over one-fifth of high school boys said they had carried at some time carried a weapon to school.*




Figure S4

Student Perception of School Climate

Students were asked to respond to a series of statements about the climate in their school. All but one of these statements ("Gangs cause trouble at my school") were phrased so that a "yes" answer was indicative of a positive impression of the school climate. All of the statements except the one negative statement about the influence of gangs are listed in Table S5, which reports the percentage of students agreeing with each item at each grade level. (Findings for the question about gangs were reported in the section about gangs, earlier in this report).

Table S5
Percentage of Students Agreeing with Statements about the School Climate, 2000

	Grade 6	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
I feel safe at this school.	90.2	80.4	81.6	81.8	87.6	91.7
Tieer safe at this school.	(± 2.5)	(± 4.1)	(± 2.7)	(± 2.97)	(± 2.8)	(± 1.9)
Students of all racial groups get	63.6	69.0	65.8	61.0	70.3	74.2
along with each other.	(± 4.1)	(± 3.4)	(± 8.0)	(± 6.0)	(± 6.5)	(± 3.2)
Student views and opinions are respected and listened to by administrators and teachers at my school.	83.2 (± 3.7)	63.0 (± 1.3)	60.2 (± 3.9)	55.3 (± 3.5)	54.3 (± 5.1)	58.2 (± 4.2)
School rules are fairly and consistently enforced for all students.	84.8 (± 1.6)	68.2 (± 3.5)	67.9 (± 3.1)	62.6 (± 2.9)	59.4 (± 1.3)	56.4 (± 4.9)
I feel comfortable telling teachers or administrators about potential fights, arguments, or weapons at school.	72.5 (± 1.6)	47.9 (± 5.1)	38.8 (± 3.1)	41.0 (± 2.4)	41.9 (± 2.6)	49.2 (3.3)
Teachers show respect to	89.7	70.8	69.1	67.7	69.5	71.4
students.	(± 2.9)	(± 5.2)	(± 3.3)	(± 4.7)	(± 2.9)	(± 3.8)
Teachers show they care about	91.5	70.4	65.3	65.9	67.3	71.7
students.	(± 1.9)	(± 5.6)	(± 1.3)	(± 3.5)	(± 4.1)	(± 4.4)
Students show respect to	75.5	49.8	51.4	49.3	53.3	55.6
teachers.	(± 3.7)	(± 4.3)	(± 3.8)	(± 3.4)	(± 3.7)	(± 5.7)
I feel I belong at this sales !	85.6	75.6	75.3	76.1	77.8	76.6
I feel I belong at this school.	(± 1.8)	(± 2.5)	(± 2.4)	(± 2.5)	(± 2.7)	(± 2.0)

Numbers in parentheses represent the margin of error.

Between 80 and 90 percent of students reported that they felt safe at their school. Feelings of safety were most common among sixth and twelfth grade students. There appeared to be no major difference between boys and girls in terms of feeling safe at school.

While the majority of students believed that students of all racial groups got along with each other at their school, this was far from an overwhelming conviction. Between a quarter and a third (depending on grade level) of all students said that students of different

races did *not* get along together. There was no difference between the way boys and girls answered this question.

Sixth grade students strongly agreed that administrators and teachers respected their opinions, but among older students, this impression was not as strong. More than half, however, said they felt their views were respected. Again, there was no difference in the way that boys and girls answered this question.

Most (84.8 percent) sixth grade students said that school rules were fairly and consistently enforced, but this agreement declined among older students, dropping to 68.2 percent among eighth graders, and continuing to drop throughout high school. Just over half (56.4 percent) of high school seniors agreed that rules were enforced fairly. There was no significant gender difference on this question.

Another survey item asked students if they felt comfortable "telling teachers or administrators about potential fights, arguments, or weapons at school". Almost two-thirds (72.4 percent) of sixth graders answered "yes" to this question, but the majority of students in the other grades surveyed answered "no". The lowest level of agreement appeared amongst ninth grade students, only 38.8 percent of whom said they felt comfortable reporting potential conflicts or weapon information to school staff. In every grade except ninth, girls were more likely than boys were to answer that they did feel comfortable telling teachers or administrators about this information.

Three items inquired into the relationship between students and teachers. Fully 89.7 percent of sixth graders, 70.8 percent of eighth graders, and two-thirds or more of high school students responded that they did feel that teachers showed them respect. Girls were more likely than boys to provide this response. The responses to the item "Teachers show they care about students" were nearly identical, although the gender difference was less apparent. The third item asked students whether they felt that students at their school showed respect for teachers. Students thought they showed respect for teachers less than teachers showed respected for them. About half of high school students felt that students in general showed respect for teachers in their school.

The final item in this series asked students whether they felt a sense of belonging at their school. Most sixth graders (85.6 percent) and about 75 percent of boys and girls alike in all other grades said they did feel they belonged at their school.

Driving Under the Influence of Intoxicants

Students were asked both about driving while under the influence of alcohol or drugs and about riding with a driver who had been drinking or using drugs.

Riding with an Intoxicated Driver

Between 20 and 30 percent of all students reported having ridden in a car or truck or on a motorcycle within the past month, with a driver who had been using alcohol or drugs. Boys and girls appeared to be about equally likely to report they had recently ridden with a driver who had been using drugs or alcohol.




Figure S5

Figure S5 examines student reporting of riding with a driver using alcohol and drugs and compares this year's results to results from 1996 and 1998. Taking into account the margin of error (not shown), there was no real change in reporting, except for a possible slight decline in the percentage of tenth grade students who said they had ridden with a driver who had used substances. (The decline from 23.8 percent to 21.9 percent among eight graders was within the margin of error.)

Driving While Intoxicated

Students also answered the question, "During the past 30 days, how many times did you drive a car, truck, or motorcycle while or after drinking alcohol or using drugs?" Not surprisingly, driving under the influence is most common among eleventh and twelfth grade students, who are of course the only students who would be legally driving in significant numbers. About 16 percent of Idaho juniors and seniors report having driven while under the influence of drugs or alcohol within 30 days prior to the survey.

Driving under the influence is down slightly among twelfth grade students, compared to 1996, although there was little, if any, change since 1998. Driving under the influence was also down among tenth grade students. These changes are depicted in the chart in Figure S6.




Figure S6

REFERENCES

- Johnston, LD, P.M. O'Malley, J.G. Bachman. (Dec. 2000). *Cigarette use and smokeless tobacco use decline substantially among teens*. University of Michigan News and Information Services: Ann Arbor, MI. [On-line]. Available: www.monitoringthefuture.org; accessed 01/04/01.
- Johnston, LD, P.M. O'Malley, J.G. Bachman. (Dec. 2000). "Ecstasy" use rises sharply among teens in 2000; use of many other drugs steady, but significant declines are reported for some. University of Michigan News and Information Services: Ann Arbor, MI. [On-line]. Available: www.monitoringthefuture.org; accessed 01/12/01.
- Hawkins, J.D. (1989). *Risk focused prevention: Prospects and strategies*. Presentation to the Federal Coordinating Council on Juvenile Justice and Delinquency Prevention, Washington, D.C.
- U.S. Department of Education. (1989). *What works: Schools without drugs*. Washington, D.C.: U.S. Department of Education.
- Werner, M.J. (1991). *Adolescent substance abuse risk factors and prevention strategies*. National Center for Education in Maternal and Child Health: Arlington, VA.

APPENDICES

Appendix A

Survey Data Regional/Statewide